



PROPOSED SECTION A-A

SCALE 1:25



EXISTING SECTION A-A

SCALE 1:25



1. This Drawing to be read in conjunction with all other Engineers, Architects and Specialists drawings and specifications.

2. No dimensions are to be scaled from this drawing.

3. No deviation may be made from the details shown on this

drawing without prior agreement of the Engineers.

 Any discrepancy between this drawing and any other document should be referred immediately to the Engineer. This drawing to be read in conjunction with all relevant Architect drawings.

Steelwork


All structural steelwork is to be grade S275 (Grade 43).

All structural steelwork to achieve a 30 minutes fire protection. Any connection shall be made using a minimum of 4 M16 bolts or as specified on the drawings and details.

All structural steelworks shall be shot blasted to Swedish standard Sa 2.5 or equivalent to remove all loose rust and mill scale and primed with zinc phosphate to a minimum dry film thickness of 80 microns before delivery to site, in accordance with BS 5493: 1977 Code of Practice for Protected Coating of Iron and Steel Structures against Corrosion. Following installation the steelworks shall be cleaned and prepared and any damage caused to the protective coating during construction shall be spot primed prior to final

Steelwork built into masonry walls or in contact with masonry shall be painted with 3 coats of RIW or similar approved bitumastic

All steelwork below ground to be encased in minimum 75mm structural grade concrete wrapped in D49 mesh.



3A Greville Place

FOR PLANNING

Existing and Proposed Section A-A Proposed Attic Plan



Scale at A1	Date	Drawn By		
1:50	28/11/1	4 AK		
Project No.	Drg No.		Rev.	
8762	01		В	