

Data Sheet

Drainage Board Type FKD 25 (W)

Plastic panel made from deep-drawn regenerated HDPE with water storage functionality, bottom-sided canal system for drainage and drill holes for diffusion and irrigation.

Technical details and properties:

Material:Recycled HDPENominal thickness:Approx. 25 mmSurface weight:Approx. 1.35 kg/m²Colour:Black/grey



colour.	Didoktyjey
Max. compression strength unfille	d 161 kPa (=kN/m²) at 35% compression strain (as per DIN EN ISO 25619-2)
Compression strength filled:	175 kN/m ² at 10% compression strain and 3.5 cm overfill
Water discharge capacity: (as per DIN EN ISO 12958)	Measured at: σ = 20 kPa, soft/hard, MD, with a Type 105 filter fleece on the upper side I = 0.01 (=1 % incline): 0,99 I/(m*s) I = 0.02 (=2 % incline): 1,41 I/(m*s) I = 0.05 (=5 % incline): 2,20 I/(m*s) i = 1 (vertical): 10,03 I/(m*s)
Impact sound reduction:	Impact sound improvement index* for below layer structure:
Tested according to EN ISO 10140	RMS 900, FKD 25, 30 mm stoen chippings, 40 mm concrte paving: ΔLw 31 dB
Rated according to ISO 717-2	(* new as "rated impact sound reduction" identify)
Rated according to 150 717-2	(new as rated impact sound reduction identity)
Fill volume:	Small nipple facing up (mirror writing) = Approx. 14.5 I
i m volume.	Large nipple facing up (normal writing) = Approx. 14.5 I
	Laige hipple facing up (normal whiting) - Approx. 7.51
Water storage:	Small nipple facing up (mirror writing) = Approx. 3.6 I
Water storage:	
(unfilled)	Large nipple facing up (normal writing) = Approx. 5.0 I
Delivery form:	Panels on Euro-palletsPanel dimensions:2 x 1 mPanel surface:2 m²
Quantity per delivery unit:	700 m²/pallet
<u>Area of use:</u>	 Beneath single or multi-layer extensive green roof build-ups on roof inclines up to 5°; small nipple facing downards
	- Beneath pedestrian pathways in gravel beds without compacted support layers; small
	nipple facing upwards
Installation	Unfilled panels with filter fleece on top and abutting edges
metanation	Filled panels overlapping by two flutes
	Apply substrate immediately after installation to protect against wind drift
	Alternatively, fill panels with water instead of substrate
	(recommendable in summer for cooling)
<u>Storage:</u>	Flat, dry, protected from sunlight during extended storage
The preceding details are guideline value	s established under laboratory conditions. These values are subject to a certain manufacturing
	luct information sheet represents Optigreen's technical knowledge at the time of publication.
-	Induct means the second operation of the second and the modify specified properties accordingly.
Errors and omissions excepted.	