

[Home](#) > [Technical](#) > [VELFAC 200 Energy](#) > [Glazing](#) > [VELFAC DÉCOR - Opacity](#)


VELFAC DÉCOR - Opacity

VELFAC DÉCOR opaque glass should be used in areas where privacy and security are required.

VELFAC DÉCOR is available in five different designs: Satin, Pacific, Cotswold, Carré or Matt Lam (glass laminated with a matt foil to give a sandblasted appearance).

N.B.

Matt laminated glass also reduces the risk of injury should the glass break.




[Back](#)

Recommendations for DÉCOR glazing, VELFAC 200 ENERGY

In order to get maximum effect from the glass, VELFAC recommends that:

- opaque glass it fitted as the external or centre pane, when used with VELFAC STANDARD
- opaque glass it fitted as the inner or centre pane, when used with VELFAC SUN.



JPG

Take a closer look at the VELFAC DÉCOR glazing

VELFAC 200 ENERGY

Construction	Type of glass	U-value BS/EN1073	g-value BS/EN410	LT-value BS/EN410
4-18-4-18-4 argon	Energy/Decor*/Energy	0.53	0.52	0.72

The U-value for an entire window must be calculated separately. Please call VELFAC for more information. Decor* applies to both Satin, Pacific, Cotswold and Carré.

PDF

Energy values, typical DÉCOR glazing, VELFAC 200 ENERGY

Back

VELFAC IRELAND Ltd.

T: +353 1 450 7984

Registration no.: 354589

E: irishpost@VELFAC.ie

V.A.T. no.: IE 6374589I