


78 Greencroft Gardens

67 Goldhurst Terrace

63 Goldhurst Terrace



55 Greencroft Gardens

65 Aberdare Gardens

71 Goldhurst Terrace

Ordnance Survey © Crown copyright 2018. All rights reserved. Licence No.100051531.

Chelmer Site Investigations

Unit 15 East Hanningfield Industrial Estate
 Old Church Road, East Hanningfield, Essex CM3 8AB
 Telephone: 01245 400930 Fax: 01245 400933



Email: info@siteinvestigations.co.uk Website: www.siteinvestigations.co.uk

Client: Etch Design Ltd		Scale: N.T.S.		Sheet No: 1 of 1		Weather: Overcast		Date: 10.2.14		
Site: 67 Goidhurst Terrace, London NW6		Job No: 4243		Borehole No: 1		Boring method: Secondman (100mm Ø) C.F.A.				
Depth Mtrs.	Description of Strata	Thick-ness	Legend	Sample	Test Type	Result	Root Information	Depth to Water	Depth Mtrs	
G.L.	TOPSOIL	0.1					No roots observed.			
0.1	MADE GROUND: medium compact, dark brown, very silty clay, with gravel and brick fragments.	0.25								
0.35	Stiff, orange-brown, grey veined, silty CLAY, with partings of orange and brown, silt and fine sand and selenite crystals. becoming very stiff from 3.8m. becoming very stiff, dark brown from 7.5m.	8.05		D					0.3	
				D						0.5
				D	V	80				1.0
				D						1.5
				D	V	100	106			2.0
				D						2.5
				D	V	120	128			3.0
				D						3.5
				D	V	140+	140+			4.0
				D						4.5
				D	V	140+	140+			5.0
				D						5.5
				D	V	140+	140+			6.0
				D						7.0
8.4	Very stiff, dark grey, silty CLAY with partings of brown, silt and fine sand and selenite crystals.	1.6		D	V	140+	140+		9.0	
				D	V	140+	140+		10.0	
10.0			Borehole ends at 10.0m			D	V	140+	140+	

Drawn by: JG Approved by: JH

Remarks: Borehole dry and open on completion.
 Standpipe installed to 8.0m.

Key: T.D.T.D. Too Dense to Drive
 D Small Disturbed Sample J Jar Sample
 B Bulk Disturbed Sample V Pilcon Vane (kPa)
 U Undisturbed Sample (U100) M Mackintosh Probe
 W Water Sample N Standard Penetration Test Blow Count

Chelmer Site Investigations

Unit 15 East Hanningfield Industrial Estate
Old Church Road, East Hanningfield, Essex CM3 8AB
Telephone: 01245 400930 Fax: 01245 400933



Email: info@siteinvestigations.co.uk Website: www.siteinvestigations.co.uk

Client: Etch Design Ltd		Scale: N.T.S.		Sheet No: 1 of 1		Weather: Overcast		Date: 10.2.14		
Site: 67 Goidhurst Terrace, London NW6		Job No: 4243		Borehole No: 2		Boring method: Secondman (100mm Ø) C.F.A.				
Depth Mtrs.	Description of Strata	Thick-ness	Legend	Sample	Test Type	Result	Root Information	Depth to Water	Depth Mtrs	
G.L.	CRAZY PAVING	0.05					No roots observed.			
0.05	CONCRETE	0.1								
0.15	MADE GROUND: medium compact, dark brown, very silty clay, with gravel and brick fragments.	0.25	X	D					0.3	
0.35	Stiff, orange-brown, grey veined, silty CLAY, with partings of orange and brown, silt and fine sand and selenite crystals.	5.65	X	D					0.5	
			X	D	V	90 100				1.0
			X	D						1.5
			X	D	V	108 114				2.0
			X	D						2.5
			X	D	V	124 132				3.0
			X	D						3.5
			X	D	V	140+ 140+			4.0	
	X	D					4.5			
	X	D	V	140+ 140+			5.0			
	X	D					5.5			
6.0	X	D	V	140+ 140+			6.0			
Borehole ends at 6.0m										
Drawn by: JG		Approved by: JH		Key: T.D.T.D. Too Dense to Drive D Small Disturbed Sample J Jar Sample B Bulk Disturbed Sample V Pilcon Vane (kPa) U Undisturbed Sample (U100) M Mackintosh Probe W Water Sample N Standard Penetration Test Blow Count						
Remarks: Borehole dry and open on completion. Standpipe installed to 6.0m.										