


(Scale 1:50 @ A1).

Level 3 Floor.

(Scale 1:50 @ A1).








## NOTES

- DO NOT SCALE THIS DRAWING.
  WORK TO FIGURED DIMENSIONS ONLY.
  ALL DIMENSIONS ARE IN MILLIMETRES (mm)
  UNLESS NOTED OTHERWISE.
- This drawing is to be read in conjunction with all relevant Architect's, Engineer's and Specialist's drawings and their respective Specifications.
- 3. All work to comply with the relevant British Standards, Codes of Practice and the Building Regulations.
- 4. Any discrepancies between all working drawings, specifications and schedules of all disciplines to be immediately notified to CTP for clarification/correction prior to construction of relevant structure.





Level 1 Floor.

(Scale 1:50 @ A1).


Level 2 Floor.

(Scale 1:50 @ A1).





Level 5 Floor. (Scale 1:50 @ A1).



(Scale 1:50 @ A1).

**CDM 2015 RESIDUAL RISKS** 

The above residual risks are for non-standard hazards. It is assumed that a competent contractor familiar with

the construction of this type of work will be appointed

who will be aware of the standard hazards.

## PRELIMINARY

P1 PRELIMIN	NARY ISSUE:	20.02.20	KGD	AG
Revision	Amendments	Date	Rev'd	Chk'c
Created by: K.G.Denyer.	Date created: Discip		scipline UC	



Suffolk House 154 High Street Sevenoaks Kent TN13 1XE UK UK: +44 (0)1732 740195 www.ctp-llp.com

Dr.William's Library Library Building.

Ъ	Drawing Title:
	North Stair Plans Repair Locations
	Repair Locations

Repair Locations

A6763-006

X1 — Mortar repair to riser.

LEGEND:

Y1 — Chamfer tread nosing + SS pins & dog cramps & mortar repair.

W1 New matching stone chamfered edge insert x 100 thick x size noted. C1 Nom 70 Ø New matching stone core insert x 100 thick x nominal diameter noted. P1 🔵 New patten insert x 50 thick with mortar infill to underside of slab. New mortar infill to small diameter hole to top & bottom of slab or local indent. New matching stone slab insert x 50 thick x size noted with edge area ground smooth level transition. J1 Existing stone slab joint raked out with mortar fill to gap & edges ground back at junction for smooth level transition. Rake out fine crack & inject thixotropic resin as approved with mortar infill & fine ground finish.