

# **Site Investigation Report**

Auger Ref:



Job Information	
Client	Crawford & Co - Allianz (Subsidence)
Client ref	
Visit date	14/02/2020
Report date	16/03/2020











### Job Information

### Overview

Brief

 $Auger were \ commissioned \ by \ Crawford \ \& \ Co-Allianz \ (Subsidence) \ to \ undertake \ a \ site \ investigation \ within the \ area \ of \ concern \ at \ the \ property.$ 

Trial Hole Findings We were unable to complete the trial hole to the front right hand side of the property due to there being a mote/retaining wall in the requested location meaning we could not excavate there.

Soil suctions were not completed for samples taken from TH2. The sample contained too much gravel and had no cohesion.

## Photographs

### Trial Hole 1

#### Fig 1.1: Trial Hole 1 Location



Fig 1.2: Trial Hole 1 Footing



### Trial Hole 2

Fig 2.1: Trial Hole 2 Location



Fig 2.2: Trial Hole 2 Footing




Trial Hole 3


Fig 7.1: Trial Hole 3 Location





Fig 7.2: Trial Hole 3 Footing













**Auger Solutions** 



09/03/2020

Dear Sirs

### Root ID



TH1, 1.3m		
1 no.	Examined root: either ACER (Maples, Sycamores) - or - CARPINUS (Hornbeam). Less than 0.1mm in diameter.	Dead*.
1 no.	Microscopic examination showed insufficient cells for recognition.	
TH1, 1.8m		
1 no.	Examined root: again, most like either ACER (Maples, Sycamores) - or - CARPINUS (Hornbeam). Also not more than 0.1mm in diameter.	Dead*.
2 no.	Both samples revealed too few cells for microscopic identification.	
TH1, 2.3m		
1 no.	Examined root: could be either ACER (Maples, Sycamores), CARPINUS (Hornbeam) - or - the family SALICACEAE (Salix (Willows) and Populus (Poplars)). As above, a very THIN sample - not more than 0.05mm in diameter.	Dead*.
TH2, 1.3m		
5 no.	Examined root: the family SALICACEAE (Salix (Willows) and Populus (Poplars)). Another THIN and immature root.	Dead*.
2 no.	Both pieces of BARK only - insufficient material for recognition.	

All of the roots described above were very immature - please note that the 'dead' results could well be

Click here for more information: ACER CARPINUS SALICACEAE

I trust this is of help. Please call us if you have any queries; our Invoice is enclosed.

Dr Ian B K Richardson

Based mainly on the lodine test for starch. Starch is present in some cells of a living woody root, but is more or less rapidly broken down by soil micro-organisms on death of the root, sometimes before decay is evident. This result need not reflect the state of the parent tree.



Dr Ian B K Richardson BSc, MSc, PhD, MRSB, FLS

James Richardson BSc (Hons. Biology)




**Auger Solutions** 



29/01/2020

Dr lan B K Richardson BSc, MSc, PhD, MRSB, FLS James Richardson BSc (Hons. Biology)



Dear Sirs

### Root ID

The samples you sent in relation to the above have been examined. Their structures were referable as follows:

TH1, 1.65m			
1 no.	Examined root: BETULA (Birch).	Alive, recently*.	
2 no.	Examined root: PRUNUS species (Cherries, Plums and Damsons, Almonds, Peaches and Apricots, Blackthorn/Sloe, as well as the shrubby Cherry-laurel and Portugal-laurel).	Alive, recently*.	
1 no.	Examined root: too DECAYED for identification.		

Click here for more information: BETULA PRUNUS

I trust this is of help. Please call us if you have any queries; our Invoice is enclosed.

Yours faithfully

Based mainly on the todine test for starch. Starch is present in some cells of a living woody root, but is more or less rapidly broken down by soil micro-organisms on death of the root, sometimes before decay is evident. This result need not reflect the state of the parent tree.

\* \* Try out our web site on www.botanical.net \* \*





### **Geotechnical Testing Analysis Report**



Summary Of Claim Details				
Policy Holder	Unknown			
Risk Address	Unknown			
SI Date	23/02/2020			
Issue Date	23/02/2020			
Report Date	12/03/2020			
Auger Reference				
Insurance Company	Allianz			
LA Claim Reference				

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Checked	16/03/2020	Wayne Honey	
Approved	16/03/2020	Paul Evans	

LA Co. Reference



Crawford & Co

GSTL	LIQUID LIMIT, PLASTIC LIMIT AND PLASTICITY INDEX ( BS 1377 : Part 2 : 1990 Method 5 ) DESCRIPTIONS	@auger	environmental + claims mgmt + subsidence + drainage +
GSTL Contract Number			
Risk Address	Unknown		
Auger Reference			

TH Trial Hole	Sample Type	Depth (m)	Sample Description
TH1	D	1.30	Brown sandy fine to medium gravelly silty CLAY
TH1	D	1.80	Brown sandy fine to medium gravelly silty CLAY
TH1	D	2.30	Brown sandy fine to medium gravelly silty CLAY
TH2	D	1.30	Brown sandy fine to medium gravelly silty CLAY
TH2	D	1.80	Brown sandy fine to medium gravelly silty CLAY
TH2	D	2.30	Brown sandy fine to medium gravelly silty CLAY
TH3	D	1.60	Brown fine to medium gravelly silty CLAY
TH3	D	2.10	Brown fine gravelly silty CLAY
TH3	D	2.60	Brown fine to medium gravelly silty CLAY
	-		
-			
L	I		1

Test Operator	Checked	16/03/2020	Wayne Honey	
Luke Williams	Approved	16/03/2020	Paul Evans	



GSTL	LIQUID LIMIT, PLASTIC LIMIT AND PLASTICITY INDEX ( BS 1377 : Part 2 : 1990 Method 5 )	auger	environmental + claims mgmt + subsidence + drainage +
GSTL Contract Number			
Risk Address	Unknown		
Auger Reference			
Remarks	NP - (Non-Plastic), # - (Liquid Limit and Plastic Limit Wet Sieved)		

TH Trial Hole	Sample Type	Depth (m)	Moisture Content %	Liquid Limit %	Plastic Limit %	Plasticity index %	Passing .425mm %	NHBC Chapter 4.2	Remarks
TH1	D	1.30	26	82	22	60	81	HIGH VCP	CV Very High Plasticity
TH1	D	1.80	30						
TH1	D	2.30	33	85	24	61	84	HIGH VCP	CV Very High Plasticity
TH2	D	1.30	15	71	16	55	78	HIGH VCP	CV Very High Plasticity
TH2	D	1.80	18						
TH2	D	2.30	14	66	15	51	73	HIGH VCP	CH High Plasticity
TH3	D	1.60	25	57	20	37	89	MEDIUM VCP	CH High Plasticity
TH3	D	2.10	31						
TH3	D	2.60	36	65	27	38	79	MEDIUM VCP	CH High Plasticity
	_								
	+								
						1			
	+					-			

Modified Plasticity Index (PI) <10 Modified PI = 10 to <20 Modified PI = 20 to <40 Modified PI = 40 or greater

: Non Classified


: Low volume change potential (LOW VCP) : Medium volume change potential (Med VCP)

: High volume change potential (HIGH VCP)


The Atterberg Limits May also be used to classify the volume change potential of fine soils using the National House building system, as given in the NHBC's Standards Chapter 4.2 (2003) "Building Near Trees"

Test Operator	Checked	16/03/2020	Wayne Honey	
Luke Williams	Approved	16/03/2020	Paul Evans	





#### PLASTICITY CHART FOR CASAGRANDE CLASSIFICATION BS 5930:1999+A2:2010



Modified Plasticity Index (PI) <10 Modified PI = 10 to <20

: Non Classified

Modified PI = 20 to <40

: Low volume change potential (LOW VCP)
: Medium volume change potential (Med VCP)

Modified PI = 40 or greater

: High volume change potential (HIGH VCP)

The Atterberg Limits May also be used to classify the Atterberg Limits may also be used to classify the volume change potential of fine soils using the National House building system, as given in the NHBC's Standards Chapter 4.2 (2003) "Building Near Trees"

Test Operator	Checked	16/03/2020	Wayne Honey	
Luke Williams	Approved	16/03/2020	Paul Evans	




GSTL	SUMMARY OF SOIL CLASSIFICATION TESTS, BRE Information Paper IP 4/93 February 1993 (Cl/SfB p1), BRE Information Paper Digest 412 ci/sFb (A3s) February 1996	oauger	environmental. + claims mgmt. + subsidence. + drainage. +
GSTL Contract Number			
Risk Address	Unknown		
Auger Reference			
Remarks	D - Disturbed (Recompacted 2.5kg Rammer), U - Undisturbed Sample		

TH Trial Hole	Depth (m)	Filter Paper Location	Filter Paper	Sample Prep Method	Test Duration (Days)	Water Content (%)	Soil Suction Pk (kPa)	Average Soil Suction Pk (kPa)	Cumalative Heave Potential (mm) from bottom of the hole
TH1		Тор	I	D	5	51.8	63		
TH1	1.30	Middle	П	D	5	52.2	62	64	2
TH1	1	Bottom	III	D	5	50.0	69		
TH1									
TH1	1.80								
TH1	1								
TH1		Тор	I	D	5	40.6	205		
TH1	2.30	Middle	II	D	5	41.8	174	206	6
TH1		Bottom	III	D	5	39.6	239		

Heave potential is calculated from the bottom of the hole and heaves above the bottom of the hole are reported as a cumalative value.

The values reported for heave above only apply to the strata the suction and plasticity have been performed on. The shallowest depth reported is assumed to be a strata thickness to GL and Heave is calculated based on that layer thickness, if the next sample is in 0.5m increments the heave is calculated based on the layer thickness of 0.5m and depths 1m from the sample above will include heave over 1m.

Consideration should be made for other stratas where values are not reported and when working out the heave potential over the entire trial hole.



Test Operator	Checked	16/03/2020	Wayne Honey	
Luke Williams	Approved	16/03/2020	Paul Evans	




GSTL	SUMMARY OF SOIL CLASSIFICATION TESTS, BRE Information Paper IP 4/93 February 1993 (CI/SfB p1), BRE Information Paper Digest 412 ci/sFb (A3s) February 1996	auger environmental dialism signit. Subsidience de
GSTL Contract Number		
Risk Address	Unknown	
Auger Reference		
Remarks	D - Disturbed (Recompacted 2.5kg Rammer), U - Undisturbed Sample	

TH Trial Hole	Depth (m)	Filter Paper Location	Filter Paper	Sample Prep Method	Test Duration (Days)	Water Content (%)	Soil Suction Pk (kPa)	Average Soil Suction Pk (kPa)	Cumalative Heave Potential (mm) from bottom of the hole
TH3	1.60	Тор	I	D	5	79.0	22		
TH3	1.60	Middle	II	D	5	78.8	22	22.9	7
TH3	1.60	Bottom	III	D	5	75.9	24		
TH3	2.10								
TH3	2.10								
TH3	2.10								
TH3	2.60	Тор	I	D	5	32.5	662		
TH3	2.60	Middle	II	D	5	33.7	553	712	7
TH3	2.60	Bottom	III	D	5	30.2	921		

Heave potential is calculated from the bottom of the hole and heaves above the bottom of the hole are reported as a cumalative value.

The values reported for heave above only apply to the strata the suction and plasticity have been performed on. The shallowest depth reported is assumed to be a strata thickness to GL and Heave is calculated based on that layer thickness, if the next sample is in 0.5m increments the heave is calculated based on the layer thickness of 0.5m and depths 1m from the sample above will include heave over 1m.

Consideration should be made for other stratas where values are not reported and when working out the heave potential over the entire trial hole.



Test Operator	Checked	16/03/2020	Wayne Honey	
Luke Williams	Approved	16/03/2020	Paul Evans	

