

Proposed



**Disclaimer**  
Do not scale from this drawing. Check all dimensions on site before fabrication or setting out. This document is copyright and may not be reproduced without permission of the owner.

**Notes**  
Not all revision notes appear on all sheets. Refer to tagged clouds on drawing opposite for relevant revision.

01. Lift overrun heights increased by 175mm to allow for sufficient insulation build-up with limited combustibility.

02. Roof access locations adjusted

03. Retail door height adjusted

04. Retail door height and configuration adjusted

05. Aluminium portal to arcade entrance introduced

06. Granite plinth height increased

07. Glazed brick plinth height increased

08. UKPN louvre size reduced, brick lintel introduced.

09. Recessed brick detail position adjusted

10. Low level transom to FR curtain wall introduced

11. Extent of rainscreen cladding/louvred screen adjusted

12. Revolving door drum size increased

13. Terrace sliding door height revised

14. Cyclist entrance design revised

15. Intermediate precast piers width adjusted

03	NMA	18/11/2022	Apt		
02	NMA	22/07/2021	Apt		
01	NMA	01/10/2019	Apt		
00	NMA	28/09/2018	RPP		
Rev	Reason for Issue	Date	Iss		
SUK	ARCH	STR	MEPH	OTHER	CLENT
○	○	○	○	○	○

Revisio Drawing Review Approval

KEY - LOCATION

# Apt

235 St John Street London EC1V 4NG    www.aplondon

Client  
**Royal London Asset Management**

Project  
**Castlewood House**

Drawing Title  
**General Arrangement  
East Elevation**

Scale	Drawn By	Issued By
1 : 100 @ A1	Apt	Apt

Non Material Amendment

Project No.	Drawing No.	Revision
15023	A_P_302	03