(C) the copyright of this drawing is vested with Domus APM and must not be copied or reproduced without written conser





domusapm.co.uk info@domusapm.co.uk 020 8144 2506 Office 212, Rex House, 354 Ballards Lane, London, N12 0DD

> Planning Conditions


CLIENT Mr. Prax Patel


PROJECT
New Build House


12/05/21 CHECKED BY

> 62 Hillfield Road London NW6 1QA


CON_01 REVA










2 Rear Elevation
Scale: 1:100 @ A3







Scale: 1:100 @ A3





AluK 77IWE Open-Out Window

PERFORMANCES

| U value W/m²K (Double glazing) : | 1.2 W/m²K |
|----------------------------------|------------------|
| U value W/m²K (Triple glazing) : | 0.8 W/m²K |
| Acoustic performance (dB) : | - |
| Air tightness (Pa) : | Class 4 (600 Pa) |
| Water tightness (Pa) : | E1050 (1050 Pa) |
| Wind load (Pa) : | C5 (2400 Pa) |
| Security PAS 24 : | |
| Certifications : | Q-mark |
| Secured by design : | |



www.gomusapm.co.ui

paul@domusapm.co.uk 020 8144 2506

> PLANNING CONDITION NO.3

client Mr P Patel

ProJECT New Build House

date 24/03/23

62 Hillfield Road London NW6 1QA

002 rev