



FORM LEAD FLAT ROOF AS FRONT ELEVATION.

STRIP UP EXISTING LEAD FLAT ROOF AND DECKING AND CART AWAY. LAY 100mm THICK QUILT INSULATION BETWEEN ROOF JOISTS AND RENEW DECKING AND LEADWORK AS SPECIFIED.

PROVIDE NEW CODE 5 LEAD SOAKERS AND FLASHINGS AT ABUTMENTS.

STRIP UP ALL LEADWORK AND DECKING TO PARAPET AND VALLEY GUTTERS AND RENEW AS SPECIFIED.

STRIP UP ALL EXISTING ASPHALT AND DECKING AND CART AWAY. PROVIDE 100mm THICK QUILT INSULATION BT. JOISTS AND RENEW DECKING AND ASPHALT AS SPECIFIED.

Great Queen Street

REMOVE EXISTING CLAY TILE ROOFING AND SET ASIDE TILES FOR REUSE. REMOVE EXISTING SLOPING JOISTS AND PROVIDE AND FIX NEW JOISTS, SIZE TO MATCH EXISTING TO FORM FLAT ROOF WITH MINIMUM FALL OF 1 IN 60. PROVIDE 100mm THICK QUILT INSULATION BETWEEN JOISTS AND LAY NEW DECKING AND LEAD ROOFING AS SPECIFIED.

PROVIDE CODE 4 LEAD FLASHING AT UPSTANDS.

STRIP UP EXISTING ROOFING TO MAIN ROOF AND DORMER HEADS AND CHEEKS AND SET ASIDE CLAY TILES FOR REUSE. PROVIDE 100mm THICK QUILT INSULATION BETWEEN JOISTS AND RENEW ROOF COVERING, INCLUDING SARKING FELT, TIMBER BATTENS AND THE REUSE OF THE EXISTING TILING. PROVIDE 1 NO. NEW RIDGE VENTILATION TERMINAL FOR EVERY 2.8M OF RIDGE AND 4 NO. NEW REDVENT TILES TO BASE OF EACH ROOF SLOPE.

PLANS ON BEHALF OF THE COUNCIL APPROVED
 21 JAN 1993
 LONDON BOROUGH OF CAMDEN
 TOWN AND COUNTRY PLANNING ACTS

Notes
 REVISIONS. A.) NOTES ADDED 5th NOV. 92.

TP9201255
 HB9270190

Project 34 GREAT QUEEN STREET WC2		Client UNITED GRAND LODGE OF ENGLAND
Drawing title PROPOSED ROOF PLAN.		Drg. no. 92009/06/A
Scale 1:50	Drawn NC	Date MAY 1992

Hood Huggins & York
 19/20 Bow Street London WC2E 7AD
 Telephone: 01-240 0074