

# DRAFT

TITLE: Euroseam Green Roof Details

DRAWN: CD


DATE: January 2018

SCALE: NTS


This draft drawing has been supplied by Euro Clad Ltd for the purpose of guidance free of charge. It is a suggested detail provided and as such should not be assumed suitable for any specific project or application.

No responsibility is assumed for errors or misinterpretations resulting from the information contained in the drawing. Details are for illustration only and no liability is accepted. We reserve the right to change the details without notice. The drawing is copyright, it remains our property.

To be read in conjunction with Euroclad guidance and specification documents



**\*NB: DRAINAGE LAYER MUST PROVIDE FREE DRAINAGE. FOAM TYPE DRAINAGE LAYERS ARE NOT SUITABLE.**



# DRAFT

TITLE: Euroseam Green Roof Details

DRAWN: CD



DATE: January 2018

SCALE: NTS



This draft drawing has been supplied by Euro Clad Ltd for the purpose of guidance free of charge. It is a suggested detail provided and as such should not be assumed suitable for any specific project or application.

No responsibility is assumed for errors or misinterpretations resulting from the information contained in the drawing. Details are for illustration only and no liability is accepted. We reserve the right to change the details without notice. The drawing is copyright, it remains our property.

To be read in conjunction with Euroclad guidance and specification documents



**\*NB: DRAINAGE LAYER MUST PROVIDE FREE DRAINAGE. FOAM TYPE DRAINAGE LAYERS ARE NOT SUITABLE.**



**\*NB: DRAINAGE LAYER MUST PROVIDE FREE DRAINAGE. FOAM TYPE DRAINAGE LAYERS ARE NOT SUITABLE.**

# DRAFT

TITLE: Euroseam Green Roof Details

DRAWN: CD



DATE: January 2018

SCALE: NTS

This draft drawing has been supplied by Euro Clad Ltd for the purpose of guidance free of charge. It is a suggested detail provided and as such should not be assumed suitable for any specific project or application.



No responsibility is assumed for errors or misinterpretations resulting from the information contained in the drawing. Details are for illustration only and no liability is accepted. We reserve the right to change the details without notice. The drawing is copyright, it remains our property.

To be read in conjunction with Euroclad guidance and specification documents



EUROCLAD EUROSEAM SEAM CLIP  
ECZIP\_FSC50

Prefitted bolt and self locking nut.



**\*NB: DRAINAGE LAYER MUST PROVIDE FREE DRAINAGE. FOAM TYPE DRAINAGE LAYERS ARE NOT SUITABLE.**

# DRAFT

TITLE: Euroseam Green Roof Details

DRAWN: CD



DATE: January 2018

SCALE: NTS

This draft drawing has been supplied by Euro Clad Ltd for the purpose of guidance free of charge. It is a suggested detail provided and as such should not be assumed suitable for any specific project or application.

No responsibility is assumed for errors or misinterpretations resulting from the information contained in the drawing. Details are for illustration only and no liability is accepted. We reserve the right to change the details without notice. The drawing is copyright, it remains our property.

To be read in conjunction with Euroclad guidance and specification documents



**\*NB: DRAINAGE LAYER MUST PROVIDE FREE DRAINAGE. FOAM TYPE DRAINAGE LAYERS ARE NOT SUITABLE.**

# DRAFT

TITLE: Euroseam Green Roof Details

DRAWN: CD

DATE: January 2018

SCALE: NTS


This draft drawing has been supplied by Euro Clad Ltd for the purpose of guidance free of charge. It is a suggested detail provided and as such should not be assumed suitable for any specific project or application.

No responsibility is assumed for errors or misinterpretations resulting from the information contained in the drawing. Details are for illustration only and no liability is accepted. We reserve the right to change the details without notice. The drawing is copyright, it remains our property.


To be read in conjunction with Euroclad guidance and specification documents

Seam Clip ECZIP\_FSC50  
at approx 1.2M centres across roof slope

0.9mm Aluminium flashing face notched  
out over sheet upstands onsite.  
Back leg upstand dimension to suit green roof  
to be advised by green roof supplier.



0.9mm Aluminium flashing face notched  
out over sheet upstands onsite.  
Back leg upstand dimension to suit green roof to  
be advised by green roof supplier.



UPSLOPE CENTRES TO BE ADVISED BY GREEN ROOF SUPPLIER



# DRAFT

TITLE: Euroseam Green Roof Details

DRAWN: CD

DATE: January 2018

SCALE: NTS

This draft drawing has been supplied by Euro Clad Ltd for the purpose of guidance free of charge. It is a suggested detail provided and as such should not be assumed suitable for any specific project or application.

No responsibility is assumed for errors or misinterpretations resulting from the information contained in the drawing. Details are for illustration only and no liability is accepted. We reserve the right to change the details without notice. The drawing is copyright, it remains our property.

To be read in conjunction with Euroclad guidance and specification documents

## WELDING OPTIONS

COMPRESSIBLE SEALING TAPE BETWEEN SEAMS

EUROSEAM SHEETS CUT AND SEAMED UP ON SITE PRIOR TO INSTALLATION

ALUMINIUM EUROSEAM SHEET CUT BACK AND WELDED CLOSED

ALUMINIUM PLATE FLASHING

CUT SHEETS WELDED CONTINUOUSLY TO PRECUT AND SEAMED SHEET OR PLATE FLASHING. UPSTANDS AND SHEET PROFILE WELDED CLOSED.

NOTE: REMOVE ALL COMBUSTIBLE MATERIALS FROM THE VICINITY OF THE WELD DUE TO FIRE RISK FROM SITE WELDING

PLANTING

FILTER FABRIC

\*DRAINAGE LAYER

PLANTING SUBSTRATE

NON-COMBUSTIBLE MINERAL FIBRE MIN 100KG DENSITY

**\*NB: DRAINAGE LAYER MUST PROVIDE FREE DRAINAGE. FOAM TYPE DRAINAGE LAYERS ARE NOT SUITABLE.**