

ARC GLAZING TO COVER OUTSIDE FRONT FACE WITH ALUMINUM PRESSING
BLACK 90MM HIGH X 5200MM LONG

EXTERNAL FRAME LENGTH
NEW BAR AREA TO ROOF

TRACK FIX TO NEW
150MM X 150MM
STEEL BEAM, BEING
FITTED INTO END OF
OPENING.

BLACK OUTSIDE AND INSIDE
CORITZO SLIMLINE 20 TRIPLE TRACK
[182MM WIDE] SLIDING DOOR RANGE
CLEAR / TOUGHENED GLASS
NO EXISTING FRAME TO BE REMOVED.
THIS TO BE REMOVED BY BUILDERS BEFORE
NEW DOORS ARE TAKEN TO SITE
ALL BUILDING WORKS BY BUILDERS
FRAME TO BE SET BACK SO FRONT OF NEW DOOR
TRACK TO BE IN LINE WITH THE FRONT OF THE
OLD WINDOW FRAME WHICH WILL BE LEFT IN PLACE

BASEWORK IS NOT YET FULLY IN PLACE BUILDERS TO BUILD BASEWORK, SO TOP OF NEW BASEWORK TO BE 75mm BELOW FINISHED FLOOR LEVEL

250MM
BLACK
INSIDE ALUMINUM
PRESSING
3100MM HIGH

TIMBER BLOCKS
TO BE FITTED INTO
STEEL BEAM, TO GIVE
FLAT SURFACE TO FIX,
+ 32MM X 175MM
PACKED ON TOP

32MM X 175MM	5165MM OPENING SIZE TO BE LEFT BY BUILDERS
182MM	NEW DOORS 5155MM WIDE
16MM	

TO MAKE UP DEPTH TO
182MM DEEP
ALUMINUM PRESSING
TO, OUTSIDE AND INSIDE

3029MM OPENING
HEIGHT TO BE
LEFT BY BUILDERS

3014MM O/HEIGHT
STANDARD FRAME
INC 250 CILL REQUIRED

NEW
150MM X 150MM
STEEL BEAM, BEING
FITTED INTO END OF
OPENING. FRONT OF
TO BE IN LINE WITH FRONT
OF EXISTING WINDOW FRAME.
STEEL BEAM TO BE AT 90 DEGREES
TO FRONT ELEVATION

240MM

200MM

104
DEGS

BLACK
OUTSIDE
ALUMINUM
PRESSING
3100MM HIGH

A diagram of a horizontal beam of length \$L\$. A triangular load starts at 0 at the left end and increases linearly to a peak value \$P\$ at the right end. A point load \$F_K\$ is applied downwards at the right end of the beam. The beam is supported by a pin support at the left end and a roller support at the right end. The distance between the supports is \$L\$.

CONTRACT NO	1013	
CUSTOMER	ALEX LARN	DATE 20/02/23

ARC GLAZING

SITE ADDRESS RED BULL OFFICES,
42 EARLHAM STREET,
COVENT GARDENS

GLASS TO BE CLEAR TOUGHENED
TOUGHENED TO DOORS AS MARKED

07780 683657

DRAWN BY T VINE

CUSTOMERS DECLARATION
I APPROVE THESE DRAWINGS IN THEIR ENTIRETY

ALL UNITS ARE VIEWED FROM OUTSIDE

NOT DRAWN TO SCALE