



**FIRE STOPPING**

ALL FIRE STOPPING REQUIRED WILL BE INSTALLED IN LINE WITH TFL GUIDANCE AND SPECIFICATIONS. ALL FIRE STOPPING TO BE CARRIED OUT BY TO TFL APPROVED INSTALLED AND SUPPLIED WITH FIRE LOGS

**ALL TIMBERS ARE TO BE CUT OFF SITE TO PROVIDE A CLASS 'O' FIRE RESISTANCE.**

Proposed fire plywood specification subject to availability at time of order;  
1: 18mm 2500x1220 ESP Garnica FIRESHIELD BUILDING, FR class B-s1,d0 EN13501, poplar plywood, glue class 1 EN314, STRUCTURAL dry conditions EN636-1S, E1, CE1 EN13986, 70% PEFC Certified INT-PEFC-COC-002322  
2: 18mm 3100x1530 PEFC ESP Garnica FIRESHIELD BUILDING, FR class B-s1,d0 EN13501, poplar plywood, glue class 1 EN314, STRUCTURAL dry conditions EN636-1S, E1, CE1 EN13986, 70% PEFC Certified INT-PEFC-COC-002322  
3: 25mm 2500x1220 ESP Garnica FIRESHIELD BUILDING, FR class B-s1,d0 EN13501, poplar plywood, glue class 1 EN314, STRUCTURAL dry conditions EN636-1S, E1, CE1 EN13986, 70% PEFC Certified INT-PEFC-COC-002322

DO NOT RESCALE THIS DRAWING

A	WALL TO SHOPFRONT DETAIL ADDED	21.03.23	NW
REV	DESCRIPTION	DATE	NAME
			
GREGGS Plc (SOUTH EAST) 87 MILLMARSH LANE ENFIELD MIDDLESEX EN3 7XJ Tel: (0208) 805 3314			
Shop S Number & Name <b>S681 LONDON EUSTON ROAD</b>			
Title <b>PROPOSED WALL DETAILS</b>			
Site Address UNIT 2 WESTERN TICKET HALL, KINGS CROSS AND ST PANCARS UNDERGROUND STATION, EUSTON ROAD, LONDON			
Gross Building Area 143 Sq m		Gross Sales Area 53.4 Sq m	
Drawing No. <b>RS0E/S6169/08</b>			Rev. <b>A</b>
Date <b>11/08/22</b>		Scale <b>1:50</b>	@ <b>A1</b>
Drawn by <b>JB</b>	Scale Bar 0 500 1000 1500 2000 2500mm SCALE 1:50		
Issued <b>21-Mar-23</b>			