

Door Replacement Schedule										
Location number	No. Leafs	Door style	Approx Width (mm)	Approx Height (mm)	Fire Rating BS 476-22	Door Closer CE Marked BS EN 1154:1997 Fire/Smoke Use - Grade 1 Durability - Grade 8	Hinges CE Marked BS EN 1935:2002 Fire/Smoke Use - Grade 1 Category of Use - Grade 4 Durability - Grade 7	Joinery	Ironmongery	Signage
4	2	1	1604	2161	FD30S	2no Classification 3-8-4-1-1-1	Yes (3 no. to each leaf)	As existing	As existing	As existing
5	1	2	767	1950	FD30S	1no Classification 3-8-4-1-1-2	Yes (3 no. to each leaf)	As existing	As existing	As existing
6	1	3	762	1892	FD30S	1no Classification 3-8-4-1-1-3	Yes (3 no. to each leaf)	As existing	As existing	As existing
7	1	2	841	1964	FD30S	1no Classification 3-8-4-1-1-4	Yes (3 no. to each leaf)	As existing	As existing	As existing
12	1	3	1887	732	FD30S	1no Classification 3-8-4-1-1-5	Yes (3 no. to each leaf)	As existing	As existing	As existing
34	1	4	768	1921	FD30S	1no Classification 3-8-4-1-1-6	Yes (3 no. to each leaf)	As existing	As existing	As existing
38	2	5	1674	2027	FD30S	2no Classification 3-8-4-1-1-7	Yes (3 no. to each leaf)	As existing	As existing	As existing
45	2	5	1675	2028	FD30S	2no Classification 3-8-4-1-1-8	Yes (3 no. to each leaf)	As existing	As existing	As existing
49	2	5	1688	2342	FD30S	2no Classification 3-8-4-1-1-9	Yes (3 no. to each leaf)	As existing	As existing	As existing