





Refer to planting plans and schedules for full details of spec/type and spacing. For soil depths refer to BS3882:2015 - topsoil should not exceed 300mm - required depths should be made up with suitable BS8601:2013 subsoil. Minimum total depths: 450mm grass 600mm shrubs 900mm trees




01 Single stem tree planting detail Scale 1:25




02 Multistem Tree/ Shrub planting detail Scale 1:25




03a Shrub detail section Scale 1:25




03b Shrub detail plan Scale 1:25




04a Hedge detail section Scale 1:25




06a Herbaceous planting detail section Scale 1:25




06b Herbaceous planting detail plan Scale 1:25



07a Climbers on wires detail section Scale 1:25



07b Climbers on wires detail elevation brick wall or timber fence Scale 1:25



04b Hedge detail elevation Scale 1:25

Final drainage design to specialist / CE designs All Edge/kerb and Road build up to CE spec and approval and drawings

All dimensions to be checked on site as part of site setting out

Read in conjunction with current plans and detail sheets

All kerbs and retaining edgings to engineers specification and drawings

All final build ups to engineers specification and approval and drawings

All brickwork to engineers/architects details/specifications

All railings/balustrades to engineers/architects details/specifications

All drainage to engineers/architects specifications

All named suppliers/ materials are osap - or similar and approved.

All hardscape materials to be submitted for final approval by C Field

Revision table with columns: REV, DESCRIPTION, APP, DATE. Includes updates to C Field comms and client comms.

London T 020 7011786



Liddell Road Typical Details Soft landscape details

Project information table with columns: DATE, SCALE, STATUS, DWG. NO, DRAWN, CHECKED, APPROVED.