

GENERAL NOTES

DO NOT SCALE DRAWINGS. USE DIMENSIONED DRAWINGS ONLY. ALL DIMENSIONS TO BE CHECKED PRIOR TO COMMENCEMENT OF ANY WORKS. AND / OR PREPARATION OF ANY SHOP DRAWINGS. ALL DISCREPANCIES TO BE REPORTED TO THE ARCHITECT. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTS DRAWINGS AND SPECIFICATIONS AND OTHER CONSULTANTS INFORMATION ALL STRUCTURAL ELEMENTS TO BE CROSS CHECKED WITH ENGINEERS DOCUMENTS

NOTES

- Existing roof covering to be removed and replaced. Replace all joists.
- Existing roof covering to be removed and replaced. Allow for replacement of 20% timber joists/structure
- Remove bitumen from suspected patent slate. Lift and retain slated to allow for replacement of 20% timber joists/structure
- Remove bitumen from unknow substrate. Lift and retain to allow for new felt covering and insulation. Allow for replacemnt of 20% timber joists/structure.
- Remove existing plant per Hoare Lea specification

SCHEDULE REFERENCES

REVISION SCHEDULE

REVISION	DATE	DESCRIPTION	ISSUED BY
P1	26/05/2023	Issue for Planning and Listed Building Consent Applications	JD

Nex—
55 Whitfield St,
London W1T 4AH
e: office@nex-architecture.com
t: +44 20 7183 0900

—The British Museum
Great Russell St, London WC1B 3DG

PROJECT:
BM Water Ingress Roof Works

DRAWING:
Section CC - Existing

STATUS:	DATE:	DRAWN:	CHECKED:
Planning	26/05/2023	JD	AD
SCALE:	DRAWING NO.:	REVISION:	
1:50 @ ISO A1	111-Nex-00-XX-DR-A-143	P1	



Carefully remove bitumen covering from patent slate roof panels

B/3/X03

Carefully remove lath and plaster ceiling, remove and retain timber ceiling joists, retain cornice in situ

Remove water tanks and retain steel frame. Remove mansafe railing, cast iron gutters, ceilings, felt roof covering, and all timber joists

Remove felt roof covering from existing screed substrate. Remove plant and bracketry

Remove cast iron/PVC infill gutter and felt roof covering over concrete slab roof

Remove 1no. cracked pane within WC window

Remove existing kitchenette

Remove 1no. plywood panel over missing window pane

B/2/X02

B/2/X03

1 Section CC - Existing
Scale: 1:50

0 5 10 M