

Pos. Bedroom 3, Quantity: 1

Finish: Lacado standard P9010B

Job: DOL23-0140AV_V2




System: Cortizo CASEMENT HI Standard Dry

Exterior View

- 1x 373856 Espagnolette lock 700 mm RH
- 4x 373890 Run up block
- 3x 373812 Inline espag handle Black
- 6x 373850 Casement keep
- 9x 373883 Sash seal 17 mm
- 3x 373830 Pair of Heavy Duty Friction Stay 10 ° Side Hung / Top hung
- 1x 373866 Cierre espagnolette 280 mm dcha
- 1x 373855 Espagnolette lock 700 mm LH

- 2x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 4 250092
- 28mm 0,21 m² 459 x 459mm 0 250092
- 2x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 5 250092
- 28mm 0,25 m² 307 x 807mm 2 250092

- Glazing Bars
- 1x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005
- 28mm 0,10 m² 318 x 307mm
- 1x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005
- 28mm 0,45 m² 470 x 959mm



Pos. Kitchen 2, Quantity: 1
 Finish: Lacado standard P9010B
 Job: DOL23-0140AV_V2




System: Cortizo CASEMENT HI Standard Dry

Exterior View

- 1x 373856 Espagnolette lock 700 mm RH
- 4x 373890 Run up block
- 3x 373812 Inline espag handle Black
- 6x 373850 Casement keep
- 9x 373883 Sash seal 17 mm
- 3x 373830 Pair of Heavy Duty Friction Stay 10 ° Side Hung / Top hung
- 1x 373866 Cierre espagnolette 280 mm dcha
- 1x 373855 Espagnolette lock 700 mm LH

- 2x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 4 250092
- 28mm 0,21 m² 459 x 459mm 0 250092
- 2x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 5 250092
- 28mm 0,25 m² 307 x 807mm 2 250092

- Glazing Bars
- 1x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005
- 28mm 0,10 m² 318 x 307mm
- 1x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005
- 28mm 0,45 m² 470 x 959mm



Pos. Lounge 1, Quantity: 1

Finish: Lacado standard P9010B

Job: DOL23-0140AV_V2

System: Cortizo CASEMENT HI Standard Dry

Exterior View

- 1x 373856 Espagnolette lock 700 mm RH
- 4x 373890 Run up block
- 3x 373812 Inline espag handle Black
- 6x 373850 Casement keep
- 9x 373883 Sash seal 17 mm
- 3x 373830 Pair of Heavy Duty Friction Stay 10 ° Side Hung / Top hung
- 1x 373866 Cierre espagnolette 280 mm dcha
- 1x 373855 Espagnolette lock 700 mm LH

2x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 4 250092

28mm 0,21 m² 459 x 459mm 0 250092

2x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 5 250092

28mm 0,25 m² 307 x 807mm 2 250092

Glazing Bars



1x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005

28mm 0,10 m² 318 x 307mm

1x 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005

28mm 0,45 m² 470 x 959mm

Glazing Bars



Pos. Bathroom, Quantity: 1

Finish: Lacado standard 9010ST

Job: DOL23-0140AV_V2

System: Cortizo CASEMENT HI Standard Dry

Exterior View

- | | | | |
|----|--------|---|--|
| 1x | 373856 | Espagnolette lock 700 mm RH | |
| 3x | 373890 | Run up block | |
| 2x | 373812 | Inline espag handle Black | |
| 4x | 373850 | Casement keep | |
| 6x | 373883 | Sash seal 17 mm | |
| 2x | 373830 | Pair of Heavy Duty Friction Stay 10° Side Hung / Top hung | |
| 1x | 373866 | Cierre espagnolette 280 mm dcha | |

1x 4 Tgh Obscured-20Ar-4 Tgh LowE, Sws RAL9005 3 250092

28mm 0,21 m² 459 x 459mm 1 250092

1x 4 Tgh Obscured-20Ar-4 Tgh LowE, Sws RAL9005 4 250092

28mm 0,25 m² 307 x 807mm 2 250092

Glazing Bars


1x 4 Tgh Obscured-20Ar-4 Tgh LowE, Sws RAL9005

28mm 0,09 m² 307 x 307mm



1x 4 Tgh Obscured-20Ar-4 Tgh LowE, Sws RAL9005

28mm 0,44 m² 459 x 959mm

Glazing Bars






B-B



A-A

Pos. Bay 1, Quantity: 1
 Finish: Lacado standard P9010B
 Job: DOL23-01-04AV_V2
 System: Corlizo CASEMENT HI Standard Dry
 Exterior View

- | | | | | |
|-----|--------|--|---|--------|
| 14x | 373880 | Run up block | 5 | 250092 |
| 12x | 373883 | Seal seal 17 mm | 0 | 250092 |
| 2x | 373866 | Cierre espagnolette 280 mm dcha | 0 | 250092 |
| 8x | 373850 | Casement keep | 0 | 250092 |
| 4x | 373830 | Pair of Heavy Duty Friction Stay 10 ° Side Hung / Top hung | | |
| 4x | 373812 | Inline escape handle Black | | |
| 2x | 373836 | Heavy Duty friction stay arm | | |
| 1x | 373856 | Espagnolette lock 700 mm RH | | |
| 1x | 373855 | Espagnolette lock 700 mm LH | | |
- Glazing Bars
- | | | | |
|----|------------------------------------|---|--------|
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 5 | 250092 |
| | 28mm 0,11 m² 295 x 357mm | 0 | 250092 |
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 0 | 250092 |
| | 28mm 0,25 m² 295 x 857mm | 0 | 250092 |
- Glazing Bars
- | | | | |
|----|------------------------------------|---|--------|
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 5 | 250092 |
| | 28mm 0,05 m² 244 x 357mm | | |
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 0 | 250092 |
| | 28mm 0,21 m² 244 x 857mm | | |



Pos. Bay 2, Quantity: 1
 Finish: Lacado standard P9010B
 Job: DOL23-01-04AV_V2
 System: Corlizo CASEMENT HI Standard Dry
 Exterior View

- | | | | | |
|-----|--------|--|---|--------|
| 14x | 373880 | Run up block | 5 | 250092 |
| 12x | 373883 | Seal seal 17 mm | 0 | 250092 |
| 2x | 373866 | Cierre espagnolette 280 mm dcha | 0 | 250092 |
| 8x | 373850 | Casement keep | 0 | 250092 |
| 4x | 373830 | Pair of Heavy Duty Friction Stay 10 ° Side Hung / Top hung | | |
| 4x | 373812 | Inline escape handle Black | | |
| 2x | 373836 | Heavy Duty friction stay arm | | |
| 1x | 373856 | Espagnolette lock 700 mm RH | | |
| 1x | 373855 | Espagnolette lock 700 mm LH | | |

- | | | | |
|----|------------------------------------|---|--------|
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 5 | 250092 |
| | 28mm 0,11 m² 295 x 357mm | 0 | 250092 |
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 0 | 250092 |
| | 28mm 0,25 m² 295 x 857mm | 0 | 250092 |
- Glazing Bars
- | | | | |
|----|------------------------------------|---|--------|
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 5 | 250092 |
| | 28mm 0,05 m² 244 x 357mm | | |
| 2x | 4 Tgh-20Ar-4 Tgh LowE, Sws RAL9005 | 0 | 250092 |
| | 28mm 0,21 m² 244 x 857mm | | |
- Glazing Bars