


Do not scale off this drawing. All dimensions to be checked on site prior to manufacture and construction. This drawing is the property of Just-H Architects and should not be reproduced without permission. All discrepancies to be brought to the attention of the architect immediately. This drawing to be read in conjunction with the specification / bill of quantities and related drawings.

REVISION			
A	FIRST ISSUE	18.08.22	HK
B	ROAD CAMBER ADDED	22.08.22	HK
C	NEW PAS68 DESIGN	12.03.23	HK
D	NOTE ADDED FOR PLANTER DRAINAGE	02.06.23	HK



PROPOSED PLANTER & DRAINAGE LOCATION PLAN


NOTE:

- DRAWINGS AS SUBJECT TO GROUND CONDITION INFORMATION REQUESTED BY ARCHITECT.
- RAINWATER TO BE DRAINED INTO EXISTING GULLY ALONG PANCRAS ROAD. PROPOSED PAVING TO BE CONSTRUCTED IN ACCORDANCE WITH CAMDEN COUNCILS SPECIFICATIONS. ALL ADJACENT GULLIES TO BE CHECKED FOR DAMAGE.
- MIN 1:60 GRADIENT TO CONTINUE THE FLOW OF SURFACE WATER TO EXISTING DRAINAGE.

- PLANTERS TO NOT BLOCK MANHOLE AND GULLY COVERS.
- STAFF TO WATER PLANTERS DURING DRY PERIODS WHERE RAINWATER IS NOT AVAILABLE
- ALL EXTERNAL FURNITURE TO BE STACKED DURING CLOSED PUB HOURS BY STAFF
- PLANTERS TO BE CLEANED AND MAINTAINED REGULARLY TO PREVENT DETERIORATION
- PLANTERS TO DRAIN INTO EXISTING SITES DRAINAGE AS PER THE MARSHALL PERENNIAL PLANTER SYSTEM. PLANTERS TO BE OPEN BASE TO ALLOW RAINWATER TO DRAIN AS SHOWN BELOW.

KEY:

- DRAINAGE GULLY POTS
- MANHOLE COVERS
- EXISTING STREET LIGHT
- ➔ RAINWATER DRAINAGE



PROPOSED PLANTER & PAVEMENT SECTION 1:10

JD WETHERSPOON	client
THE BARREL VAULT, ST PANCRAS LONDON, N1C 4QP	project
PROPOSED PLANTER DRAINAGE DETAILS	title
JDW116	job No.
AD.04	dwg No.
AS SHOWN @ A1	scale
HK	drawn

