







42 Elsworthy Road
Schedule of Ventilation Grills
Application ref: 2019/0149/P
Discharge of Condition 3 a) Details of ventilation grills

<u>Basement</u>	
<p>B1 – External Louvres 400mm x 200mm in lightwell</p> <p>B2 –fresh air intake duct to pool from 60 x 300mm louvre in lightwell -set in rendered wall.</p>	
<p>B3 – External louvre 1500 x 200mm in lightwell for pool exhaust duct – set in rendered wall.</p>	
<u>Lower Ground</u>	
<p>LG1 – External Louvre – 300 x150mm cast iron double air brick vent.</p> <p>LG2 – External Louvre in lightwell 300 x 150mm cast iron double air brick vent.</p>	
<u>Ground Floor</u>	

42 Elsworthy Road
Schedule of Ventilation Grills
Application ref: 2019/0149/P
Discharge of Condition 3 a) Details of ventilation grills

<p>G1 - External Louvre in lightwell 226 x 226mm G2 - External Louvre 226 x 226mm</p> <p>FLY9 Air Brick www.castironairbricks.co.uk Air Flow: 13,000 (with mesh)</p>	
<p><u>First Floor N/A</u></p>	
<p><u>Second Floor</u></p>	
<p>S1 – External Louvre 300 x 150mm cast iron double air brick vent. S2 - External Louvre 300 x 150mm cast iron double air brick vent.</p>	
<p><u>Roof</u></p>	

42 Elsworthy Road
Schedule of Ventilation Grills
Application ref: 2019/0149/P
Discharge of Condition 3 a) Details of ventilation grills

<p>R1 – Slate ventilator in pitched roof</p> <p>R2 - Slate ventilator in pitched roof</p>			
---	--	---	--