


Key Plan



Do not scale from this drawing.
Check drawing on receipt and immediately report any discrepancies to the Architect.
Verify all dimensions and levels on site prior to construction.
The contents of this drawing are Piercy&Company copyright and shall not be re-used without their written permission.

Notes

Roof Finishes

- Inverted Roof with paving (RFS - 141)
- Inverted Roof with Loose Gravel Ballast (RFS - 141)
- Inverted Roof with Extensive Green Roof (RFS - 143)
- Inverted Roof with Intensive Green Roof (RFS - 142) - Refer to landscape architects drawings and specification for green roof build-up
- Warm Roof with Reinforced Bitumen finish (RFS - 144, RFS-147)
- Inverted Roof with aluminium flooring deck system (RFS - 141)
- Inverted Roof with metal drainage grate (RFS - 141)
- Aluminium Coping (Refer to specification for finish)
- Fall restraint System - Extent and location TBC with input from Principal designer
- Twin post absell anchor Refer to A&M drawings for layout & fixing details
- Davit Socket Refer to A&M drawings for layout & fixing details
- Non-combustible insulation zone to podium Foamglas . (RFS -146 to resi L2 balcony)

All insulation to the residential building and the 1m zone at the eastern edge of the podium to use non-combustible insulation (including upstands)

SRWP (Refer to MEP drawings for layout)

D-Ring rope access

Contractor to consider the detail for the transition between 50mm paver and 75mm ballast

P10	28/06/23	S4B For Comment
P09	01/06/23	S4B For Comment
C01	09/12/22	S5 For Construction
P08	25/11/22	S4B For Comment
P07	25/10/22	S4B For Comment
P06	16/09/22	S4B For Comment
P05	05/05/22	S4B For Comment
P04	01/04/22	S4B For Comment
Rev	Date	Description
Drawn	Checked	

Piercy&Company

Piercy&Company
39 Plender Street
London NW1 0DT

T +44(0)20 74249611
info@piercyandco.com
www.piercyandco.com

Client

King's Cross Central Limited
Partnership

Project

Plot R8,
King's Cross,
London,
United Kingdom

Drawing Title

Roof Finishes - Residential Roof
Scoping Plan

Drawing Status	Drawing:	TB	Revision
S4B For Comment	Checked:	BK/PJ	P10

Date:	Scale @ A1	Scale @ A3
11/09/20	1 : 100	

Drawing No.

KXC - R8 - 001 - 13454 - A - 27-131 - P10

To be read in conjunction with Access and Maintenance Report/ Drawings and PCO 92 Series A&M drawings