

Notes:



NOTES

NEW BEADING TO SECURE NEW GLAZING
STAINED AND POLISHED TO MATCH EXISTING FINISH

EXISTING BEADING RETAINED




DETAIL A

DETAIL B



EXISTING BEADING RETAINED
NEW BEADING TO SECURE NEW GLAZING
STAINED AND POLISHED TO MATCH EXISTING FINISH

EXISTING MULTI PANE GLAZING RETAINED
NEW 30 MIN FIRE RATED CLEAR SINGLE PANE OF GLASS
FITTED NEXT TO THE EXISTING MULTI PANEL GLAZING.



NEW BEADING 12MM THICK

EXISTING BEADING

NEW BEADING 12MM THICK
EXISTING BEADING

NEW 30 MIN FIRE RATED
CLEAR PANE OF GLASS

EXISTING GLAZING RETAINED

EXISTING STAIRCASE FIRE DOOR

EXISTING STAIRCASE FIRE DOOR
WITH PROPOSED ADDITIONAL BEADINGS
TO SECURE NEW FIRE RATED GLAZING

C			
B			
A			
REV:	DESCRIPTION:	BY:	DATE:
STATUS:			

 **UNIVERSITY OF LONDON**
Senate House, Malet St, Bloomsbury, London WC1E 7HU
Property and Facilities Management Department
E-mail: spacemanagement@london.ac.uk

DISCLAIMER:
This drawing is a private communication and is the property of University of London. It must not be copied, loaned or used without the prior written consent of University of London. Contractor must verify all dimensions on site before commencing any work or making any shop drawings.

BUILDING:
SENATE HOUSE

TITLE:
PROPOSED ADDITIONAL FIRE RATED GLAZING
TO ORIGINAL 1930'S STAIRCASE DOORS.
TO IMPROVE FIRE PROTECTION TO PROTECTED
ESCAPE STAIRCASES.

SCALE AT A3: NTS	DATE: 30/07/23	DRAWN: BR	CHECKED:
PROJECT REF: FRA-WORKS	DRAWING REF: SENATE FRAW 001	REVISION:	