










































LIGHTING SCHEDULE
*IF PROVIDING A SIMILAR ALTERNATIVE
PLEASE SEND TO DESIGNER FOR APPROVAL
BEFORE ORDERING

KEY	 DL01	 DL02	 DL03	 TR1	 PL1	 PL2	 PL3	 PL4	 PL5	 PL6	 WL1	 WL2	 WL3	 WL4	 WL5	 TL1	 TL2	 TL3	 TL4	 FL1	 FL2
ITEM	RECESSED SPOT IN BRUSHED BRASS	NEW BRUSHED BRASS DOUBLE DOWNLIGHT	NEW BRUSHED BRASS DOWNLIGHT	SPRAYED BRUSHED GU10 TRACK SPOTLIGHT	OMITTED	PENDANT WITH DULL PINK GLASS GLOBES. FIXINGS TO BE BRUSHED BRASS.	PENDANT WITH PRISMATIC GLASS SHADE WITH BRUSHED BRASS CENTRAL BAND AND BRUSHED BRASS FIXINGS	CUT GLASS PENDANT IN SMOKE FINISH. FIXINGS TO BE BRUSHED BRASS. FLEX COLOUR TBC BY DESIGNER	CEILING MOUNTED LIGHT FITTING	6 ARM PENDANT WITH OPAL GLOBE WALL SHADES TO HAVE BRUSHED BRASS FIXINGS & BLACK ARMS AS SHOWN IN IMAGE	TRADITIONAL STYLE PICTURE LIGHT IN BRUSHED BRASS	BRUSHED BRASS WALL LIGHT WITH SCALLOPED ROSE DESIGN. FABRIC SHADE: POOKY EMPIRE IN GOLD RIPPLES	BRUSHED BRASS & GLASS RIBBED WALL LIGHT. AS SHOWN IN IMAGE	BRASS SWAN NECK WITH FEATURE FABRIC SHADE: ANNA HAYMAN VITTOTIA VINTAGE WITH CREAM FRINGE	DOUBLE OPAL GLOBE WALL LIGHT WIT H BRASS FIXINGS & BLACK ARMS AS SHOWN IN IMAGE	TABLE LAMP WITH BRUSHED BRASS STAND WITH BLACK METAL SHADE.	FEATURE BLACK PINEAPPLE LAMP WITH FEATURE FABRIC SHADE: ANNA HAYMAN PLEATED SHADE WITH FRINGE	DESK LAMP AS SHOWN IN IMAGE. BRUSHED BRASS DESK LAMP	FEATURE TABLE LAMP STUCCO SMALL IN EMERALD WITH POOKY SCALLOPED EMPIRE SHADE IN FROSTED MINT	CHUNKY DARK TIMBER BASE FLOOR LAMP WITH POOKY 40CM EMPIRE SHADE IN CARAMEL CHEVRONS	SOLID MARBLE BASE WITH BRUSHED BRASS POLE & OPAL GLOBE SHADE
IMAGE																					
No.	2	9 x double fittings	42		0	2	3	6	3	2	6	5	6	4	4	3	2	3	3	3	1
INFO		TO BE SURFACE MOUNTED		TO INCLUDE CONNECTORS & SUSPENSIONS KITS AS STANDARD		TO BE ON ADJUSTABLE BRUSHED BRASS POLE	TO BE ON ADJUSTABLE CHAIN & BLACK FLEX	DIMS APPROX 170MM DIA X 300MM HIGH. TO BE ON ADJUSTABLE BLACK FLEX	DIMS APPROX 310MM DIA X 100MM DEEP	DIMS APPROX 900 DIA. MAX 500 HIGH. TO BE ON ADJUSTABLE BRUSHED BRASS POLE	DIMS TBC	DIMS TBC	DIMS APPROX 370MM HIGH X 160MM WIDE X 100MM DEEP	DIMS TBC	DIMS TBC	DIMS APPROX 550MM HIGH X 380MM DIA	DIMS APPROX 450MM HIGH X 310MM DIA	DIMS APPROX 530MM HIGH X 480MM DEEP	DIMS APPROX 1500MM HIGH X 300MM	DIMS APPROX 1500MM HIGH X 300MM	DIMS APPROX 1500MM HIGH X 300MM

GENERAL NOTES:

ALL WORKS DESCRIBED ON THIS DRAWING AND IN THE GENERAL NOTES BELOW ARE TO BE CROSS REFERENCED TO THE QS WORKBOOK. IF THERE IS ANY DISCREPANCY BETWEEN THE WORKBOOK & THE REQUIREMENTS (E.G. NEW DIMMER DESCRIBED BUT NO ALLOWANCE) THIS IS TO BE BROUGHT TO THE ATTENTION OF JMDA AND THE RELEVANT QS AT COSTING STAGE.

ANY DISUSED LIGHTING POINTS TO BE STRIPPED OUT AND SUPPLIES DISCONNECTED.

ALL FOH LIGHTFITTINGS TO BE RELAMPED WITH M&B STANDARD LED LIGHTING SUPPLIED BY OTHERS. CONTRACTOR TO ALLOW TO FIT.

ALL PUBLIC AREA LIGHTING (EXCLUDING TOILETS) TO BE ON DIMMERS, THIS INCLUDES LED LIGHTING WITHIN JOINERY ITEMS. ANY EXISTING DIMMER CONTROLS TO BE RETAINED AND SUITABILITY ASSESSED AT TENDER STAGE. ALLOW FOR NEW DIMMER PACK TO M&B STANDARDS AS NECESSARY. CONTRACTORS WILL BE RESPONSIBLE FOR LIASING WITH SUPPLIERS REGARDING SUITABILITY OF DIMMER CONTROLS AND ANY ASSOCIATED EQUIPMENT TO ALLOW LIGHTING TO BE FULLY DIMMABLE WITHOUT FLICKERING. WALL LIGHTS MUST BE ON SEPERATE DIMMING CIRCUIT TO CEILING LIGHTS. CONTRACTOR TO COST FOR WORKS TO ALLOW THIS.

ALL LED LIGHTING WITHIN JOINERY ITEMS TO HAVE OPAL DIFFUSER FITTED IN FRONT OF THE LIGHTSOURCE.

ANY NEW LIGHTING, HEATING AND VENTILATION SYSTEMS SHOULD BE DESIGNED IN ACCORDANCE WITH THE NON- DOMESTIC BUILDING SERVICES COMPLIANCE GUIDE. COMMISSIONING CERTIFICATES TO BE PROVIDED ON COMPLETION.

ALLOW TO LIASE WITH THIRD PARTY REGARDING POWER REQUIREMENTS IN ASSOCIATION WITH ANY NEW MUSIC SYSTEM.
ALLOW TO ALSO LIASE WITH THIRD PARTIES REGARDING ANY CCTV AND ALARM SYSTEM REQUIREMENTS.

ELECTRICAL CONTRACTOR TO LIASE WITH MAIN CONTRACTOR AT TENDER STAGE REGARDING ANY CONCEALED LED LIGHTING WITHIN ELEMENTS OF JOINERY (E.G. SHELVES TO DISPLAY CABINETS ETC).

LIGHTING FOR OFFICES AND STORAGE SHOULD MEET AN AVERAGE EFFICACY OF 60 LUMINAIRE- LUMENS PER CIRCUIT WATT, WITH 22 LUMINAIRE-LUMENS PER CIRCUIT WATT FOR DISPLAY LIGHTING AND 60 LAMP LUMENS PER CIRCUIT WATT ELSEWHERE.

REFER TO CATERING SPECIALISTS / TECH SERVICES DRAWING FOR ANY POWER AND DATA REQUIREMENTS IN KITCHEN.

ALLOW TO ADAPT EXISTING EMERGENCY LIGHTING TO SUIT NEW LAYOUT IF AFFECTED BY WORKS. EMERGENCY LIGHTING TO BE INSTALLED TO COMPLY WITH BS 5266 PT. 1 AND TABLE 9. REFURB AND REPLACE ANY FAULTY EMERGENCY LIGHTS - ALL NEED TO BE IN FULL WORKING ORDER.

ALLOW TO ADAPT FIRE ALARM SYSTEM TO SUIT NEW LAYOUT IF AFFECTED BY WORKS. FIRE ALARM TO CONFORM TO CURRENT REGULATIONS. ALLOW TO REPOSITION ANY FIRE ALARM CALL POINTS OR BREAK GLASS POSITIONS AFFECTED BY THE WORKS. TO CONFORM TO CURRENT BUILDING REGULATIONS AND BS 5839 FIRE ALARMS TYPE L1

ALL WORK TO BE CARRIED OUT TO LATEST EDITION OF IEE REGS.

ALL ELECTRICAL INSTALLATIONS SHOULD BE CARRIED OUT BY A SUITABLY QUALIFIED COMPETENT PERSON AND COMMISSIONING CERTIFICATES SHOULD BE PROVIDED IN ACCORDANCE TO BS 7671.

ELECTRICAL CONTRACTOR TO PROVIDE ALL BACK OF HOUSE / STAFF AREA GENERAL AND EMERGENCY LIGHTING.

ALL EXISTING LIGHT FITTINGS TO BE TAKEN INTO STORAGE WHEN WORK STARTS ON SITE PENDING A DECISION BY THE CLIENT AS TO RE-USE / DISPOSAL.

ALLOW FOR 4No TWIN 13a SOCKETS GENERALLY LIASE WITH JMDA FOR POSITIONS. ALL FACE PLATES TO POWER POSITIONS AND LIGHT SWITCHES TO BE IN ANTIQUE BRASS TO GROUND FLOOR TRADE AREAS.

ALLOW FOR NEW 5a SOCKETS TO FLOOR AND TABLE LAMP POSITIONS.

REFER TO SIGNAGE CONTRACTORS DRAWINGS FOR EXTERNAL LIGHTING AND ALLOW POWER SUPPLIES TO RELEVANT POSITIONS.

MAIN CONTRACTOR TO ALLOW TO REMOVE ALL EXTERNAL SIGNAGE. ANY DUPLICATION TO BE CHECKED AT ANCHOR MEETING STAGE.

ANY RECESSED DOWNLIGHTERS TO BE FITTED WITH INTUMESCENT SOCKS OR FIRELINE PLASTERBOARD HOUSINGS TO MAINTAIN FIRE INTEGRITY BETWEEN FLOORS AS APPROPRIATE.

ALL TILLS ARE TO BE SUPPLIED WITH CLEAN LINES. ALLOW TO LIASE WITH THE CLIENT / THE CLIENTS REPRESENTATIVES IN RESPECT OF TYPE & AMOUNT OF CABLES REQUIRED. ASSUME 3No CAT 5 CABLES PER POINT OR AS DIRECTED IN THE QUANTITY SURVEYORS DOCUMENTATION / SPECIFICATION.

ELECTRICAL CONTRACTOR WILL BE RESPONSIBLE FOR CHECKING CONDITION / MISSING ITEMS UPON DELIVERY OF LIGHTFITTINGS FROM SUPPLIERS.

ELECTRICAL CONTRACTOR TO ALLOW TO REPLACE ALL EXTERNAL SON PACK TYPE FLOODLIGHTS WITH WHITE LED LIGHTING AS PER M&B STANDARD SPECIFICATION.

FLOOR LAMPS & TABLE LAMPS TO BE SWITCHED, NOT ON THE DIMMING CIRCUIT

ALL FITTINGS MUST BE COMPATIBLE WITH THE DIMMING SYSTEM

ALL FITTINGS (INCLUDING EXISTING) TO HAVE LED LAMPS

E - EXISTING FITTING TO BE RETAINED AS IS
N/E - NEW FITTING TO EXISTING POSITION
N - NEW FITTING TO NEW POSITION

 - NEW BRUSHED BRASS USB SOCKETS TO INCLUDE USB A & C PORTS ALL EXISTING SOCKETS TO BE REPLACED TO MATCH NEW

 - NEW BRUSHED BRASS SINGLE 13AMP SOCKET FOR SCENT AWAY. HL/LL = HIGH/LOW LEVEL

 - NEW DJ SOCKET

 - NEW HIGH LEVEL SCENT WORKS

 - NEW LOW LEVEL SCENT WORKS

R9	RECESSED SPOTS CHANGED TO DIRECTIONAL	04.08.23	AM
R8	GENERAL NOTES ADDED	28.07.23	MT
R7	QUANTITIES UPDATED	01.06.23	MT
R6	NEW POINT & NEW SPOTS REDUCED	05.05.23	AM
R5	MINOR LIGHTING LAYOUT	04.05.23	AM
R4	DESIGN OF FITTINGS IN KEY AMENDED	21.04.23	AM
R3	LIGHTING LAYOUT AMENDED IN NICHE	07.03.23	MT
R2	SCENTWORKS AND DJ SOCKET ADDED	31.01.23	HEF
R1	FEATURE CHANDELIER DESIGN SPECIFIED		
	DL01 REPLACED WITH DL03, DL02 STYLE AMENDED		
	FIRST ISSUE	27.01.22	HEF
	FIRST ISSUE	22.12.22	ERB

DO NOT SCALE. WRITTEN DIMENSIONS TO BE USED IN PREFERENCE TO SCALED DIMENSIONS. ALL DIMENSIONS TO BE CHECKED ON SITE BY CONTRACTOR & ALL DISCREPANCIES TO BE REPORTED TO JMDA

JOB TITLE
MITCHELLS & BUTLERS
THE OLD BULL & BUSH
HAMPSTEAD, LONDON, NW3 7HE

DRAWING TITLE
INTERNAL LIGHTING & ELECTRICAL
DRAWING

DRAWING NUMBER
JMDA_1652_35_001_R9

SCALE
1:100 @ A1

DATE
20.12.2022

DRAWN BY
ERB


Interior Architecture Graphics

JMDA LTD
2 The Holmes Skipwith,
York, YO8 5SL
T: 01757 288 399
info@jmdaltd.co.uk
www.jmdaltd.co.uk

01 - INTERNAL LIGHTING & ELECTRICAL DRAWING

Scale: 1:100 @ A1

