



Rev N°	Description	Drawn by	Date

Notes  
 This drawing represents a performance guide upon which the contractor/subcontractor must base his/her working drawings & details. Include all necessary tolerances prior to manufacture and installation

Contractor to must undertake a full survey of the area to establish all dimensions & ensure accurate setting out.

Advise on suitability of all details shown to ensure structural stability, ease and economy of construction

Refer to digital master artwork in regard to all graphic work shown

All exists will have emergency lighting including outside rear of existing fire door

There will be emergency lighting throughout all escape routes and windowless accommodation to BS5266.

Fire exit signage will be installed to BS5499

We confirm the suitability of energy efficient systems to meet the relevant recommendations of Approved Documents in respect that the heating system has timed controllers as part of AC system and a closed door policy with no overhead door heaters. The lighting system is all controllable and compact fluorescents used within scheme.

**bedrock**  
 Bedrock Design Consultants Ltd  
 2nd Floor, 39 Gold Street, Northampton, NN1 1RA  
 T 01604 250002  
 F 01604 250003  
 info@bedrockdesign.co.uk

Client  
**Caffe Nero**

Project  
**West End Lane**

Description  
**External Seating**

Scale Drawn by Date  
 1/75@A3 RW 26/02/2016

Drawing N° Revision  
 CN445-100

This drawing is the copyright of Bedrock Design Consultants Ltd. This drawing cannot be copied, reproduced, retained or disclosed to any unauthorised person without prior permission in writing from the designer.