




- +24.435 m FFL VCB Parapet 4
- +26.330 m FFL GORM Parapet
- +47.665 m FFL VCB Parapet 3
- +48.850 m FFL GORM L9
- +43.371 m FFL VCB Parapet 2
- +42.810 m FFL GORM L8
- +33.670 m FFL GORM L5
- +31.060 m FFL Chapel Parapet
- +26.950 m FFL GORM L4
- +26.050 m FFL Chapel Ridge
- +26.015 m FFL Chapel Eaves
- +22.980 m FFL GORM L3
- +23.655 m FFL GORM L2 Southwood Big Entrance
- +22.980 m FFL Ground Chapel


Proposed Elevations



Proposed Elevations



Proposed Elevations



Materials Key

- 1 Fibre Cement Cladding (rotated panel) in 3 colours to create patterned facade:
 - Vitex Contemporary Natural + Range Colours
 - River Range (Natural + 2001)
 - Limestone Natural + 2001
 - Clack Board (Natural + 2001)
- 2 Gap Dark grey RAL TBC
- 3 Aluminium framed clear glass window
 - Frame Colour: White (RAL, to be confirmed)
- 4 New BR4 for all existing brick bridge - alterations to level access and welding of rails - please refer to Structural and M&E Engineers information for further details
- 5 Existing window frame to be retained and existing glazing panel removed and infilled with insulated panel - colour white RAL TBC
- 6 Indicative ventilation intake and extract locations shown based on Stage 5 information from CIC & EIS. These locations are to be used in conjunction with EIS drawings EBS-06-DR-M-10081 WC2 and EBS-06-DR-M-10082 WC2
- 7 Indicative ventilation during locations shown based on Stage 5 information from CIC & EIS. These locations are to be used in conjunction with EIS drawings EBS-06-DR-M-10081 WC2 and EBS-06-DR-M-10082 WC2
- 8 Relocation of external door, existing door to be infilled with matching brick
- 9 Proposed door Aluminium framed double / single doorset with glazed infill panels
 - Frame Colour: Grey (RAL, to be confirmed)
- 10 New mesh fence with door gate for plant room access. Ducts penetration to be set up prior to order. RAL Colour TBC. Door non-removable BC
- 11 New Proposed Door Aluminium framed double / single doorset with glazed infill panels
 - Frame Colour: Grey (RAL, to be confirmed)
- 12 New louvre screen supported by steel frame as per SE design information. Colour Light Grey RAL TBC
- 13 Existing ballustrade and associated wall mesh (polygon mesh to remain as existing facade)

GENERAL NOTES:
 DAY Architectural Ltd accepts no responsibility for any costs, losses or claims whatsoever arising from these drawings, specifications and related documents unless there is a compliance with the Client or any reasonable user of the following:
 1. All boundaries, dimensions and levels are to be checked on site before construction and any discrepancies reported to the Architect / Designer.
 2. Partial Deviation: Any discrepancy with site or other information is to be advised to the Architect / Designer and direction and / or approval is to be sought before the implementation of the work.
 3. Block and site plans are reproduced under license from the Ordnance Survey.
 4. Do not scale the drawing.
 5. For the purposes of coordination, all relevant parties must check this information prior to implementation and report any discrepancies to the Architect / Designer.

REV	DESCRIPTION	DATE	SM
P2	Issued for NMA	28.08.23	SM
P1	Issued for Planning	14.12.21	SM

CLIENT: Great Ormond Street Hospital for Childrens NHS Foundation Trust
 PROJECT: Psychological and Mental Health Services (PAMHS)
 DRAWN: [Name]
 CHECKED BY: [Name]
 SUITABILITY: PLANNING

CLIENT: Great Ormond Street Hospital for Childrens NHS Foundation Trust
 PROJECT: Psychological and Mental Health Services (PAMHS)
 DRAWN: [Name]
 CHECKED BY: [Name]
 SUITABILITY: PLANNING

