



KEY

2

Tree reference number



Tree Trunk protection of T2 .  
Timber stud frame sheated with 18mm  
ply to form hoarding of 2.4m high.



Tree Protection Fencing i In Ground  
System as per BS 5837 to form the  
Exclusion Zone



Unprotected root areas. Special care  
and measure required. Special  
foundation required. Protective boards  
required on soft ground



Proposed Building Extension



Root Protection Area (RPA)

The use of a pile foundation supporting a ring beam onto which the extension and patio can be suspended is proposed, as the ground drops away beyond the existing patio. This means that a ring beam would remain above ground level, keeping the roots of the tree intact.

Exclusion Zone

Protective fencing

PROPOSED TREE PROTECTION PLAN

SCALE 1:100 @ A1

0 5 10

SCALE 1:100 (A1)  
SCALE 1:200 (A3) METRES

Notes

DO NOT SCALE THIS DRAWING UNLESS USED FOR PLANNING PURPOSES. USE FIGURED DIMENSIONS ONLY CONTRACTORS ARE RESPONSIBLE FOR TAKING AND CHECKING SITE DIMENSIONS

DESIGN COPYRIGHT IS VESTED IN THE ARCHITECT FROM WHOM CONSENT MUST BE OBTAINED FOR COPYING OR REPRODUCING THIS DRAWING

Rev.	Date	Comment	By
------	------	---------	----

Do not scale from this drawing unless used for planning purposes  
All dimensions are to be checked and confirmed on site  
Any discrepancies are to be reported immediately to the Architect or Main Contractor

COPYRIGHT © 2013

ALL RIGHTS DESCRIBED IN THE CHAPTER IV OF THE COPYRIGHT  
DESIGN AND PATENTS ACT 1988, HAVE BEEN GENERALLY ASSERTED

Client

Mr & Mrs Kershen

Project

**The Cottage**  
Spaniards Road, London NW3 7JH

Drawing

Proposed Tree Protection Plan

Project No.	Drawing No.	Issue	Status
<b>1362</b>	<b>PL-23</b>	-	-

Scale	Date	Drawn By	Checked By
As Shown	Oct'23	JP	NH

**HP Architects**

(E): rickhaseltine@hparchitects.uk  
(E): jonpresland@hparchitects.uk  
(W): www.hparchitects.uk