


Typical Ground Floor Curtain Walling Arrangement Principals - Axo

Requirement for tie backs to be confirmed by curtain wall manufacturer. To be fixed to edge beam

Fire stopping along slab edge, 100mm min.



Do not scale from this drawing.

Check drawing on receipt and immediately report any discrepancies to the Architect.

Verify all dimensions and levels on site prior to construction. The contents of this drawing are Piercy&Company

copyright and shall not be re-used without their written permission

Notes

## SPECIFICATION TAGS

xxx-xxx Refer to FMDC Specification xxx-xxx Refer to P&Co Specification

Refer to FMDC Specification for Precast, Curtain Walling and Window & Doors performance specification For all facade pressings, sealant, flashings, associated elements etc, refer to FMDC specifications and the systeme descriptions/relevant clauses for the external wall

> type. Refer to signage consultants information for external signage design intent Refer to 21-100 - 21-104 scoping set for Facade Types Refer to 04 series for CW Scoping Types Refer to 22-100 for opening vent and Door Types Refer to Door, Ironmongery and operation schedule for further information. External door operation and power/automation requirement under review. Sub contractor input required. All door hardware is indicative pending

input - manufacturer to advise on shoot bolt suitability

Waterproofing

Wapour Barrier

U shape cappings to intermediate mullions to run between spandrel and perimeter cappings.

Perimieter L shape cappings to run full height and width of curtain walling bay.

Spandrel L shape cappings to run continuously above and below spandrel and abut perimter cappings.

> P03 09.10.23 Planning Issue - Discharge of conditions KC P02 16.01.23 Stage 4 - Employer's Requirements Issue ТМ P01 14.12.22 Stage 4 - Issue for Tender ΤM Rev Date Description Issued



info@piercyandco.com www.piercyandco.com

Client DERWENT LONDON

Project

## THE NETWORK BUILDING 95-100 Tottenham Court Rd.

Drawing Title

Typical Retail Facade Details - Sheet 2

Drawing Status PLANNING	Drawing: BF	Revision P03
Date: 09.10.23	Scale @ A1 1:5	Scale @ A3 1:10
Drawing No.		

13538-PCO-XX-XX-DR-A-**21-626**