



20-40mm diameter washed ballast (no fines) installed to a minimum depth of 50mm

Water reduction layer

Flat board XPS insulation to suit u-values

Roof access layer

Broof(14) hot melt fully reinforced 6mm bitumen waterproofing

Cementitious faced insulation board, Class A2-s1,d0 or better, to roof usages

All information on this drawing must be read in conjunction with relevant series and specifications.

Ss\_25\_13\_50\_51  
00 - Masonry wall leaf systems Type A - Facing Brickwork

C04	Amended to Client change to Window system	26.07.23	CS	ACS
C03	Comments from SIG RFI schedule incorporated. Linear drainage channels omitted. Perimeter upstand dropped and aluminium flashing profile amended. Target u-values added to legend.	20.07.23	MT	JR
C02	Roof waterproofing updated	06.04.23	MT	CS
C01	CONSTRUCTION ISSUE	24.02.23	CS	ACS
Revision	Description	Date	Drawn	Checked

77 Endell Street  
London WC2H 9DZ  
T +44 (0)20 7240 7766  
W [designdeliveryunit.com](http://designdeliveryunit.com)

Client's Name  
St George North London Limited



Job Title  
Camden Goods Yard

Drawing Title

Building B External Wall Details Sheet5  
- Courtyard Perimeter Details

Scale	Practice Project No.
As indicated @A1	20226

CGYB0-DDU-B0-ZZ-DR-A-21124

Description	Revised
CONSTRUCTION	C04