



Order Acknowledgement

	Customer & Order Information	
	AURORA GLAZING LTD 	

1	Total 70 S Casement																																																											
	O/A Sizes 1850mm x 1200mm (CASE 42)																																																											
 1850 1170 617 616 617 30.48 kg : 67.20 lb																																																												
<table><tr><th>Specification</th><th colspan="2">Chk</th><th>Chk</th></tr><tr><td>Frame (Head)</td><td>546425 62mm 5 Chamber Sculpt</td><td>[]</td><td>Frame (Cill)</td><td>546425 62mm 5 Chamber Sculpt</td><td>[]</td></tr><tr><td>Frame (Left jamb)</td><td>546425 62mm 5 Chamber Sculpt</td><td>[]</td><td>Frame (Right jamb)</td><td>546425 62mm 5 Chamber Sculpt</td><td>[]</td></tr><tr><td>Mullion</td><td>546665/75 69mm IG T/Z Sculpt</td><td>[]</td><td>Sash</td><td>546685 75mm IG T Sash Sculpt</td><td>[]</td></tr><tr><td>Cill</td><td>95mm Stub Cill</td><td>[]</td><td>Add-on (Head)</td><td>No add-on</td><td>[]</td></tr><tr><td>Add-on (Cill)</td><td>No add-on</td><td>[]</td><td>Add-on (Left jamb)</td><td>No add-on</td><td>[]</td></tr><tr><td>Add-on (Right jamb)</td><td>No add-on</td><td>[]</td><td>Colour</td><td>White</td><td>[]</td></tr><tr><td>Sash colour</td><td>White</td><td>[]</td><td>Cill colour</td><td>White</td><td>[]</td></tr><tr><td>Bead type</td><td>28mm Ovolo Bead</td><td>[]</td><td>Handle</td><td>White Locking Handle</td><td>[]</td></tr><tr><td>Open in/out</td><td>Open out</td><td>[]</td><td>Glazed in/out</td><td>Glazed in</td><td>[]</td></tr></table>			Specification	Chk		Chk	Frame (Head)	546425 62mm 5 Chamber Sculpt	[]	Frame (Cill)	546425 62mm 5 Chamber Sculpt	[]	Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt	[]	Mullion	546665/75 69mm IG T/Z Sculpt	[]	Sash	546685 75mm IG T Sash Sculpt	[]	Cill	95mm Stub Cill	[]	Add-on (Head)	No add-on	[]	Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]	Add-on (Right jamb)	No add-on	[]	Colour	White	[]	Sash colour	White	[]	Cill colour	White	[]	Bead type	28mm Ovolo Bead	[]	Handle	White Locking Handle	[]	Open in/out	Open out	[]	Glazed in/out	Glazed in	[]
Specification	Chk		Chk																																																									
Frame (Head)	546425 62mm 5 Chamber Sculpt	[]	Frame (Cill)	546425 62mm 5 Chamber Sculpt	[]																																																							
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt	[]																																																							
Mullion	546665/75 69mm IG T/Z Sculpt	[]	Sash	546685 75mm IG T Sash Sculpt	[]																																																							
Cill	95mm Stub Cill	[]	Add-on (Head)	No add-on	[]																																																							
Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]																																																							
Add-on (Right jamb)	No add-on	[]	Colour	White	[]																																																							
Sash colour	White	[]	Cill colour	White	[]																																																							
Bead type	28mm Ovolo Bead	[]	Handle	White Locking Handle	[]																																																							
Open in/out	Open out	[]	Glazed in/out	Glazed in	[]																																																							
Glazing Details & Apertures																																																												
4-20-4 Clear Low E : 20mm Thermal Spacer Georgian Bar 18mm Bar White Std Joints A1 - (456 x 982) D1 - (581 x 1080) H1 - (456 x 982)																																																												

Total 70 C Resi Door			
O/A Sizes 750mm x 2130mm (DOOR 1)			
2			




17.80 kg : 39.24 lb

Specification		Chk		Chk	
Frame (Head)	546835 72mm 5 Chamber Outer	[]	Frame (Cill)	546835 72mm 5 Chamber Outer	[]
Frame (Left jamb)	546835 72mm 5 Chamber Outer	[]	Frame (Right jamb)	546835 72mm 5 Chamber Outer	[]
Threshold	No threshold	[]	Sash	546625/35 105mm IG T/Z Sash	[]
Cill	150mm Deep Nose Cill	[]	Add-on (Head)	No add-on	[]
Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]
Add-on (Right jamb)	No add-on	[]	Colour	White	[]
Sash colour	White	[]	Cill colour	White	[]
Bead type	28mm Ovolo Bead	[]	Handle	White Lever/Lever Handle	[]
Door hinge	Flag Door Hinge	[]	Cylinder	Standard Cylinder	[]
Door hinge quantity	3 hinges	[]	Open in/out	Open out	[]
Glazed in/out	Glazed in	[]			

Glazing Details & Apertures					
4-20-4 Clear Tuff Low E : 20mm Thermal Spacer Georgian Bar 18mm Bar White Std Joints A1 - (485 x 1835)					

3	Total 70 S Casement	
	O/A Sizes 590mm x 1200mm (CASE 10)	



9.00 kg : 19.84 lb

Specification		Chk		Chk	
Frame (Head)	546425 62mm 5 Chamber Sculpt	[]	Frame (Cill)	546425 62mm 5 Chamber Sculpt	[]
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt	[]
Transom	546665/75 69mm IG T/Z Sculpt	[]	Sash	546685 75mm IG T Sash Sculpt	[]
Cill	150mm Deep Nose Cill	[]	Add-on (Head)	No add-on	[]
Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]
Add-on (Right jamb)	No add-on	[]	Colour	White	[]
Sash colour	White	[]	Cill colour	White	[]
Bead type	28mm Ovolo Bead	[]	Handle	White Locking Handle	[]
Open in/out	Open out	[]	Glazed in/out	Glazed in	[]

Glazing Details & Apertures					
-----------------------------	--	--	--	--	--

4-20-4 Obs Low E : 20mm Thermal Spacer Stippolyte A1
 - (402 x 239) A4 - (500 x 707)

4	Total 70 S Casement	
	O/A Sizes 590mm x 1200mm (CASE 10)	

590
400
1170
770
590
6.83 kg : 15.05 lb

Specification	Chk	Chk
Frame (Head)	546425 62mm 5 Chamber Sculpt	[]
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]
Transom	546665/75 69mm IG T/Z Sculpt	[]
Cill	150mm Deep Nose Cill	[]
Add-on (Cill)	No add-on	[]
Add-on (Right jamb)	No add-on	[]
Sash colour	White	[]
Bead type	28mm Ovolo Bead	[]
Open in/out	Open out	[]
	Frame (Cill)	546425 62mm 5 Chamber Sculpt []
	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt []
	Sash	546685 75mm IG T Sash Sculpt []
	Add-on (Head)	No add-on []
	Add-on (Left jamb)	No add-on []
	Colour	White []
	Cill colour	White []
	Handle	White Locking Handle []
	Glazed in/out	Glazed in []

Glazing Details & Apertures				
4-20-4 Clear Low E : 20mm Thermal Spacer	Georgian Bar	18mm Bar White	Std Joints	A1
- (402 x 239) A4 - (402 x 609)				

5	Total 70 S Casement	
	O/A Sizes 1440mm x 1200mm (CASE 42)	

1440
1170
480 480 480
22.16 kg : 48.86 lb

Specification	Chk	Chk
Frame (Head)	546425 62mm 5 Chamber Sculpt	[]
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]
Mullion	546665/75 69mm IG T/Z Sculpt	[]
Cill	150mm Deep Nose Cill	[]
	Frame (Cill)	546425 62mm 5 Chamber Sculpt []
	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt []
	Sash	546685 75mm IG T Sash Sculpt []
	Add-on (Head)	No add-on []

Order Acknowledgement

Job No :


7497

Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on	[]
Add-on (Right jamb)	No add-on	[]	Colour	White	[]
Sash colour	White	[]	Cill colour	White	[]
Bead type	28mm Ovolo Bead	[]	Handle	White Locking Handle	[]
Open in/out	Open out	[]	Glazed in/out	Glazed in	[]

Glazing Details & Apertures

4-20-4 Clear Low E : 20mm Thermal Spacer Georgian Bar 18mm Bar White Std Joints A1
 - (319 x 982) D1 - (445 x 1080) H1 - (319 x 982)

6	Total 70 S Casement	
	O/A Sizes 590mm x 1200mm (CASE 11)	




6.83 kg : 15.05 lb

Specification		Chk		Chk
Frame (Head)	546425 62mm 5 Chamber Sculpt	[]	Frame (Cill)	546425 62mm 5 Chamber Sculpt []
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt []
Transom	546665/75 69mm IG T/Z Sculpt	[]	Sash	546685 75mm IG T Sash Sculpt []
Cill	150mm Deep Nose Cill	[]	Add-on (Head)	No add-on []
Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on []
Add-on (Right jamb)	No add-on	[]	Colour	White []
Sash colour	White	[]	Cill colour	White []
Bead type	28mm Ovolo Bead	[]	Handle	White Locking Handle []
Open in/out	Open out	[]	Glazed in/out	Glazed in []

Glazing Details & Apertures

4-20-4 Obs Low E : 20mm Thermal Spacer Stippolyte Georgian Bar 18mm Bar White Std Joints A1
 - (402 x 239) A4 - (402 x 609)

7	Total 70 S Casement	
	O/A Sizes 1950mm x 1200mm (CASE 42)	




32.51 kg : 71.67 lb

Specification		Chk		Chk
Frame (Head)	546425 62mm 5 Chamber Sculpt	[]	Frame (Cill)	546425 62mm 5 Chamber Sculpt []
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt []
Mullion	546665/75 69mm IG T/Z Sculpt	[]	Sash	546685 75mm IG T Sash Sculpt []
Cill	150mm Deep Nose Cill	[]	Add-on (Head)	No add-on []
Add-on (Cill)	No add-on	[]	Add-on (Left jamb)	No add-on []
Add-on (Right jamb)	No add-on	[]	Colour	White []
Sash colour	White	[]	Cill colour	White []
Bead type	28mm Ovolo Bead	[]	Handle	White Locking Handle []
Open in/out	Open out	[]	Glazed in/out	Glazed in []

Glazing Details & Apertures

4-20-4 Clear Low E : 20mm Thermal Spacer Georgian Bar 18mm Bar White Std Joints A1
 - (489 x 982) D1 - (615 x 1080) H1 - (489 x 982)

8	Total 70 S Casement
	O/A Sizes 590mm x 1200mm (CASE 3)




7.90 kg : 17.41 lb

Specification		Chk		Chk
Frame (Head)	546425 62mm 5 Chamber Sculpt	[]	Frame (Cill)	546425 62mm 5 Chamber Sculpt []
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	[]	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt []
Sash	546685 75mm IG T Sash Sculpt	[]	Cill	150mm Deep Nose Cill []
Add-on (Head)	No add-on	[]	Add-on (Cill)	No add-on []
Add-on (Left jamb)	No add-on	[]	Add-on (Right jamb)	No add-on []
Colour	White	[]	Sash colour	White []
Cill colour	White	[]	Bead type	28mm Ovolo Bead []
Handle	White Locking Handle	[]	Open in/out	Open out []
Glazed in/out	Glazed in	[]		

Glazing Details & Apertures

4-20-4 Clear Low E : 20mm Thermal Spacer Georgian Bar	18mm Bar White	Std Joints	A1
- (402 x 982)			

9	Total 70 S Casement					
	O/A Sizes 580mm x 1200mm (CASE 12)					
 6.66 kg : 14.67 lb						
Specification			Chk		Chk	
Frame (Head)	546425 62mm 5 Chamber Sculpt	☐	Frame (Cill)	546425 62mm 5 Chamber Sculpt	☐	
Frame (Left jamb)	546425 62mm 5 Chamber Sculpt	☐	Frame (Right jamb)	546425 62mm 5 Chamber Sculpt	☐	
Transom	546665/75 69mm IG T/Z Sculpt	☐	Sash	546685 75mm IG T Sash Sculpt	☐	
Cill	150mm Deep Nose Cill	☐	Add-on (Head)	No add-on	☐	
Add-on (Cill)	No add-on	☐	Add-on (Left jamb)	No add-on	☐	
Add-on (Right jamb)	No add-on	☐	Colour	White	☐	
Sash colour	White	☐	Cill colour	White	☐	
Bead type	28mm Ovolo Bead	☐	Handle	White Locking Handle	☐	
Open in/out	Open out	☐	Glazed in/out	Glazed in	☐	
Glazing Details & Apertures						
4-20-4 Obs Low E : 20mm Thermal Spacer Stippolyte Georgian Bar			18mm Bar White	Std Joints	A1	
- (392 x 239) A4 - (392 x 609)						

Total	£0.00
VAT @ 20.00%	£0.00
Total (Incl. VAT)	£0.00
Deposit	£0.00
Balance	£0.00

I confirm the details of this order are correct as detailed in this document

Signed

Dated