| <b>Reference</b><br>G = Group<br>H = Hedge | Age & Species                               | <b>Height</b> (m) | <b>Crown Ht</b> (m) | <b>Diameter</b> (cm) | Crown<br>Spread (m)<br>N | ead (m) Diagram (m) |   | Notes  | (Independent of any development proposals) |                       | Vigour<br>Physiological | Amenity<br>Value<br>Life |
|--|---|-------------------|---------------------|----------------------|--------------------------|---------------------|---|--|--|-----------------------|-------------------------|--------------------------|
|  |   |                   |                     |                      | W E                      |                     |   |  |  |                       | Condition               | Expectancy (yrs)         |
| щот  |   | Ť                 | Š                   | Dia                  | S                        | 9 9 9               |   |  | Priority                                   | Inspect<br>Freq (yrs) | Structural<br>Condition |                          |
| T1   | Semi-Mature                                 |                   |                     |                      | 1                        | -                   | Position:<br>Form:  | Situated on third party land.<br>Multi-stemmed at ground level with a compact crown. |  | Moderate              | Low                     |                          |
|  | Bay Laurel 8<br>Laurus nobilis.             | 8                 | 4.5                 | 34                   | 3 3                      |                     | History:<br>Defects:  | Maintained by pruning.<br>No significant defects observed.                           | No action required.                        |                       | Good                    | 40+                      |
|  |   |                   |                     |                      | 3                        | - 34                | Other:  | Limited inspection. Recorded stem diameter is equivalent for 8 stems at              | n/a 3                                      | Good                  | C                       |                          |
|  |   |                   |                     |                      |                          | 0                   |   | 12cm diameter.   |  |                       |                         |                          |
| T2   | Early-Mature                                |                   |                     |                      |                          | 25                  | Position:   | Situated on third party land.  |  |                       | Moderate                | Moderate                 |
|  | Black Locust 13<br>Robinia<br>pseudoacacia. | 8                 | 35                  | 6.5<br>5 6           |                          | Form:<br>History:   | <ul><li>Twin-stemmed at 6m with a balanced crown.</li><li>ry: No evidence of significant pruning.</li></ul> | No action required.  |  | Good                  | 40+                     |                          |
|  |   |                   |                     |                      | 6                        | 0                   | Defects:  | No significant defects.  |  |                       | Good                    | D                        |
|  |   |                   |                     |                      |                          |                     | Other: Limited inspection, dimensions estimated.  | n/a  | 3  | B                     |                         |                          |
| G3   | Semi-Mature                                 |                   |                     |                      | av                       | 25                  | Position:   | : Situated on third party land.  | No action required.                        |                       | Moderate                | Low                      |
|  | Cotoneaster                                 | av<br>5           | av<br>3.5           | av<br>15             | 4                        | -                   | Form:   | Single stemmed and leaning with a slightly unbalanced crown.                         |  |                       | moderate                |                          |
|  |   |                   |                     |                      | 5 1                      |                     | History:  | Occasional pruning wounds due to crown lifting.                                      |  |                       | Good                    | 40+                      |
|  | Cotoneaster sp.                             |                   |                     |                      | 3                        |                     | Defects:  | No significant defects observed.   |  |                       | Fair                    | C                        |
|  |   |                   |                     |                      | each                     |                     | Other:  | : Limited inspection, dimensions estimated.  | n/a  | 3                     | Fair                    | C                        |