
TSU AIR CONDITIONING F

AOYH36KMTB

Nominal Cooling Capacity	(kW)	9.4
Nominal Heating Capacity	(kW)	10.1
Height	(mm)	788
Width	(mm)	940
Depth	(mm)	320
Weight	(kg)	52
Airflow Rate - Cooling - High	(m3/h)	3750
Airflow Rate - Heating - High	(m3/h)	3750
Sound Pressure Level - Cooling - High	(dB(A))	55
Sound Pressure Level - Heating - High	(dB(A))	55
Sound Power Level - Cooling - High	(dB(A))	70
Sound Power Level - Heating - High	(dB(A))	70
Refrigerant Type (Global Warming Potential)		R32 (675)
Liquid Pipe Size		3/8"
Gas Pipe Size		5/8"
Min - Max Pipe Length	(m)	3 - 50
Max Height Difference	(m)	30
Refrigerant Charge (kg)	(kg)	1.9
Refrigerant CO2eq-T		1.283
Precharged For	(m)	30
Additional Charge (g/m)	(g/m)	40
Unit Power Supply		1Ph-230V-50Hz
Suggested Fuse Size	(A)	25
Cooling Mode Minimum Ambient	(°C)	-15
Cooling Mode Maximum Ambient	(°C)	46
Heating Mode Minimum Ambient	(°C)	-15
Heating Mode Maximum Ambient	(°C)	24



Please visit our webstore for full product and technical documentation



Document Downloads


Accessories
Airflow
Capacity Correction
Charging Details
Controls & Accessories
Design & Technical Manual
Dimensional Drawing
Electrical Characteristics
Function Settings

Product Image Refrigerant Circuit Spare Parts List All Pages **Specifications** Wiring Diagram

Inputs & Outputs Installation Manual Installation Space Noise Curve

Related Items

ASYH36KMTB 9.4kW Wall Mounted Indoor Unit - R32



•Specifications and design are subject to change without notice for further improvement. •Actual products' colors may be different from the colors shown in this printed material.

FUJITSU GENERAL AIR CONDITIONING (UK) LIMITED Unit 150, Centennial Park, Centennial Avenue, Elstree, Borehamwood, Herts, WD6 3SG www.fujitsu-general.com/uk sales@fgac.fujitsu-general.com Tel: +44 (0) 208 731 3450 Fax: +44 (0) 208 731 3451