

For roof plan information. Refer to dwg 3467_LB_120008

Existing heating pipes at rooftop level retained

Repair existing metal balustrade

Existing water tank. Existing damage to enclosure to be made good. New FB locks to be fitted as required

Block A5

Lift Core

Block A4

Roof Level

Level 10

Level 09

Level 08

Level 07

Level 06

Level 05

Level 04

Level 03

Level 02

Level 01

Proposed external heating and cold water pipes Centred on face of fin light metal finish

Lights to be repositioned to vacant concrete fins as required to avoid clashing with heating and water distribution routes

Temporary scaffolding to support temporary pipes. To be removed at the end of migration period. No damage to existing fabric.

Existing louvre fins to be made good and modified to suit new existing pipework

Metal mesh enclosure to protect mains cold water supply. Pattern to match balustrade infill

Proposed plant A enclosure fixed horizontal metal louvre panels, dark polyester powder coated

Penetration to new enclosure at high level spandrel level

Metal mesh enclosure to protect mains cold water supply. Pattern to match balustrade infill


Exposed mains cold water supply from ground

For pipework from roof level feeding dwellings refer to drawing 3467_LB_130016

Notes

1. Do not scale this drawing.
2. All dimensions must be checked on site and any discrepancies verified with the architect.
3. Unless shown otherwise, all dimensions are to structural surfaces.
4. Drawing to be read with all other issued information. Any discrepancies to be brought to the attention of the architect.
5. This drawing is the copyright of Levitt Bernstein and may not be copied, altered or reproduced in any form, or passed to a third party without license or written consent.

This is not a construction drawing, it is unsuitable for the purpose of construction and must on no account be used as such.



Key Plan

N

- Proposed pipework for final install
- Proposed pipework for initial install, removed at end of migration period
- Existing pipework retained in place during migration period.

P2 10.11.23 - Planning & Listed Building Consent	KS	
P1 07.04.22 - For comment	KS	
Rev Date	Description	Initials
Project name		
Alexandra Rd Estate		
Heating Infrastructure		
Drawing number		
3467_LB_130011		P2
Drawing: Block A - Temporary and Final - Distribution Route from Housing Office Balcony to Roof - Elevation		
Purpose of issue		
PLANNING	10.11.23	
Scale		
1:50 @ A1	KS	
Client		
Camden CC	PM	

levittbernstein.co.uk

London
Thane Studios
2-4 Thane Villas
London N7 7PA
+44 (0)20 7275 7676

Manchester
Bonded Warehouse
Grape Street
Manchester M3 3JE
+44 (0)16 1669 8740

01 Block A - Temporary and Final - Distribution Route from Housing Office Balcony to Roof - Elevation
1:50

