

Notes 1. Do not scale this drawing. All dimensions must be checked on site and any discrepancies verified with the architect. 3. Unless shown otherwise, all dimensions are to structural surfaces. Drawing to be read with all other issued information. Any discrepancies to be brought to the attention of the architect. 5. This drawing is the copyright of Levitt Bernstein and may not be copied, altered or reproduced in any form, or passed to a third party without license or written consent. This is not a construction drawing, it is unsuitable for the purpose of construction and must on no account be used as such. Key Plan KEY: Single glazing to be replaced with double vacuum glazing within existing douglas fir frame. Refer to Spec. L10 / 270 Review and re-seal window or door where necessary Insulate plywood opening vent, replace handle and re-seal and install secondary openable panel. Refer to Spec. L10 / 280 Fixed secondary glazing to retained wire glass. Refer to Spec. L10 / 275 Insulate plywood fixed panel. Refurbish and replace where required. Refer to Spec. L10 / 285 Refurbish or replace Plywood Fixed Panel where required. Refer to Spec. L10 / 285 Replace louvred glass with top hung window on winder. Refer to Spec. L10 / 290 Refurbish secondary glazing where missing, difficult to operate or broken. Refer to Spec. L10/ 340 Refurbish operation and seals of window where broken Refer to Spec. L10 / 340 P3 17.11.23 - Planning & Listed Building Consent P2 07.04.22 - For comment P1 15.01.21 - Planning & Listed Building Consent Description Initials Project name **Alexandra Rd Estate Emitter & Heating Thermal Improvements** Drawing number 3467_LB_332003 P3 Block B - Proposed South Elevation Typical Bay Date Purpose of issue PLANNING 17.11.23

Drawn

Checked

Manchester

Eastgate 2 Castle Street Manchester M3 4LZ +44 (0)16 1669 8740

KS

0 2m

1.50 @ A1

London

Thane Studios 2-4 Thane Villas London N7 7PA +44 (0)20 7275 7676

Camden CC

levittbernstein.co.uk