

Application ref: 2023/1357/P
Contact: Miriam Baptist
Tel: 020 7974 8147
Email: Miriam.Baptist@camden.gov.uk
Date: 20 December 2023

Development Management
Regeneration and Planning
London Borough of Camden
Town Hall
Judd Street
London
WC1H 9JE

Phone: 020 7974 4444

planning@camden.gov.uk
www.camden.gov.uk/planning

Brass Architecture
46 Commercial Road
London
E1 1LP

Dear Sir/Madam

DECISION

Town and Country Planning Act 1990 (as amended)

Full Planning Permission Granted

Address:

**Vacant site adjacent No1 Narcissus Road
and to the rear of 132/134 Mill Lane
London
NW6**

Proposal:

Erection of a four-storey building for use as 7x residential flats.

Drawing Nos: A.00.1, A.00.3, A.01.1, A.03.1, A.04.1, A.04.2, A.04.3, A.00.4C, A.01.2C, A.01.3D, A.01.4C, A.01.5C, A.03.2C, A.04.4C, A.04.5C, A.04.6D, I.06.1C, Energy And Sustainability Statement rev D by NRG Consulting dated June 2023, Daylight Sunlight & Overshadowing Assessment dated March 2023 by NRG Consulting, Noise Impact Assessment 1 Narcissus Road by Venta Acoustics dated 25 October 2023.

The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 Planning permission expiry

The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

2 Approved drawings

The development hereby permitted shall be carried out in accordance with the following approved plans: A.00.1, A.00.3, A.01.1, A.03.1, A.04.1, A.04.2, A.04.3, A.00.4C, A.01.2C, A.01.3D, A.01.4C, A.01.5C, A.03.2C, A.04.4C, A.04.5C, A.04.6D, I.06.1C, Energy And Sustainability Statement rev D by NRG Consulting dated June 2023, Daylight Sunlight & Overshadowing Assessment dated March 2023 by NRG Consulting, Noise Impact Assessment 1 Narcissus Road by Venta Acoustics dated 25 October 2023.

Reason: For the avoidance of doubt and in the interest of proper planning.

3 Samples of materials

Before the relevant part of the work is begun, detailed drawings, or samples of materials as appropriate, in respect of the following, shall be submitted to and approved in writing by the local planning authority:

a) Manufacturer's specification details of all facing materials (to be submitted to the Local Planning Authority) and samples of those materials (to be provided on site).

The relevant part of the works shall be carried out in accordance with the details thus approved and all approved samples shall be retained on site during the course of the works.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policy D1 of the London Borough of Camden Local Plan 2017.

4 Landscaping details

No development shall take place until full details of hard and soft landscaping and means of enclosure of all un-built, open areas have been submitted to and approved by the local planning authority in writing. [Such details shall include details of any proposed earthworks including grading, mounding and other changes in ground levels.] The relevant part of the works shall not be carried out otherwise than in accordance with the details thus approved.

Reason: To ensure that the development achieves a high quality of landscaping which contributes to the visual amenity and character of the area in accordance with the requirements of policies A2, A3 and D1 of the London Borough of Camden Local Plan 2017.

5 Landscape works implementation

All hard and soft landscaping works shall be carried out in accordance with the approved landscape details [by not later than the end of the planting season following completion of the development or any phase of the development] [, prior to the occupation for the permitted use of the development or any phase of the development], whichever is the sooner. Any trees or areas of planting (including trees existing at the outset of the development other than those

indicated to be removed) which, within a period of 5 years from the completion of the development, die, are removed or become seriously damaged or diseased, shall be replaced as soon as is reasonably possible and, in any case, by not later than the end of the following planting season, with others of similar size and species, unless the local planning authority gives written consent to any variation.

Reason: To ensure that the landscaping is carried out within a reasonable period and to maintain a high quality of visual amenity in the scheme in accordance with the requirements of policies A2, A3 and D1 of the London Borough of Camden Local Plan 2017.

6 Energy and Sustainability Statement

The development shall be completed in accordance with materials and measures set out in the Energy and Sustainability Statement rev D dated June 2023, and achieve a minimum of 72.28% on-site savings beyond Part L of the Building Regulations 2013, with 73.4% achieved through the Be Green stage in the energy hierarchy.

Reason: To ensure the development contributes to minimising the effects of, and can adapt to a changing climate in accordance with the requirements of policies C1, CC1, CC2 and CC4 of the London Borough of Camden Local Plan 2017.

7 Internal Water Use

The development hereby approved shall achieve a maximum internal water use of 110litres/person/day. The dwellings shall not be occupied until the Building Regulation optional requirement has been complied with.

Reason: To ensure the development contributes to minimising the need for further water infrastructure in an area of water stress in accordance with Policies CC1, CC2, CC3 of the London Borough of Camden Local Plan 2017.

8 Cycle Store Green Roof

Prior to commencement of development, full details in respect of a green roof to the cycle store shall be submitted to and approved by the local planning authority. The details shall include:

- i. a detailed scheme of maintenance
- ii. a plan and section at a scale of 1:20 with manufacturers details demonstrating the construction and materials used
- iii. full details of planting species and density

The green roof shall be fully provided in accordance with the approved details prior to first occupation and thereafter retained and maintained in accordance with the approved scheme.

9 ASHP for Heating Only

Prior to first use of any of the air source heat pumps hereby approved, the

active cooling function shall be disabled on the factory setting and the air source heat pumps shall be used for the purposes of heating only.

Reason: To ensure the proposal is energy efficient and sustainable in accordance with policy CC2 of the London Borough of Camden Local Plan 2017.

10 ASHP Noise Levels

The external noise levels emitted from air source heat pumps (ASHP) equipment at the development with specified noise mitigation hereby approved shall be lower than the typical existing background noise level by at least 10dBA, by 15dBA where the source is tonal, as assessed according to BS4142:2014 at the nearest and/or most affected noise sensitive premises, with all machinery operating together at maximum capacity and thereafter be permanently retained.

Reason: To ensure that the amenity of occupiers of the development site/ surrounding premises is not adversely affected by noise from mechanical installations/ equipment in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

11 Adaptable Housing

Residential flats Nos 1, 2, 3, 4, 5, 6 and 7 hereby permitted shall be constructed to comply with Part M4(2) of the Building Regulations.

Reason: To secure appropriate access for disabled people, older people and others with mobility constraints in accordance with policies H6 and C6 of the Camden Local Plan 2017.

12 Wheelchair Adaptable Housing

The following wheelchair adaptable residential unit hereby permitted shall be constructed to comply with Part M4(3)(2)(a) of the Building Regulations: Unit 1.

All other residential units hereby permitted shall be constructed to comply with Part M4(2) of the Building Regulations.

13 Sound Insulation

All habitable rooms exposed to external road traffic noise in excess of 55 dBA Leq 16 hour [free field] during the day [07.00 to 23.00 hours] or 45 dBA Leq 8 hour [free field] at night [23.00 to 07.00 hours] shall be subject to sound insulation measures to ensure that all such rooms achieve an internal noise level of 35 dBA Leq 16 hour during the day and 30 dBA Leq 8 hour at night. The submitted scheme shall ensure that habitable rooms subject to sound insulation measures shall be able to be effectively ventilated without opening windows.

No dwelling shall be occupied until the approved sound insulation and ventilation measures have been installed to that property in accordance with

the approved details. The approved measures shall be retained thereafter in perpetuity.

Reason: To ensure that the amenities of future occupiers are protected in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017

14 Enhanced Sound Insulation Details

Prior to commencement of the development, details shall be submitted to and approved in writing by the Council, of an enhanced sound insulation value $D_{nT,w}$ and $L'_{nT,w}$ of at least 5dB above the Building Regulations value, for the floor/ceiling /wall structures separating different types of rooms/ uses in adjoining dwellings, namely [eg. living room and kitchen above bedroom of separate dwelling]. Approved details shall be implemented prior to occupation of the development and thereafter be permanently retained.

Reason: To ensure that the amenity of occupiers of the development site is not adversely affected by noise in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017

15 Plant Noise Levels

The external noise level emitted from plant, machinery or equipment at the development hereby approved shall be lower than the typical existing background noise level by at least 10dBA, or by 15dBA where the source is tonal, as assessed according to BS4142:2014 at the nearest and/or most affected noise sensitive premises, with all machinery operating together at maximum capacity.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

16 Plant Anti-vibration Measures

Prior to use, machinery, plant or equipment at the development shall be mounted with proprietary anti-vibration isolators and fan motors shall be vibration-isolated from the casing and adequately silenced and maintained as such.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

17 Secure Cycle Storage

Before the development commences, the covered cycle storage (Sheffield stands) for 13 cycles shall be installed as per the approved drawings. The approved facility shall thereafter be provided in its entirety prior to the first occupation of any of the new units, and permanently retained thereafter.

Reason: To ensure the development provides adequate cycle parking facilities in accordance with the requirements of policy T1 of the London Borough of Camden Local Plan 2017.

Informative(s):

- 1 This approval does not authorise the use of the public highway. Any requirement to use the public highway, such as for hoardings, temporary road closures and suspension of parking bays, will be subject to approval of relevant licence from the Council's Streetworks Authorisations & Compliance Team, 5 Pancras Square c/o Town Hall, Judd Street London WC1H 9JE (Tel. No 020 7974 4444). Licences and authorisations need to be sought in advance of proposed works. Where development is subject to a Construction Management Plan (through a requirement in a S106 agreement), no licence or authorisation will be granted until the Construction Management Plan is approved by the Council.
- 2 This proposal may be liable for the Mayor of London's Community Infrastructure Levy (CIL) and the Camden CIL. Both CILs are collected by Camden Council after a liable scheme has started, and could be subject to surcharges for failure to assume liability or submit a commencement notice PRIOR to commencement. We issue formal CIL liability notices setting out how much you may have to pay once a liable party has been established. CIL payments will be subject to indexation in line with construction costs index. You can visit our planning website at www.camden.gov.uk/cil for more information, including guidance on your liability, charges, how to pay and who to contact for more advice. Camden adopted new CIL rates in October 2020 which can be viewed at the above link.
- 3 All works should be conducted in accordance with the Camden Minimum Requirements - a copy is available on the Council's website (search for 'Camden Minimum Requirements' at www.camden.gov.uk) or contact the Council's Noise and Licensing Enforcement Team, 5 Pancras Square c/o Town Hall, Judd Street London WC1H 9JE (Tel. No. 020 7974 4444)

Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You must secure the approval of the Council's Noise and Licensing Enforcement Team prior to undertaking such activities outside these hours.

- 4 Your proposals may be subject to control under the Party Wall etc Act 1996 which covers party wall matters, boundary walls and excavations near neighbouring buildings. You are advised to consult a suitably qualified and experienced Building Engineer.
- 5 If a revision to the postal address becomes necessary as a result of this development, application under Part 2 of the London Building Acts (Amendment) Act 1939 should be made to the Camden Contact Centre on Tel:

020 7974 4444 or Environment Department (Street Naming & Numbering)
Camden Town Hall, Argyle Street, WC1H 8EQ.

- 6 Prior to commencement of the development, details shall be submitted to and approved in writing by the Council, of an enhanced sound insulation value $D_{nT,w}$ and $L'_{nT,w}$ of at least 5dB above the Building Regulations value, for the floor/ceiling /wall structures separating different types of rooms/ uses in adjoining dwellings, namely [eg. living room and kitchen above bedroom of separate dwelling]. Approved details shall be implemented prior to occupation of the development and thereafter be permanently retained.

Reason: To ensure that the amenity of occupiers of the development site is not adversely affected by noise in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017

- 7 All habitable rooms exposed to external road traffic noise in excess of 55 dBA Leq 16 hour [free field] during the day [07.00 to 23.00 hours] or 45 dBA Leq 8 hour [free field] at night [23.00 to 07.00 hours] shall be subject to sound insulation measures to ensure that all such rooms achieve an internal noise level of 35 dBA Leq 16 hour during the day and 30 dBA Leq 8 hour at night. The submitted scheme shall ensure that habitable rooms subject to sound insulation measures shall be able to be effectively ventilated without opening windows.

No dwelling shall be occupied until the approved sound insulation and ventilation measures have been installed to that property in accordance with the approved details. The approved measures shall be retained thereafter in perpetuity.

Reason: To ensure that the amenities of future occupiers are protected in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017

- 8 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts that cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (tel: 020-7974 6941).

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraph 38 of the National Planning Policy Framework 2021.

You can find advice about your rights of appeal at:

<https://www.gov.uk/appeal-planning-decision>.

If you submit an appeal against this decision you are now eligible to use the new [submission form](#) (Before you start - Appeal a planning decision - GOV.UK).

Yours faithfully

A handwritten signature in black ink, appearing to read 'DPope', is centered within a light gray rectangular box.

Daniel Pope
Chief Planning Officer