

- Roof Detail - Scale 1:5@A3**
1. Aluminium double glazed doors.
 2. DPM (Damp proof membrane).
 3. Coping Stone.
 4. Standard Solid Brick wall 215mm.
 5. IKO polimar FCS roof finish system (asphalt roof) as per supplier's specs.
 6. Ballast stone / pebbles margin (150mm width).
 7. Perimetral retention trim system as per green roof specialist.
 8. 30mm sedum layer as per supplier's specs.
 9. 60mm substrate layer as per supplier's specs.
 10. Geotextile filter layer as per supplier's specs.
 11. 20mm drainage layer as per supplier's specs.
 12. 100mm Kingspan Thermataper TT47 LPC/FM insulation (or similar).
 13. 15mm Marine Plywood.
 14. Breathable Vapour Barrier.
 15. 50mm Kingspan Thermataper TT47 LPC/FM insulation (or similar).
 16. Timber battens.
 17. Timber joists @ 400mm c/c .
 18. 12.5mm plasterboard and 3mm skim coat of finishing plaster.

SEDUM SPECIES



Sedum Anglicum



Sedum Spurium




Sedum Hispanicum



Sedum Album Laonicum




Sedum Acre



Sedum Spurium Purpurteppich

Proposed - Sedum Roof Detail
Scale 1:5@A3 PD-10



architect	notes	revisions	date	rev	project	drawing title
 175 Graham Road London, E8 1PD info@ccasa.co.uk www.ccasa.co.uk @ccasaarchitects	<ul style="list-style-type: none"> - All dimensions to be checked on site before fabrication - Contractor to refer to engineers' drawings before proceeding with works - All drawings and designs are covered by design right (Intellectual property), and may not be distributed, copied or issued without written consent of the architect - All design concepts are the sole property of the architect and no adaptations, reproductions or copies may be made without written consent of the architect - These drawings are subject to any variation required or recommended by any statutory authority, or for the better carrying out of the works - Samples to be provided by contractor for the architect approval - All finishes to architect's satisfaction - All drawings to be approved by the architect before construction - All works to be carried out in accordance with current Building Regulations 	Planning	17.04.23	00	133 King Henry's Road, Garden Flat, London NW3 3RD	PROPOSED Sedum Roof Details
					client	scale at A1
					Private Client	scale at A3
						date
						1:5
						17.04.23
					job no.	drawing
					2116	PA-10
						rev.
						00