

PLANNING

LIGHTING KEY

Fire Hoods Required in all Fire Rated Ceilings

All existing Emergency light fittings to be retained

SM1 - Surface Mounted Can Light

SM2 - Surface Mounted Linear

A - IP Rated Recessed Downlight (Emergency fittings to be calculated)

B - Recessed Downlight (Emergency fittings to be calculated)

C - Recessed Downlight (Offices)

P1 - Feature Pendant (Reception)

P2 - Feature Pendant (Office)

P3 - Feature Pendant (Office Small)

S1 - IP Rated Suspended Linear

S2 - Suspended Linear Lights. Linear systems selected to be compatible with proposed rectangulair installation

D - Directional uplights

R1 - Recessed Linear. Contractor to allow for leveling brackets where fittings sit within SAS panel system

LED 1 - LED Wall Wash Uplight

LED 2 - LED Wall Wash Downlight

RTS - Recessed Track System with Directional spotlights

WL1 - Wall light (Reception & Stair 01)

WL2 - Wall light (Basement)

Ventilation slot grille in vertical face of bulkhead

Plaster in, flush slot grille

PIR sensor

Emergency alarm Beacon

WC Extract


ADDITIONAL NOTES

Ceilings
Existing cornicing and mouldings to be retained, adapted/infilled as required to suit proposals, subject to LBC.

Areas of damage due to damp/water ingress to be identified, repaired and redecorated.

Note: To be read in conjunction with drawings::
- 433(WC)100 for Plan

Notes
CLG-101.Spec Code: N/A Suspended raft ceiling system/oversized cable tray.
Finish: PPC White
CLG-102.Spec Code: K10/220 British Gypsum MF suspended ceiling system. Moisture resistant to shower rooms/ wet areas



All dimensions to be checked on site prior to commencement of any works, and/or preparation of any shop drawings. Sizes of and dimensions to any structural or services elements are indicative only. See structural and service engineers drawings for actual sizes / dimensions. This drawing to be read in conjunction with all other Architect's drawings, specifications and other Consultants' information. All proprietary systems shown on this drawing are to be installed strictly in accordance with the Manufacturers/Suppliers recommended details. Any discrepancies between information shown on this drawing and any other contract information or manufacturers/suppliers recommendations is to be brought to the attention of the Architect.	Revision	Date	Amendment		Date	Project		Job Ref.	halebrown architects
	PL1	30/11/2023	Issued for Planning		March 2023	31 Great Queen Street		433	
					Scale 1:20@A1	Drawn CL	Check MH	Title Basement Shower Block RCP (31)	
					Status PLANNING	Client Ref MCF	Drwg. no. 433(WC)101	Rev. PL1	
					Hale Brown Architects Ltd. Unit 1.04, Edinburgh House, 170 Kennington Lane, London, SE11 5DP T: 020 3735 7442 E: mail@halebrown.com W: www.halebrown.com				