



See drawing SOAS-PB-GCD-001 for existing general corridor ceiling detail

- ① SAS 320 ceiling system, perforated 1200 x 300mm steel tiles
 - ② SAS 320 ceiling system, perforated 950 x 300mm steel tiles
 - ③ SAS 320 ceiling system, perforated 1200 x 1200mm tiles incorporating 45° cut back to accommodate 950mm tile abutment to two sides as layout - Tile to be positioned centrally at setting out points
- ALL CEILING TILES:
To be powder coated RAL 9016 20% gloss Traffic White including all trims.
- Trim junctions to be cut cleanly & exposed steel refinished
Perforation Pattern: D2414 (with 10mm perimeter boarder)
- To include factory cutouts for services where required
- Tiles fitted with 16mm (I) 80kg density system acoustic mineral wool pad, black tissue face, foil back & sides
- Installation in full accordance with manufacturers recommendations
- Setting out of main corridor runs to be undertaken from the four main identified setting out points (SOP) as highlighted on the drawings to ensure change in ceiling tile orientation results in tile alignment as shown.
- To assist in setting out and to ensure equal plasterboard margins are achieved, individual SOPs run to mid corridor fire door locations
- SOP
- ④ MF system plasterboard margin & canted bulkheads to perimeter of suspended ceiling. Installed in full accordance with manufacturers recommendations & SAS 320 system installation requirements
 - ⑤ Canted plasterboard bulkhead (MF system) to widow reveals
 - ⑥ Plasterboard ceiling & bulkhead - staggered jointed double layer taper edged plasterboard on support grounds with proprietary beads & perimeter shadow gap detail
 - ⑦ Beaded frame steel access panels within plasterboard bulkhead
 - Ⓜ Existing flush panel doors proposed to be replaced with compliant 1/2hrFR flush panel doors with stained finish
- Later addition blockwork & studwork walls
- LED perimeter strip downlights
- LED recessed pin spot emergency downlight (not shown on this drawing)
- Smoke head with integral sounder (not shown on this drawing)

19.12.23 amendment to lighting layout A
 Date Rev

Neville Bruton Design
 info@nb-design.co.uk
 copyright reserved

Client
SOAS
 Thornhaugh Street London WC1H 0XG

Drawing Title
Philips Building
 Fifth Floor Plan - Proposed Corridor Ceiling

Scale 1:100 @ A1 Date 06.12.2023

DO NOT SCALE FROM THIS DRAWING UNLESS USING THE SCALE BAR FOR IDENTIFICATION PURPOSES ONLY - NOT FOR CONSTRUCTION. ALL DIMENSIONS TO BE CHECKED ON SITE AND USED IN PREFERENCE TO THOSE GIVEN OR SCALED FROM THIS DRAWING.

Drawing N°
SOAS-PB-L5-010P

Revision letter

A									
---	--	--	--	--	--	--	--	--	--

