The draft consultation version of the template has been updated as follows:

Template tab	Details						
Pre-app information	Principle 1 expanded to require further details on pre-construction demolition and options explored for retaining existing buildings/structures.						
	Removal of Y/N option next to each WLC reduction principle.						
	Confirmation of operational modelling process used						
	Confirmation relating to proportion of material quantities included relating to cost						
	Confirmation of third party mechanisms						
	Confirmation that the assessment has or can be submitted to the Built Environment Carbon Database						
	Updated assessment summary results to align with new WLC benchmarks						
	Addition of selection of most comparable WLC benchmark selection						
Outline and Detailed planning Stage & Post-	Addition of details relating to retention of existing structures and buildings						
construction result	Updated note/example text for module B assumptions and end of life scenarios in the Material Quantity and End of Life Scenarios' table						
	Addition of details relating to refrigerants to 'Material Quantity and End of Life Scenarios' table						
	Addition of option in assessment table to report A5 emissions as a single number or A5 emissions not related to a building element category						
	Removal of assessment 2						
	Colour coding to reflect cells that require inputs and cells which are updated automatically						
Dept construction could	Addition of confirmation relating to post-construction evidence submission						
Post-construction result	Addition of list of product specific EPDs from products installed in the building						

Greater London Authority - Whole Life-Cycle Carbon (WLC) Assessment template

HOW TO USE THIS SPREADSHEET

This template should be used by planning applicants to fulfil the requirements of the Mayor's Whole Life-Cycle Carbon (WLC) Assessment policy set out in London Plan Policy SI 2. Before completing and submitting this spreadsheet to the GLA, applicants should read the Whole Life-Cycle Carbon Assessment guidance:

https://www.london.gov.uk/what-we-do/planning/implementing-london-plan/london-plan-guidance/whole-life-cycle-carbon-assessments-guidance

Applicants are required to submit a WLC assessment to the GLA at the following three stages: pre-application, outline/detailed planning submission and post-construction. Separate tabs are provided in this spreadsheet for each stage. An outline of the information required at each stage and how to submit it is provided below.

1. Pre-application stage

At pre-application stage, applicants are required to complete the pre-application information tab of this template to confirm various details about the site and to provide details of the WLC principles which are informing the development of the site. This should be submitted to the GLA along with all other pre-application material.

2. Outline/detailed planning submission stage

At this stage, applicants are required to complete the outline or detailed planning stage tab of this template (whichever is relevant) and submit it to the GLA along with their planning application. This stage of the process requires a baseline WLC assessment against each life-cycle module to be undertaken.


3. Post-construction stage

At the final stage of the WLC assessment process, applicants should complete the post-construction result tab of this template and submit it to the GLA prior to occupation of the development. This will require an update of the information provided at planning submission stage and for the actual WLC carbon emission figures to be reported using actual material quantities and site emissions during construction. Information should be submitted to:

ZeroCarbonPlanning@london.gov.uk

QUERIES

Any queries or feedback on this template should be submitted to: ZeroCarbonPlanning@london.gov.uk



		August and a constraint of the second	Termination Contraction Contra				mapping					Benefitika (Balance)						
Real Real						TALL				RADI				10.00	Read .			
Anna Lores	et saugery		172-24							~		22	23			25	(1
	And a factor between a first a factor																14,175	
	No foreita fore																rates	1
	March Agent's March Techen																19,170	
											$\langle \rangle$						14,175	
	Name of Street Street																representation in the second sec	
	and the second se	14,000	arrand care	a construction of the second sec	autory ma							/	rined see				10,000,000	
	No. of Concession, Name	14.00a	acception.		Autorepotes				and are			/	uni e ma				10.0710-000	40000
	Approximation and part Party	ann januar.	and the second	and tase	Terregona							· · · ·	TRANS PRO-				access of a series	-A.814 106-
	Approximation and	14,000	10.700 cm	and com	and area												manage states	and the
	Approximation and the provided of the second s	14,000	LINGTON	read taxe	and area								#14 Http:				America	400,000
	Approximation and a second data	14,000	40.474 TB-	and care	arragena				10 A 10 A				19814 2004				manageme	A1704 100-
	Approximation Westman and Party Service	14,000	1.000	taq ma	and district			1976.000	100 q 100			\mathbf{i}	74 mi				minute a sur-	- new proce
	Approximation and the set for the set	14,000	monthly time	and the	Autophila			1000				\	chird star				10,000,000	10,000,000
	Appendix to a Marcal Theory	1044100	a ang ma	and the	and any				arte q ma-				und une				minute con-	and inter
	Table .	14,000	Carlog Kita	taq ma					man é ma				-				minute com-	4.004.008
	The public of th	100.0100	Long Title	Tag.com	tone of com-				10014 004		V		time and				TALKING COM-	
	Annual (1997)	Ang ma	TORN & THE	174 FTM	School Sector	5,804 TB	any cost	Long the	Ansated same		warena aneera	and tase	Are ma				and the second	4.000
	Concerned Ratio procession										1						repress.	
	For a benefit day										\rightarrow	-					renter .	
	Annual and	14,000	NAME AND	Name and	10,000							_	Lang Hou				ACCURATE VALUE	-tomp rms
	n na santa n Santa sa santa na sant				A0001/100												ACCESS TO .	
		Arrayona		8,7814,5784	Man girms	1.010	-	and the	many rea	-	all and and	Tang title	warapen.	-		and same	real fraction of the second	74/1010-110-
			(Tax Thousan				Distance BA	The Difference of the	En Inde M	In Contrast In		In These a	THURSDAY	In COMPANY IN	En Transmiss	ENGINEERS.	dia manana	411700174

NoteN										
	Project details. Project const									
Image: Section of the section of t	Paroing application reference numbers (I applicable) UNI Cheve							Cells dui require idur	adalad - na directingsi required nation/ data leputing	
Image: Section of the section of t	Brief description of the project						\sim	101.		
Image: Section of the section of t	un p									
Image: Section of the section of t	Autom (approxime a red statut)									
Image: Note:	Constituent maskeling mathematicup for Module Bill rescale.	* g 3.0P or 7064								
Image: Note:		(This cell should only be lifed in if the releven	urshulyprini, i.e. for assumeticaliting?	in experiency, exceeds on its loss than 60 years	Appleants should side the					
<th and="" cols="" in="" interaction="" sector="" td="" the="" the<=""><td>Paterna sugarus procupas.</td><td></td><td></td><td>, applicants may if they decout in ealerst an e force OVP potential for all the spile modules.</td><td>utilities al access mant al the faile, see below).</td><td></td><td></td><td></td><td></td></th>	<td>Paterna sugarus procupas.</td> <td></td> <td></td> <td>, applicants may if they decout in ealerst an e force OVP potential for all the spile modules.</td> <td>utilities al access mant al the faile, see below).</td> <td></td> <td></td> <td></td> <td></td>	Paterna sugarus procupas.			, applicants may if they decout in ealerst an e force OVP potential for all the spile modules.	utilities al access mant al the faile, see below).				
Image: set in the set in the set in the set intervalImage: s	Edward tool cont									
Image: Second	Type of EPCs and software detailorse acted	(Fusing more than one database please into	4							
	Palat access rev. or relate accesses a task accessed for the second second	(Ves./Ne)								
	Espiration of work articles which have been adapted in quality are use the submission									
Note <	Please southern whether you have a schericht fein anzaren ment in the Built Environment Cadage Databases (high: forward environment) on Pyron give permittation for the CLAIM do this on your balant									
Image: second	By checking one of the following former	l gia parmisalan lar Par GLA is salemit Pos at	samamenia ite BECD se mybeleli	D						
Image: second										
Image: section of the section of t					IPCroterone number					
<th c<="" td=""><td>Shi of analysi samific 175s for analysis that have been installed</td><td>present and room of the states,</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td>Shi of analysi samific 175s for analysis that have been installed</td> <td>present and room of the states,</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Shi of analysi samific 175s for analysis that have been installed	present and room of the states,							
<th c<="" td=""><td></td><td></td><td>· · · · · · · · · · · · · · · · · · ·</td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td></td> <td></td> <td>· · · · · · · · · · · · · · · · · · ·</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>			· · · · · · · · · · · · · · · · · · ·						
<th c<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
<th c<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
<th c<="" td=""><td>Party states in the second party construction and the state of the second state of the second states of the second</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td>Party states in the second party construction and the state of the second state of the second states of the second</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Party states in the second party construction and the state of the second state of the second states of the second								
Image: state	Bir rougy (valuating har) war maw	(Ves. / Ne)								
Normal interaction interactinteraction interaction interaction interaction interact	Contrador confermation of an ball quivilian and qualification									
Normal set in the set in t		Dim (Not								
Image: sector										
Image: sector	Wild emissions benefite instances and all sensities the 'detailed electrics state' table						_	_		
Norm		Mediale AT AX (excluding sequences)	Medicine B-C (read Bit 8, 87)	Waldes & C (cost 16 87) indexing	Watch Dr. M.	Ranket Bill BT	Mercan Cir Ca	Notes 1		
Norm	TOFAL Ng CD/	2,260,377 kg C COv	ED4.361 bg CODe	2,8%,902 kg CO2+	EMI, 640 kg CO2+	276,626 kg CODe	137,801 kg/C02e	Old, I bling CODe		
Image: second										
Image: sector interaction of the sector interactinteraction of the sector interaction of the secto			-							
Image: sector interaction of the sector interactinteraction of the sector interaction of the secto	Peak construction INLC emissions									
Image: sector interaction of the sector interactinteraction of the sector interaction of the secto		Statute \$1.45	Medicine B-C (read BC & 87)	Radolm &C (res) 86.87 indusing	Mandada Bit-Bit	Washing St. 87	Wester CT Co	Madda 2		
Image: second	TOTAL Ng CD./	6 kg CCD+	6 kg CCD#	0 kg CC2+	Chg CO2+	WALLET	6 kg CO2e			
Image: second										
Image: second	Places what was accorded herebeart has done does not									
Image: second	Villented			41/8						
Image: Im										
Note:		845		814						
Note: Section of the s	constructly compared to proceeding on a second s	(Esplain the massess for any doorgenees, from	, the results againsi the TLC emissions ha	anime shore)						
Note: Section of the s										
Note: Section of the s	Appendix 2									
Note: Section of the s	Reizelian of axialog holdings and sirustores	1								
Image: second	Continuation of which options for relativity resulting buildings and structures buildings and replaced on application algorithm of the second s									
Image: second	Adual sadoot emissions associated with pre-samabudan demultion (sgCD).									
Normal interaction interactinteractintete interaction interaction interaction interaction	Extensional the percentage of the new hold development which is made up of earling elements	(e.g. WL existing location; VL existing location	dara; 25 supersitudares etc.]							
Normal interaction interactinteractintete interaction interaction interaction interaction										
Image: second	Rommany of <u>her actions</u> undertaken in vedere whete He spale surface emissions, including	(This list does not need to be eshausible inst	Action under taken	nparis, inseriment lines if seeded	Course and					
Normal matrix Normatrix Normal matrix Normal matri										
Normal set Normal		Le Design options or materials that could be	used, design principles. Put could be apple	rá.						
Image Image <th< td=""><td>Lansann leant from the process of undertaking a WLC assessment that all follow future projects</td><td>(insertiment lines if reasonal)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	Lansann leant from the process of undertaking a WLC assessment that all follow future projects	(insertiment lines if reasonal)								
Image Image <th< td=""><td>Automatical constantion and that out into personalized</td><td>Bastan and A</td><td>the Base Maria II</td><td></td><td></td><td></td><td>Receipt and leads become</td><td>the spaten boundary</td><td></td></th<>	Automatical constantion and that out into personalized	Bastan and A	the Base Maria II				Receipt and leads become	the spaten boundary		
Image: sector				Assumptions made with respect to matricescon, repair and replacement	Material and all	for scenarios (Bestale C)	Ober all and a local division of the second	D Delinated		
Image: sector	and the second	Returnelinger	Rate is quantity (hg)	eyelen (Modale B)			materials (kg)	recyclable materials (Rg)		
Normal matrix Normal										
Normal matrix Normal	Renterange	Insertingen of material type in each salegory [Insertingen from if remaind] e.g. Conserts	1	taleitatan, metops, MP service, internal finishes) industry assumed	Designer level of the scenario Electronexit, and used in the W	nas per projectis Circular Economy LC assessment to produce Module C	1	1		
0 0			60000 ha	maintenance/opair %	1		234	21.54		
0 0		a a Paramak	1000 L.	<u>ہے</u>	l		Also Also	100	Passa ald ten shan mar bas ?	
0 0	2.2 Manual Tata Section Contactioned Internet Instrument 2.2 Manual Contaction (Contaction of Contaction)			+			-		and a second	
0 0		1								
0 0	0.3 Temporary Exports Adjacent Environs			+ / ``						
0 0	0.3 Samparay Eugenita Adjusted Electrons 0.4 Elemented Works									
0 0	0.3 Desphary Enzyment Electrone 0.4 Enroldez Depend Works 1 Edetrone									
0 0	A3 Referring Transmits Interface A4 Second Stocks Associate									
0 0	bit Description Space Majors Transm 644 Search Chow of Moles 1 Advances 1 Search Chow of Moles 1 Search Chow of Moles 2.1 Search Chow of Moles 2.2 Search Chow of Moles 2.4 Search Chow of Moles									
0 0	B2 Balance Angeleration B4 Repaired Reset Non- B4 Repaired Reset L Repaired Reset L2 Repaired Res 23 Repaired Res L4 Repaired Res									
0 0	Bit Wave/spaces Spectroscom 141 sensitive flam. 1 annound flam. 1 annound flam. 2 annound flam. 241 annound flam. 241 annound flam. 242 annound flam. 243 annound flam. 244 annound flam. 245 annound flam. 246 annound flam.									
0 0	Bit Wanty was to know to how I Windows Too, II Window Too, II Window Too, II Window Too, II Window Too, III Window Too,									
0 0	B. Mankagaragan Bandhalan									
0 0	Dis Main Law You Name 14 Balance Name 1 Sealer 1 Sealer 1 Sealer 10 Sealer 11 Sealer 12 Sealer 13 Sealer 14 Sealer 15 Sealer 16 Sealer 17 Sealer 18 Sealer 19 Sealer 10 Sealer 11 Sealer 12 Sealer 13 Sealer 14 Sealer									
0 0	D2 Residuation 24 anterim 21 anterim 22 anterim 23 anterim 24 anterim 27 anterim 28 anterim 29 anterim 201 anterim 202 anterim									
0 0	Image:									
0 0	IV March Laborator Laboratoria VI March Laboratoria									
0 0	Image:									
0 0	III. Marchael Assessment									
1/2 0 may by the manufact the second of the manufact th	Image: Section 2014 S									
	Image: Sector		Land Company Compa		hityeet OF AcCuba	Red Lib omeny on S				
	Image: Section 2014 S	Lange of the second sec		Jacobage (1)	Adapant SP	Red Libroremy up 5				
Record and 2000 2000 2000	Image: Section 2016 Section 2016 Image: Section 2016 Section		Land Complex	Jacobage (1)	Automatical Section 2014	Red Linconsery on S				
	Image: Section 2014 Section 2014 Image: Section 2014 Section	Totas	0 kg	Analysis of a	heingun Bill	Red al University one N			Parce and one of Parcent	

	NA POR ALL LIPE-CYCLE MODULES Nets Theles: From related a reference studymeriad in artiC(12)	Product stage (sgCDa) Construction process of			(wG2p4) ep	hyClue) (berninge (hyClue)								End of Life (End.) usage (hgCDat)			Benefits, and leads beyond the system boundary (hgCO_s)
	wite (ApCite) Notice A			Manhalar A.					Manhole B				Mastele C			Western & C legCOpe	Reduk D
Building stern	ni salegery		[84] te (83)	(M)	pag	pag	[82]	[KI]	[84]	(84)	[94]	(87)	[51]	(9)	(0)	94	
1.0	Demailisen Trais Houselieux Contaminated Material Trasiment												Silhere only a single C1CL is traver, silence include lihere!			Okg CO2+	
0.2	Nape Demolition Vietna											Silvere only a single C1-C4 is more allower industry lines?			Okg CO2+		
4.4	Semporary Exposition Informati Encoderes											/	Silvere only a single C1-C4 is more allower industry interel			Okg CO2+	
0.4	Spenialaci Crownii Vierina										\backslash		Silhere only a single C1C4 is brown, sizes a induite it have!			Okg CO2+	
0.5	Temporary Diversion Works												Silhere only a single C1C4 is brown, sizes a induite it have!			Okg CO2+	
	Takologian											/	Silvere only a single C1-C4 is			Okg CO2+	
2.1	Igentudue Pane											Silvere only a single C1-C4 is			Okg CO2+		
2.2	Lapeniusken Syper Paura											Silvere only a single C1-C4 is more allower industry interel			Okg CO2+		
2.5	Lagentration Red											Silvere only a single C1-C4 is more allower industry lines?			Okg CO2+		
2.4	Expensionless Easts and Kanya												Silvere only a single C1-C4 is more allower industry lines?			Okg CO2+	
2.6	Tagan tudura Edanal Kala												Silvere only a single C1-C4 is more allower industry lines?			Okg CO2+	
2.6	Expensionless Windows and Edward Doors											<hr/>	Sthere only a single C1CE is brown, always inducts it here!			Okg CO2+	
2.7	Equivalent internal Radia and Pariliana.											\mathbf{i}	Sthere only a single C1CE is brown, always inducts it here!			Okg CO2+	
2.8	Egenitudue Idenal Doon												Silvere only a single C1 C4 is brown, always industri i here!			Okg CO2+	
3	Facilities										/		Silvere only a single C1 C4 is brown, always industri i here!			Chg CG2+	
4	Pilings, Lumishings & equipment										/		Silvere only a single C1C4 is			Okg CO2+	
	Denoes (HEP)										Replated emissions Unreplated emissions	Operational Nater	Silhere only a single C1C4 is mount, please insiste il here			Okg CO2+	
6	Parlahesaded Buildegs and Buildeg Seds										~	-	Silhere only a single C1C4 is more allocate insister il here!			Okg CO2+	
7	Stock in Encoding Relating										\sim	-	Silvere only a single C1-C4 is more allower industry lines?			Okg CO2+	
	Farmal andra												Silvere only a single C1-C4 is more allower industry interel			Okg CO2+	
10-11-14 ST #	shulter topack or central construction stage \$25; action embodices rul specific															Che COle	

 Official
 Hydro
 Hydro</thydro</th>
 Hydro</thydro</th>
 Hyd

Available benchmarks
Offices
Residential
Schools, Universities etc.
Retail

WLC benchmark	A1-A5	B-C (excl B6 & B7)	A-C (excl B6 & B7)
Offices	<950	<450	<1400
Residential	<850	<350	<1200
Schools, Universities etc.	<750	<250	<1000
Retail	<850	<200	<1050

Aspirational WLC benchmark	A1-A5	B-C (excl B6 & B7)	A-C (excl B6 & B7)
Offices	<600	<370	<970
Residential	<500	<300	<800
Schools, Universities etc.	<500	<175	<675
Retail	<550	<140	<690