

## Material specification document

Application Reference: 2023/1939/P

29 Gilbert Place, WC1A 2JD


### 1. Brick slip - Smeed Dean London Stock

<b>Production Plant</b>	Smeed Dean
<b>Production Method</b>	pressed soft mud
<b>Pack Quantity</b>	500
<b>Length x Width x Height</b>	215 x 102.5 x 65 mm
<b>Size Tolerance</b>	T1
<b>Range Tolerance</b>	R1
<b>Gross Dry Density</b>	1380 kg/m <sup>3</sup>
<b>Compressive Strength</b>	>=15 N/mm <sup>2</sup> (EN 771-1)
<b>Thermal Conductivity</b>	0.510 W/(m·K) (EN 1745:2012: S1)
<b>Durability Designation</b>	F2 (EN 771-1)
<b>Water Absorption</b>	<=22 % (EN 771-1)
<b>Reaction to Fire</b>	A1 class
<b>Active Soluble Salts</b>	S2

Smeed Dean London Stock



Existing brickwork



## 2. Slate - Passaro First Spanish Blue-Grey Slates (400x250mm)

<b>British Standard:</b>	BS 680 Part 2
<b>Appearance:</b>	Blue-Grey slate, flat and even, with a smooth surface and distinctive appearance.
<b><u>Test results</u></b>	
<b>SO2 Exposure Test:</b>	Complies S1
<b>Thermal Cycle Test:</b>	Complies T1
<b>Water Absorption:</b>	Complies W1
<b>Contents of Carbonate:</b>	Complies <2%

Slate- Passaro First Spanish Blue-Grey Slates



<https://www.slatescape.co.uk/products/passaro/>

Existing slate



### 3. Windows - Heritage Sliding Sash Cords & Weights

<b>Species:</b>	Hardwood timber – Dark red meranti	<b>Colour:</b>	Bereco Collection Traffic White Satin
<b>Frame Bottom:</b>	Heritage SS CW 140mm Outer Frame Cill	<b>Glass</b>	Slimline Standard LowE 4/8Kr/4T - Warm Edge Black - back to back spacer - Clear TV Select Xtra XS16 White & PG16 Grill (x2) White Sliding Sash
<b>Frame LR:</b>	Heritage SS CW 140mm Outer Frame Jamb	<b>Profile Trickle Vent:</b>	
<b>Frame Top:</b>	Heritage SS CW 140mm Outer Frame Head	<b>Vertical Slider Drive Gear:</b>	
<b>Sash Bottom Rail:</b>	Heritage SS CW Sash B Rail 66mm	<b>Vertical Slider Catch:</b>	Polished Chrome Lk. Fitch Fastener
<b>Sash Lower Meeting Rail:</b>	Heritage SS CW Sash T Rail (Mtg) Inner 44mm	<b>Travel Restrictor:</b>	Pol Chrome Locking Travel Restrictor Side Fix Key
<b>Sash Sides:</b>	Heritage SS CW Sash Stile 44mm	<b>Hook Lift:</b>	Polished Chrome Hook Lift
<b>Sash Top Rail:</b>	Heritage SS CW Sash T Rail 44mm	<b>Sash Horn:</b>	Belsay - Top
<b>Sash Upper Meeting Rail:</b>	Heritage SS CW Sash B (Mtg) Outer 44mm	<b>Frame Surcharge:</b>	Sliding Sash Box Jamb
<b>Bead:</b>	Heritage SS Bead 4mm	<b>Balance Type:</b>	Required x2
<b>Astragal bar:</b>	16mm Lambs Tongue	<b>Pulley:</b>	Pulley x2

<b>Timber type</b>	Dark Red Meranti
<b>Defects</b>	Defect free laminated timber
<b>FSC</b>	FSC 100% Certified
<b>Warranty</b>	10 years
<b>Maintenance</b>	Clean every 6 months
<b>Density</b>	≥ 450kg/m <sup>3</sup>



**Hardwood**

