

Email: planning@camden.gov.uk

Phone: 020 7974 4444 Fax: 020 7974 1680 Development Management Camden Town Hall Extension Argyle Street London WC1H 8EQ

Application for Consent to Display an Advertisement(s)

Town and Country Planning (Control of Advertisement) (England) Regulations 2007 (as amended)

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location						
Disclaimer: We can only make rec	commendations based on the answers given in the questions.					
If you cannot provide a postcode, the help locate the site - for example "fi	ne description of site location must be completed. Please provide the most accurate site description you can, to ield to the North of the Post Office".					
mber 125						
Suffix						
Property Name						
Address Line 1						
Camden High Street						
Address Line 2						
Address Line 3						
Camden						
Town/city						
London						
Postcode						
NW1 7JR						
December of the least	Consideration of the consideration of the contract of the consideration					
	ion must be completed if postcode is not known:					
Easting (x)	Northing (y)					
528958	183682					
Description						

Applicant Details
Name/Company
Title
First name
Surname
Nationwide Building Society
Company Name
Address
Address line 1
Nationwide House
Address line 2
Pipers Way
Address line 3
Town/City
Swindon
County
Country
United Kingdom
Postcode
SN3 1TA
Are you an agent acting on behalf of the applicant?
YesNo
Contact Details Primary number

Secondary number	_
Fax number	
Email address	-
]
	J
	_
Agent Details	
Name/Company	
Title	
First name	•
Holly]
Surname	J
De-Buriatte]
Company Name	ı
ISG Design Ltd.]
	J
Address	
Address line 1	,
Boleyn House,	
Address line 2	
St Augustines Business Park	
Address line 3	
Town/City	-
Whitstable]
County	•
Country	
United Kingdom]
Postcode	
CT5 2QJ	
	•

Contact Details	
Primary number	
***** REDACTED *****	
Secondary number	
Fax number	
Email address	
***** REDACTED *****	
Type of Proposed Advertisement(s)	
Please describe the proposed advertisement(s)	
 Replace 1no. Projecting signage with new 500mm. Replace 1no. Fascia and 1no. Logo with 1no. New blue fascia & 1no. New 385mm logo height. Replace 1no. ATM surround and decals with new. Replace safety manifestation with new. 	

Advertisement Type:	
Projecting or Hanging Sign	
Height:	
0.5 metres	
Width: 0.5 metres	
Depth: 0.086 metres	
What is the height from the 2.969 metres	e ground to the base of the advertisement?:
What is the maximum proj 0.593 metres	ection of the advertisement from the face of the building?:
What is the maximum heig 30 centimetres	ht of any of the individual letters and symbols?:
=	vertisement be made of?: crylic finished to match red PMS 032c and aluminium background finished to match blue PMS 282c with red ket painted to match Core Blue 282C
The colour of text and bac core red #F9383D, 0,87,69,2	kground: 2,032 C core blue #011546, 100, 90,40,40,282 C
Will the advertisement be i	illuminated?:
Will the advertisement be internally	illuminated internally or externally?:
Illuminance levels: 250 cd/m ²	
Will the illumination be sta Static	itic or intermittent?:
Advertisement Type: Fascia Sign	
Height: 0.948 metres	
Width:	
9.275 metres	
Depth: 0.065 metres	
	e ground to the base of the advertisement?:
What is the maximum proj 0.065 metres	ection of the advertisement from the face of the building?:
What is the maximum heig 38.5 centimetres	tht of any of the individual letters and symbols?:
- · · · · · · · · · · · · · · · · · · ·	vertisement be made of?: erspex 440 Red acrylic with returns finished to match PMS 032c. 'nationwide' to be opal acrylic faces with return inium fascia sign with returns finished Matt blue (RAL 5022). Fascia board in aluminium colour to match Core
The colour of text and bac core red #F9383D, 0,87,69,2	kground: 2,032 C core blue #011546, 100, 90,40,40,282 C
Will the advertisement be i	illuminated?:
Yes	illuminated internally or externally?:

Please specify the type(s) and details of each proposed advertisement

1.63 metres What is the height from the ground to the base of the advertisement?: 0.65 metres What is the height from the ground to the base of the advertisement?: 0.55 metres What is the maximum projection of the advertisement from the face of the building?: 0.42 metres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum transe finished Matt blue (RAL 5022). Logo' face as acrylic finished to Matt blue (RAL 5022). "Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally: Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Chief type Height: 0.05 metres What is the height from the ground to the base of the advertisement?? 0.85 metres What is the height from the ground to the base of the advertisement?? 0.85 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 6 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 8 centimetres What is the maximum height of the window in 3M Crystal 77255E-314 Dusted White The colour of text and background:	Illuminance levels: 250 cd/m ²
Other type Height: 1.53 metres Width: 0.52 metres Depth: 0.42 metres UNthat is the height from the ground to the base of the advertisement?: 0.55 metres What is the maximum projection of the advertisement from the face of the building?: 0.42 metres What is the maximum projection of the advertisement from the face of the building?: 0.42 metres What is the maximum height of any of the individual letters and symbols?: 7 certimetes What is the maximum height of any of the individual letters and symbols?: 7 certimetes What is the maximum height of any of the individual letters and symbols?: 7 certimetes What is the maximum height of any of the individual letters and symbols?: 7 certimetes What is the maximum height of any of the individual letters and symbols?: 8 the person of the person of the standard of the social acrylic faces as acrylic finished Matt blue (RAL 5022). "Logo" face as acrylic finished white. 8 the person of the person of the standard of the person of the person of the standard of the person of the standard of the person of the person of the standard of the	
1.63 metres Words: Words: Words: Words: Words: Words: Words: Words: What is the height from the ground to the base of the advertisement?: 0.55 metres What is the maximum projection of the advertisement from the face of the building?: 0.42 metres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols? What is the maximum height of any of the individual letters and symbols?: 8 Will the advertisement be illuminated internally or externally?: 1 internally Will the advertisement be illuminated internally or externally?: 1 internally Will the illumination be static or intermittent?: 1 Static Advertisement Type: 1 Out metres What is the height from the ground to the base of the advertisement?: 1 0.85 metres What is the height from the ground to the base of the advertisement?: 2 0.85 metres What is the maximum height of any of the individual letters and symbols?: 3 centimetres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 8 centimetres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What is the maximum height of any of the individual letters and symbols?: 1 centimetres What is the maximum height of any of the individual letters and symbols?: 2 centimetres What is the maximum height of any of the individual letters and symbols?: 8 centimetres What is the maximum height of any of the individual letters and symbols?: 9 centimetres What is the maximum height of any of the individual letters and symbols?: 9 centimetres Wh	
What is the maximum height of any of the individual letters and symbols?: 7 rentimetres What materials will the advertisement be made of?: Illiuminated ATM Surround/Tablet. Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). "Logo" face as acrylic finished to match red PMS 032c. "nationwide" to be opal acrylic faces with returns finished white. The colour of text and background: Blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). "Logo" face as acrylic finished to match red PMS 032c. "nationwide" to be opal acrylic faces with returns finished white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illiuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the height from the ground to the base of the advertisement?? 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: 6 footsted viny internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	Height: 1.53 metres
What is the height from the ground to the base of the advertisement?: 0.5 metres What is the maximum projection of the advertisement from the face of the building?: 0.42 metres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What maximum height of any of the individual letters and symbols?: 7 centimetres What materials will the advertisement be made of?: Illuminated ATM Surround/Tablet: Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. The colour of text and background: Bible PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cdm² Will the illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the height from the ground to the base of the advertisement?? 0.85 metres What is the maximum projection of the advertisement from the face of the building?: O metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What and the advertisement be made of?: footsed vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
What is the maximum projection of the advertisement from the face of the building?: 0.42 metres What is the maximum height of any of the individual letters and symbols?: 7 centimetres What is the maximum height of any of the individual letters and symbols?: 8 To entimetres What materials will the advertisement be made of?: 8 Illuminated ATM Surrouno/Tablet. Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). "Logo" face as acrylic inshed to match red PMS 032c. "nationwide" to be opal acrylic faces with returns finished white. 8 The colour of text and background: 8 Blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). "Logo" face as acrylic finished to match red PMS 032c. "nationwide" to be opal acrylic faces with returns finished white. 9 Will the advertisement be illuminated?: 9 Will the advertisement be illuminated?: 9 Will the advertisement be illuminated? 9 Will the illumination be static or intermittent?: 9 Static 9 Static 9 Advertisement Type: 9 Other type 9 Height: 9 0.05 metres 9 Dother type 9 What is the height from the ground to the base of the advertisement?: 9 0.85 metres 9 What is the height from the ground to the base of the advertisement?: 9 0.85 metres 9 What is the height from the ground to the base of the advertisement?: 9 0.85 metres 9 What is the maximum projection of the advertisement from the face of the building?: 9 0 metres 9 What is the maximum height of any of the individual letters and symbols?: 9 0 centimetres 9 What is the maximum height of any of the individual letters and symbols?: 10 centimetres 9 What is the maximum height of any of the individual letters and symbols?: 11 centimetres 9 What is the maximum height of any of the individual letters and symbols?: 12 centimetres 9 What is the maximum height of any of the individual letters and symbols?: 13 centimetres 9 What is the maximum height of any of the individual letters and symbols?: 14 centimetres 15 centimetres 16 What is the maximum height of any of the individual letters	
What is the maximum height of any of the individual letters and symbols?: 7 centimetres What materials will the advertisement be made of?: Illiuminated ATM Surround/Tablet. Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). "Logo" face as acrylic finished to match red PMS 032c. "nationwide" to be opal acrylic faces with returns finished white. The colour of text and background: Blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). "Logo" face as acrylic finished to match red PMS 032c. "nationwide" to be opal acrylic faces with returns finished white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illiuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres What is the height from the ground to the base of the advertisement?? 0.85 metres What is the height from the ground to the base of the advertisement?? 0.85 metres What is the maximum projection of the advertisement from the face of the building?: O metres What is the maximum height of any of the individual letters and symbols?: 5 centimetes What is the maximum height of any of the individual letters and symbols?: 5 centimetes What materials will the advertisement be made of?: 6 footsted winy internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
What is the maximum height of any of the individual letters and symbols?: 7 centimetes What materials will the advertisement be made of?: Illuminated ATM Surround/Tablet: Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. The colour of text and background: Blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres Width: 0.05 metres Unter type What is the height from the ground to the base of the advertisement?: 0.05 metres What is the height from the ground to the base of the advertisement?: 0.05 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background: 3M Crystal 725SE-314 Dusted White	What is the maximum projection of the advertisement from the face of the building?: 0.42 metres
Illiuminated ATM Surround/Tablet: Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. The colour of text and background: Blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Will the advertisement be illuminated? Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 od/m² Will the illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres Width: 0.05 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 6 centimetres What is the maximum height of the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
Blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be opal acrylic faces with returns finished white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Other type Helght: 0.05 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the height from the ground to the davertisement from the face of the building?: 0 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted virny internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	Illuminated ATM Surround/Tablet: Acrylic finished to match blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as
Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 250 cd/m² Will the illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres Width: 0.05 metres Depth: 0.01 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	Blue PMS 282c with aluminium frame finished Matt blue (RAL 5022). 'Logo' face as acrylic finished to match red PMS 032c. 'nationwide' to be
Illuminance levels: 250 cd/m² Will the Illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres Width: 0.05 metres Depth: 0.01 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What is the maximum height of any of the individual letters and symbols?: 6 centimetres What materials will the advertisement be made of?: 6 frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
Will the illumination be static or intermittent?: Static Advertisement Type: Other type Height: 0.05 metres Width: 0.05 metres Depth: 0.01 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
Advertisement Type: Other type Height: 0.05 metres Width: 0.05 metres Depth: 0.01 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
Other type Height: 0.05 metres Width: 0.05 metres Depth: 0.01 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
Width: 0.05 metres Depth: 0.01 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
Depth: 0.01 metres What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
What is the height from the ground to the base of the advertisement?: 0.85 metres What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
What is the maximum projection of the advertisement from the face of the building?: 0 metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
O metres What is the maximum height of any of the individual letters and symbols?: 5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
5 centimetres What materials will the advertisement be made of?: frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
frosted vinyl internally applied to the window in 3M Crystal 7725SE-314 Dusted White The colour of text and background:	
	The colour of text and background: 3M Crystal 7725SE-314 Dusted White

Internally

Please describe each of the 'Other type(s)' of advertising proposed	_
ATM Surround Safety Manifestations	
Location of Advertisement(s)	
Is the advertisement(s) you are applying for already in place?	
○ Yes ⊗ No	
Is an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? ⊙ Yes	
○ No ○ Not Applicable	
If Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or photograph(s)	r
Existing elevations will be submitted as part of the documents for this application	
Will the proposed advertisement(s) project over a footpath or other public highway? ⊗ Yes	_
○ No	
Advertisement(s) Period	
Please state the period of time for which consent is sought for the advertisement	
From Date	_
44/00/0004	- 1
11/03/2024	
To Date	
To Date 11/03/2029]] =
To Date 11/03/2029 Neighbour and Community Consultation]
To Date 11/03/2029 Neighbour and Community Consultation Have you consulted your neighbours or the local community about the proposal?] =
To Date 11/03/2029 Neighbour and Community Consultation] -
To Date 11/03/2029 Neighbour and Community Consultation Have you consulted your neighbours or the local community about the proposal? Yes] = =
To Date 11/03/2029 Neighbour and Community Consultation Have you consulted your neighbours or the local community about the proposal? Yes No] =
To Date 11/03/2029 Neighbour and Community Consultation Have you consulted your neighbours or the local community about the proposal? Yes No No	_

 ♦ The agent ♦ The applicant ♦ Other person
Pre-application Advice Has assistance or prior advice been sought from the local authority about this application? ○ Yes ○ No
Interest In the Land
Does the applicant own the land or buildings where the adverts are to be placed? ○ Yes ⊙ No
If No, has the permission of the owner or any other person entitled to give permission for the display of an advertisement been obtained? ⊘ Yes ○ No
Authority Employee/Member With respect to the Authority, is the applicant and/or agent one of the following: (a) a member of staff (b) an elected member (c) related to a member of staff (d) related to an elected member It is an important principle of decision-making that the process is open and transparent. For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority. Do any of the above statements apply? Yes No
I/We hereby apply for Consent to display an advertisement as described in the questions answered, details provided, and the accompanying plans/drawings and additional information. I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them. I/We also accept that, in accordance with the Planning Portal's terms and conditions: - Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be published as part of a public register and on the authority's website; - Our system will automatically generate and send you emails in regard to the submission of this application.
- Our system will automatically generate and send you emails in regard to the submission of this application.

If the planning authority needs to make an appointment to carry out a site visit, whom should they contact?

✓ I / We agree to the outlined declaration

Signed				
ISG Design				
Date				
14/03/2024				