



Contractors and consultants are not to scale dimensions from this drawing



**MATERIALS KEY**

1. Solid facing Renaissance Multi brick by "Weinerberger", or similar approved. To be laid in stretcher bond with terracotta colour mortar joint, "Tarmac" colour ref: Y127 or similar approved
2. Solid facing Heritage Blend brick by "Weinerberger", or similar approved. To be laid in stretcher bond with natural light grey colour mortar joint, colour ref: "CPI Euromix, M3ANK100" or similar approved
3. Frame Facing Heritage Blend Brickwork by "Weinerberger", or similar approved. To be laid in stretcher bond with natural light grey colour mortar joint, colour ref: "CPI Euromix, M3ANK100" or similar approved
4. Infill Facing Renaissance Multi Brickwork by "Weinerberger", or similar approved. To be laid in stretcher bond with natural light grey colour mortar joint, colour ref: "CPI Euromix, M3ANK100" or similar approved
5. Reconstituted stone sills, copings and spandrel panels
6. Reconstituted stone sills and copings
7. Reconstituted stone entrance surround and copings
8. Aluminium sillexterior finish
9. Inward opening composite aluminium casement windows, or similar approved
10. Inward opening composite aluminium casement windows, or similar approved
11. Inward opening aluminium windows, or similar approved
12. Inward opening aluminium winter gardens, or similar approved
13. Inward opening aluminium winter gardens, or similar approved
14. Aluminium door frames, anodized exterior finish, or similar approved
15. Aluminium door frames, anodized exterior finish, or similar approved
16. Steel louvered doors to plant rooms, polyester powder coated, matt, or similar approved
17. Steel louvered doors to plant rooms, polyester powder coated, matt, or similar approved
18. Balcony balustrades in polyester powder coated steel, matt, or similar approved
19. Balcony balustrades in polyester powder coated steel, matt, or similar approved
20. Steel signage polyester powder coated, matt, or similar approved
21. Steel signage polyester powder coated, matt, or similar approved
22. Glass mosaic tiling to entranceway, gold and white colour or similar approved
23. Reconstituted stone paving or similar approved fire rating A1 or A2
24. Balcony soffits rendered cementitious board, terracotta colour or similar approved



IP1	26/07/22	JW	LW	NMA Planning Issue
Revision	Date	Drawn By	Checked By	Revision Description

**BroadwayMalyan<sup>BM</sup>**

4 Pear Place  
London  
SE1 8BT

T: +44 (0)20 7261 4200  
F: +44 (0)20 7261 4300  
E: Lon@BroadwayMalyan.com

www.BroadwayMalyan.com

Client  
**West Hampstead Ltd**

Project  
**Liddell Road  
West Hampstead**

Description  
**South Elevation  
Building A  
General Arrangement**

Status <b>For Planning</b>		
Scale	Drawn By	Date
1:100@A1	BM	29/07/22
Job Number	Drawing Number	Revision
35536	A-DR-A-05-0002PL	P1

**Block A NMA Planning Notes**

Minor amendments to parapet heights to Align with ROL levels of adjacent sites.

Amendments to the brick soldier course running around the building due to build ability.

Addition of air source heat pump equipment and enclosure to roof space.

Removal of external planters from roof top amenity space due to the ROL levels no allowing for the needed level of soil to accommodate planting, also to reduce risk of falling over the railing reducing the ability to stand on the planter  
Addition of lift and stair overrun to elevation.

Addition of rain water pipes to the external façade  
South & West ground floor elevation adjustments to support access and additional louvered walls to plant room located on the south west corner.

Minor movements of all brick grids on façade in order to improve build ability and overall aesthetic of the building.