


PROPOSED ENLARGE PLAN ON TYPICAL CONNECTION DETAIL TO THE BUILDING FACADE (SCALE 1:5 AT A1)



(SCALE 1:5 AT A1)



EXISTING PHOTO NOTING STEELWORK TO BE FIXED TO (NTS)

STEELWORK

1. ALL STEELWORK ENCASED IN MASONRY SHALL RECEIVE TWO COATS OF BITUMINOUS PAINT BUILD UP OF 75 MICRONS.

2. ALL STEELWORK IS TO BE COATED AS PER THE SPECIFICATION.

3. ALL STEELWORK LOCATED BELOW GROUND LEVEL TO HAVE 75mm MIN. CONCRETE COVER.

GENERAL NOTES:

1. DO NOT SCALE FROM THIS DRAWING/MODEL
OR TAKE OFF COORDINATES. ALL DIMENSIONS
ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.
ANY DISCREPANCIES ARE TO BE RECORDED AND

2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER ENGINEERS AND ARCHITECTS DRAWINGS AND THE SPECIFICATION.

3. ALL WORK IS TO BE TO THE SATISFACTION OF THE ENGINEER AND LOCAL AUTHORITY BUILDING CONTROL.

REPORTED TO THE ENGINEERS IMMEDIATELY.

4. THE CONTRACTOR IS RESPONSIBLE FOR AND MUST TAKE ALL NECESSARY PRECAUTIONS TO ENSURE THE STABILITY OF THE WORKS AT ALL TIMES DURING CONSTRUCTION.

5. ALL WORKMANSHIP AND MATERIALS ARE TO BE TO CURRENT BRITISH STANDARDS OR EUROCODES. ALL CONSTRUCTION PRODUCTS AND STRUCTURAL STEELWORK SHOULD BE CE MARKED IN ACCORDANCE WITH CURRENT LEGISLATION.

6. ALL SERVICES ARE TO BE LOCATED AND PROTECTED AS NECESSARY BY THE CONTRACTOR PRIOR TO THE COMMENCEMENT OF THE WORKS.

7. ANY EXISTING DETAILS WHICH ARE SHOWN ON THIS DRAWING ARE FOR GUIDANCE ONLY AND ARE TO BE CHECKED ON SITE BY THE CONTRACTOR. ANY VARIATIONS ARE TO BE RECORDED AND REPORTED TO THE ENGINEER IMMEDIATELY.

8. UNLESS SPECIFIED OTHERWISE ALL BUILDING WORK WHICH IS SUBJECT TO THE REQUIREMENTS OF SCHEDULE 1 AND REGULATION 7 OF THE BUILDING REGULATIONS 2010 IS TO BE CONSTRUCTED IN ACCORDANCE WITH THE GUIDANCE AND DETAILS SHOWN IN APPROVED DOCUMENT A AND APPROVED DOCUMENT 7 OF THE BUILDING REGULATIONS 2010. THIS INCLUDES, BUT IS NOT LIMITED TO, FLOOR AND ROOF STRAPPING DETAILS, WALL TIE REQUIREMENTS, MINIMUM FOUNDATION WIDTHS AND DEPTHS, AND MINIMUM MATERIAL QUALITY.

Original Drawing Size A1

Notes

DO NOT SCALE THIS DRAWING.

EXISTING 120x80 RHS
CONNECTED TO THE
EXISTING COLUMN AS PART
OF THE PREVIOUS LED

ev. Date Description By Revisions



Issuing Office 204 Bolton Road, Walkden Manchester, M28 3BN TEL: 0161 790 4404

Clien

2N2NEDERLANDER

NEW DIGITAL DISPLAY SCREEN AND SHOW SIGNAGE

PROPOSED CONNECTION
DETAILS

AS SHOWN APR 24 DS --- Passed

Drawing No.

3822-208

PRELIMINARY

1:5 0.1m 0m 0.1m 0.2m 0.3m

THIS DRAWING AND THE COMPUTER FILE OF THIS DRAWING ARE COPYRIGHT. THE COPYRIGHT BELONGS TO MJ CONSULTING ENGINEERS LTD (MJC LTD). THIS DRAWING MAY THEREFORE, NOT BE REPRODUCED IN ANY FORMAT WITHOUT THE WRITTEN CONSENT OF MJC LTD.