


Indicates new walls and any other new construction elements






Revision Date Amendment All dimensions to be checked on site prior to commencement of any works, and/or preparation of any shop drawings. 03/05/2024 PL1 Issued for Planning Sizes of and dimensions to any structural or services elements are indicative only. See structural and service engineers drawings for actual sizes / dimensions. This drawing to be read in conjunction with all other Architect's drawings, specifications and other Consultants' information. All proprietary systems shown on this drawing are to be installed strictly in accordance with the Manufacturers/Suppliers recommended details. Any discrepancies between information shown on this drawing and any other contract information or manufacturers/suppliers recommendations is to be brought to the attention of the Architect.

(2)

| Schedule of Works Key: | 07 03.407.07 - Existing awning box and awing bars to be removed | 34 03.407.34 - New brass ironmongery to restored door | |
|--|--|---|--|
| To be read in conjunction with schedule Listed Building Consent Schedule of Works, Section 03 Sheet 407 | 08 03.407.08 - Existing high level ventilation grill above door to be retained, resized or repaired as required | 35 03.407.35 - New low level ventilation grills | |
| 01 03.407.01 - Existing stone columns to be retained and repaired as required, and to be cleaned | 09 03.407.09 - Existing timber framed glazed door and over panel retained and restored as required | 36 03.407.36 - New external paving as required | |
| 02 03.407.02 - Existing cornice to be retained and repaired as required, and to be cleaned | 10 03.407.10 - Existing pavement lights to be retained and repaired as required | 37 03.407.37 - New projecting signage, to match existing | |
| 03 03.407.03 - Existing floor finishes and internal bay upstand to be removed | 11 03.407.11 - Existing cornice removed to allow for new fire compartment ceiling | 38 03.407.38 - Shopfront side lights and panels restored | |
| 04 03.407.04 - Existing timber shopfront and glazing retained and restored as required | 31 03.407.31 - New timber fascia canopy box with cornice detail to edges, finished to matched restored shopfronts | 39 03.407.39 - New suspended compartment fire ceiling | |
| 05 03.407.05 - Existing boarding and covering to low level vents to be removed | 32 03.407.32 - New glazed panel incorporating new ventilation grills above | | |
| 06 03.407.06 - Existing high level glazing panel removed | 33 03.407.33 - Restored shopfront and door redecorated | | |
| | | 37 | |




∣M

St

PI





| Date May 2021 | | | Project 31 Southampton Row | Job Ref. 386 | |
|---|-------------|------------------|--|-----------------|------------|
| Scale I:20 | Drawn AP | Check AY | k Title Bay 04: Southampton Row Shopfront | | halebrown |
| Status PLANNING | | Client Ref HP | Drwg. no. 386(ED)407 | Rev. PL1 | architects |
| Hale Brown Architects Ltd. Unit 1.04, Edinburgh House, 170 Kennington Lane, London, SE11 5DP : 020 3735 7442 E: mail@halebrown.com W: www.halebrown.com | | | | | |