


All windows are to be repaired utilising the recognised repair care system and utilising wood species Sapele and Accoya.

Fensa Approved Certification and Accoya Approved manufacturer Certification will be required from the sub-contractor.

┥┥╫╌┦╡┥╡╷╢╴╢╡╒╡┑╫╶╢╡┍╧┑╫╴╢╡╄╡┑╫╌╢╡┍╡┥╢╌╢╡┝╡┑╢╌╢╡┍╡┑╢╌╢╡┍╧┑╢╴╢╡┍╧┑╢╴╢╡┍╧┑╢╴╢╡┍╡╸╢ ┶┍┙╷╢╴╢╡╕╡╷╢╴╢╡┍╡╸╢╴╢╡┍╡┑╢╴╢╡┝╡┑╢╴╢╡┝╡┑╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┝╡┑╢╴╢╡┝╡╸╢ ╷╢╧┝┽┑╫╌╢╡┍╡╴╢╴╷╡╡┑╴╢╴╢╡┍╡╴╢╴╢╡┝╡┑╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╴┥		
	╷┝┿┿┿┿┿┿┿┿┿╪┥ <mark>┍╌╪╼╛</mark> ┍┿╪╛ <mark>┍╌╪╼╛</mark> ┝┿┿┿┿┿┿┿┿┿┿┥╢╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽	
	╈╫┵┙╲╴╹╱╽┷┵┥╲╶╹╱╎┷╅┵┵┶╫┽╢╌┼╌╎┢┙┝╌┼╌╴┢┵┶╼┥┝╢╸┼╌╴╎╣	
	╈╫┶┽╽╺┶╱┷┥┝┶┯┿┥┝┶┼┯┷┯╫┿╢╸╴╴╸╠┯╢╸╎┍╪┿╤╅╷╵┟┿┿┯╢╸╴╴╸╟╢╢	
		└╻ <mark>┩╶┤</mark> ╸┥┥┙ ┍┶╅┵┯┵┯┵┯┷┿╫┙
	╇╫╌┰ ^{┿┷┿╈} ┹┍┶┶┶┶╋ ^{┿╈╋╋} ┶┵┿┿┿╋┥ ╫╫╌╓ [┶] ┷┶┶┶┿┿┿╋╧┿┿┿┿┿┿┿╋┥	┶ ╹╹╹╵╹╹╹╹╹╹╹╹╹╹ ┙╋┙┿╺┶┶┙
	╷╢╷┟╷┝══╋══┥╷┟╷┧┝══╋══┥┝╷╎╷╎╷╎╎╎┝═╌┟╌╸╢╷╷┝═╌┟╶╸┙╽╷┝╌┟┑╢┝╖┝╖╸┛╽╢┝═╌┟╼╸┙╽╢ ╫╫┰┼╢┝╴╴┝╴╴┝┿┰┶┯╴┝╴╴┝┝┶┽┵┰┶┰┶╫┾┶┰╋╦╒┆ _┍ ╦╗╖┵┰┞╦┲┆┍╝╕╄┰┶┰┵┰┵ <mark>╁╔╞┊</mark> ╝┆╄╌┶╖	╷╽╷╽╷╽╷╽╷╽╷╽ _{╵┯╋┍╋┓} ╎╷╷╽ ┶╷╄╷┶╷┵╷┵╷┵╷╢╷┥╘ <mark>╫╔╗╖</mark> ╷┶╷┵┑
		╷╫╫╵╷╵╷╵╷╵╷╢┝╍┶╍┶╍┶╍┶╍┾╷┤ ┶╫╫┙┙┙┙┙┙╢
	╇╫┰╬┍╾┯╼╗╠┰┶┽┍┍╾┯╼╗╠┽┾┰┿┰╇┰┽╞╍╇═┥╠┽╞╍╇═╣┝┽╞╌╇╼╝╠┿╢┍╌╇═╝╠╢	
	╈╫┰╣└╲╱╎╠┰┯╡└╲╱╎╠┽┿┯┿╫┯╣└┝╌╠┽╎└┝╴╠┿┥└┝╴╠┪└┝╵╠┪	┝┰╋┍┽┙┝┥┿┙┝┿┿ ┍┶╋╍┷╼┷╼┷╋┥ <mark>┍╴╴╷╴╴</mark> ┝┽┽
	┥╢╷┟╷╽ <mark>╸╴┙╴┙╷┟╶┙┙╴┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙</mark>	
	╇╫┰╝ <u>┝┙╱╶</u> ╽┝┰┶┽╽ <u>╵╱</u> ╽┝┿┵┯┶┯╫┽╽ <u>╶</u> ╞╴╧╗┍┽╘╤╧╤┑┝┯┯┯┿╢ <mark>╞╴╞╴╸</mark> ╽╢ <mark>╘╶╞╸╸</mark> ╽╢	
	╫┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶╋┶┷╢╴╟┯╎ <mark>┍╶╻╺┶</mark> ┿┿╢ ╫┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶╋┶┷╢╴╟┯╎┍╶┚╺┝┵╅┷┿╣┍╶╹╸╟┿┥┍╶┚╸╟┿	

The contractor is responsible to ensure that no products are to be utilised that do not comply with relevant British and/or European Standards and/or Codes of Practice, COSHH Regulations, Construction Regulations, or which are known or suspected at the time of product selection and/or







D C DATE

PROJECT ADDRESS Rhyl Primary School Rhyl Street, Camden NW5 3HB PROJECT NAME

Rev No Description

Rhyl Community Primary School **Refurbishment Works**

Existing South Elevation

SUITABILITY CODE Tender

SCALE			DRAW	N CHEC	KED	APPROVE	Ð	DATE
1:50 @A1			EA	JI	F	RT	05	/2024
PROJ NO	AUTHOR	VOLUME	LEVEL	DOCTYP	ROLE	DRW NO	REV STAT	REV NO
35463	BG	01	-	-	D	T01	Т	2



All windows are to be repaired utilising the recognised repair care system and utilising wood species Sapele and Accoya.


Fensa Approved Certification and Accoya Approved manufacturer Certification will be required from the sub-contractor.


5m 5m 1.50

┥┥╫╌┦╡┥╡╷╢╴╢╡╒╡┑╫╶╢╡┍╧┑╫╴╢╡╄╡┑╫╌╢╡┍╡┥╢╌╢╡┝╡┑╢╌╢╡┍╡┑╢╌╢╡┍╧┑╢╴╢╡┍╧┑╢╴╢╡┍╧┑╢╴╢╡┍╡╸╢ ┶┍┙╷╢╴╢╡╕╡╷╢╴╢╡┍╡╸╢╴╢╡┍╡┑╢╴╢╡┝╡┑╢╴╢╡┝╡┑╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┝╡┑╢╴╢╡┝╡╸╢ ╷╢╧┝┽┑╫╌╢╡┍╡╴╢╴╷╡╡┑╴╢╴╢╡┍╡╴╢╴╢╡┝╡┑╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╡┍╡╸╢╴╢╴┥		
	╷┝┿┿┿┿┿┿┿┿┿╪┥ <mark>┍╌╪╼╛</mark> ┍┿╪╛ <mark>┍╌╪╼╛</mark> ┝┿┿┿┿┿┿┿┿┿┿┥╢╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽╽	
	╈╫┵┙╲╴╹╱╽┷┵┥╲╶╹╱╎┷╅┵┵┶╫┽╢╌┼╌╎┢┙┝╌┼╌╴┢┵┶╼┥┝╢╸┼╌╴╎╣	
	╈╫┶┽╽╺┶╱┷┥┝┶┯┿┥┝┶┼┯┷┯╫┿╢╸╴╴╸╠┯╢╸╎┍╪┿╤╅╷╵┟┿┿┯╢╸╴╴╸╟╢╢	
		└╻ <mark>┩╶┤</mark> ╸┥┥┙ ┍┶╅┵┯┵┯┵┯┷┿╫┙
	╇╫╌┰ ^{┿┷┿╈} ┹┍┶┶┶┶╋ ^{┿╈╋╋} ┶┵┿┿┿╋┥ ╫╫╌╓ [┶] ┷┶┶┶┿┿┿╋╧┿┿┿┿┿┿┿╋┥	┶ ╹╹╹╵╹╹╹╹╹╹╹╹╹╹ ┙╋┙┿╺┶┶┙
	╷╢╷┟╷┝══╋══┥╷┟╷┧┝══╋══┥┝╷╎╷╎╷╎╎╎┝═╌┟╌╸╢╷╷┝═╌┟╶╸┙╽╷┝╌┟┑╢┝╖┝╖╸┛╽╢┝═╌┟╼╸┙╽╢ ╫╫┰┼╢┝╴╴┝╴╴┝┿┰┶┯╴┝╴╴┝┝┶┽┵┰┶┰┶╫┾┶┰╋╦╒┆ _┍ ╦╗╖┵┰┞╦┲┆┍╝╕╄┰┶┰┵┰┵ <mark>╁╔╞┊</mark> ╝┆╄╌┶╖	╷╽╷╽╷╽╷╽╷╽╷╽ _{╵┯╋┍╋┓} ╎╷╷╽ ┶╷╄╷┶╷┵╷┵╷┵╷╢╷┥╘ <mark>╫╔╗╖</mark> ╷┶╷┵┑
		╷╫╫╵╷╵╷╵╷╵╷╢┝╍┶╍┶╍┶╍┶╍┾╷┤ ┶╫╫┙┙┙┙┙┙╢
	╇╫┰╬┍╾┯╼╗╠┰┶┽┍┍╾┯╼╗╠┽┾┰┿┰╇┰┽╞╍╇═┥╠┽╞╍╇═╣┝┽╞╌╇╼╝╠┿╢┍╌╇═╝╠╢	
	╈╫┰╣└╲╱╎╠┰┯╡└╲╱╎╠┽┿┯┿╫┯╣└┝╌╠┽╎└┝╴╠┿┥└┝╴╠┪└┝╵╠┪	┝┰╋┍┽┙┝┥┿┙┝┿┿ ┍┶╋╍┷╼┷╼┷╋┥ <mark>┍╴╴╷╴╴</mark> ┝┽┽
	┥╢╷┟╷╽ <mark>╸╴┙╴┙╷┟╶┙┙╴┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙</mark>	
	╇╫┰╝ <u>┝┙╱╶</u> ╽┝┰┶┽╽ <u>╵╱</u> ╽┝┿┵┯┶┯╫┽╽ <u>╶</u> ╞╴╧╗┍┽╘╤╧╤┑┝┯┯┯┿╢ <mark>╞╴╞╴╸</mark> ╽╢ <mark>╘╶╞╸╸</mark> ╽╢	
	╫┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶╋┶┷╢╴╟┯╎ <mark>┍╶╻╺┶</mark> ┿┿╢ ╫┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶┶╋┶┷╢╴╟┯╎┍╶┚╺┝┵╅┷┿╣┍╶╹╸╟┿┥┍╶┚╸╟┿	

The contractor is responsible to ensure that no products are to be utilised that do not comply with relevant British and/or European Standards and/or Codes of Practice, COSHH Regulations, Construction Regulations, or which are known or suspected at the time of product selection and/or








PROJECT ADDRESS Rhyl Primary School Rhyl Street, Camden NW5 3HB PROJECT NAME

Rhyl Community Primary School **Refurbishment Works**

Proposed South Elevation

SUITABILITY CODE Tender

SCALE			DRAW	N CHEC	KED	APPROVE	ED	DATE
1:50 @A1			EA	J	F	RT	05	5/2024
PROJ NO	AUTHOR	VOLUME	LEVEL	DOCTYP	ROLE	DRW NO	REV STAT	REV NO
35463	BG	01	-	-	D	T02	Т	2




All windows are to be repaired utilising the recognised repair care system and utilising wood species Sapele and Accoya.

Fensa Approved Certification and Accoya Approved manufacturer Certification will be required from the sub-contractor.

W(24) W(24) W(24) W(24) W(24) W(24)	

Employer and with attribution to Baily Garner LLP.

The drawing to be read in conjunction with:Document Suitability Codes page or at www.bailygarner.co.uk/disclaimer/



D C DATE

Rhyl Primary School Rhyl Street, Camden NW5 3HB PROJECT NAME


Rev No Description

Rhyl Community Primary School Refurbishment Works

Existing North Window Elevation

SUITABILITY CODE Tender

SCALE			DRAW	N CHEC	KED	APPROVE	ED	DATE
1:50 @A1			EA	J	F	RT	05	5/2024
PROJ NO	AUTHOR	VOLUME	LEVEL	DOCTYP	ROLE	DRW NO	REV STAT	REV NO
35463	BG	01	-	-	D	T03	Т	2




All windows are to be repaired utilising the recognised repair care system and utilising wood species Sapele and Accoya.

Fensa Approved Certification and Accoya Approved manufacturer Certification will be required from the sub-contractor.

Employer and with attribution to Baily Garner LLP.

The drawing to be read in conjunction with:Document Suitability Codes page or at www.bailygarner.co.uk/disclaimer/



D C DATE

Rhyl Primary School Rhyl Street, Camden NW5 3HB PROJECT NAME

Rev No Description

Rhyl Community Primary School Refurbishment Works

Proposed North Window Elevation

SUITABILITY CODE Tender

SCALE			DRAW	N CHEC	KED	APPROVE	ED	DATE
1:50 @A1			EA	J	F	RT	05	5/2024
PROJ NO	AUTHOR	VOLUME	LEVEL	DOCTYP	ROLE	DRW NO	REV STAT	REV NO
35463	BG	01	-	-	D	T04	Т	2




All windows are to be repaired utilising the recognised repair care system and utilising wood species Sapele and Accoya.

Fensa Approved Certification and Accoya Approved manufacturer Certification will be required from the sub-contractor.


) 1m 5m





West

																																																									Т
																																																									J
				Π						Π			Ŧ	Ŧ		Ţ						Ţ	Γ					Π			Ţ	Π					Ţ					Ţ	Π			Ţ	Π			Π			Π			Π	T
				Ļ						μ			Ч	Ŧ		Ļ						Ţ	Ļ	Ţ		Т		ĻТ			Ţ	Ц			Ļ		Ţ	Т				Ļ				Ţ	Ц			Π			Π			Ψ	T
ΤT				ĻТ						Ц	Ţ		中	ф		ф			Ц	Ţ		Ţ	ф	ĻТ	1			ф	+		Ţ	Ц	+		Ļ		Ţ	Ţ	Ц	Ļ		Ļ	ф		Ţ	Ţ	Ц	+		Ц			Ц			中	Ť
ŢŢ				ĻТ						Ц	Ţ		中	фт		ф			Ц	+		Ļ	ф	ĻТ				Ц	+		Ţ	Ц			Ļ		Ţ		Ļ	Ļ		Ļ	Ц			Ţ	Ц			Ц			Ц			ф	т Т
╪╪╤				Ħ						Ħ	+		Ħ	ŧ		Ħ			H	+		Ŧ	Ħ	Ħ				Ħ			Ŧ	Ħ			Ħ		╈		Ħ	╞		Ê	Ħ		Ŧ	Ŧ	Ħ			Ħ	L.		Ħ			Ħ	
													╧	╧╾											1																							<u> </u>									
TT				Π					T	Ļ		T	Ţ	Π	Т	Ľ					T	Τ	Ļ			I		Ļ		Ţ	Τ		Ţ	T	Ļ	T	Ļ	T	Ţ		T,	I.		Ţ	Ι	Τ	Π		T	Ļ		<u> </u>	Π	Ţ	T	Ţ	
										Ц			山	Ь							T		\vdash	4				Ц					F												Ι					Ц						╓	
										4			Ь	┢				74						Ĩ		L L				4		L					2	Ш							1								T		\leq	뀌	
													╓┷	┢												Н				Ц								Ш							Y	\checkmark	Y						Y				
						ŢĻ			Ţ		Ţ		T,	Ŧ	П			9_	4		╀			╢		Ρ		Т	T	η_	_	L	╀			╢	_	Ψ			Π				Ī	V		Ī	П				Ť			iF	Ι
					ŢŢ			Ţ		Т	Ţ		Д	Ŧ	Ц							1				P			Ţ	I				1				Щ			Ц	Π			+		-	-	Ц			I _	+	+		┥Ӻ	Ι
+		ŢŢ			ĻΤ	Ц		Ţ	Ļ		Ţ	Ļ	<u>Г</u> Т	Ŧ	ĻТ			qþ	╡		T			╬		沿			Ţ	Įþ	╡	F	+			╬	╡	ф			Ļ	Π				1			ф			I		1		Ę	Ι
					ŢŢŢ	Ţ		Ţ	Ļ		Ţ	Ļ	┢┰╉	┯┷	ĻТ							V				þ			Ţ	I								ф			Ļ								Ц			I –		U		14	Τ
┼┼┤					ĻŢ			Ţ			Ţ	Ļ	ĹΤ,	┯┿	ĻТ						t			╢		巾			Ţ	ΙĽ			t			╟		ф			Ļ			—	_			-	Ц			1	+	_		┨╞╴	T
					Ļ			Ļ				Ļ	ل	ЪЪ Д	Ц											ļþ			Ţ	I								ф			Ц								Ц			I				┟	T
					Ļ								LT.	ЪĻ	Ц						rŴ(32) 154				Ļ				Ц			- Ŵ((32) - 465		Ц		ф			Ļ			Ц	⊥v ⊣a	V(22		Ţ	Ц			Ц	⊥ vi	/(22)		Ĩ	Ι
																					Ŵ	(84)											Ŵ	(34) 											Ē	AI(2	БП Т							/(22)	ËT		Ι
										H				<u> </u>								1															1																			<u> </u>	I
						┥								μ						Γ					Γ																															T	Т
				Π		규			+		μ		H	Ŧ						F	╈		+		F			Π		\vdash			+	+									L L		╈		+	-	Ŧ				+			٦Ľ	Т
ŢŢ				Ц		╤┝			_		Τ		户	ф		Π			4	Ļ				4	Ļ			ф	Ţ	Ļ									Ţ	Ţ		$\left \right $	Ļ		1				Ŧ	Ц						⊣ I	T
ΤŢ				Ц							Τ		Ē		· · ·	Ŧ												ф													· · ·	F	¢						Ŧ	Ц						I	Ť
ΤŢ				Ц							T				<u>, , , ,</u>	╌	Ļ,					1			Γ			ф	$\frac{1}{1}$					1							.		¢		T	Λ			Ŧ	Ц				1		7	_ Т
ŢŢŢ				Ц		╬			+		I		巾	фт		Ц			-	\vdash	+			-	┢	-		Ц		\vdash			+			╟╴	-		Ţ	Ļ			Ļ		+	´	+	-	Т,	Ц		-	+			- 1	
				Ц		4			1		I		亡	ф					_		_		-	_	┝	_		Ц			- -		-				_						Ļ						Т,	⊥						_1	
				Ļ							I		山	ф														Ц															Ļ						Т,	⊥						I	
	 		│ │ □┬┸┯	 	│ │ ┯┸┯┚	<u>∣∣</u> ⊾ ┯┻┑	-1-1-1	W(;	39)		╹Ĺ	└──╢ ┌───न			└──┤ ┯╼┯				┸┱┛			<u> </u>	_	┎┰┸	T T	- 1 -				┯┸╺	- I - ₁ -	┸┰┋	•			┯┹╺		ןרדי דידי			└── ┯┸┯	⊥⊥ ∓∓	_ <u> </u> ⊏न्म		,	1			└──┨ ┯┸╼								
				Ļ				FF W(149 39)	Ļ			Ь	L							L FI	F 15 V(34	2					Ļ					FF W(153 34)									Ļ			F 1 VV(3	58 9)	Ļ					F	F 15 V(3 9	9	╓	
								Ļ		Д			Г	ГТ ГТ					Ţ	Ļ	Ц ,		Ţ	Γ						Π		Τ	Ļ	П	Ţ		1	Π				Γ		П			Ţ	<u> </u>				П		Ļ		Ţ	Ι
		ŢŢ			ĻΤ	Т					F	μ	Ъ,	Ŧ	μ														Ţ									ĻТ			Ļ	Π	T						Ħ							Ī	Ι
					ŢŢ	Ц					F	Ц	<u>⊢</u> T	┯╴	ф	T					1				Γ				Ŧ									ф			Ļ	Ħ	H						Ħ				╎			┨╏	Ι
				┼┰┾	┎┼┰┦	Ϊŀ					Ļ		┢┰┸	┎┷╴	Ļ			ţĻ		F				╡	F				Ţ	F	ן ר דר						╡	Ц			Ļ	Ħ	Ъ													╡╏	Ι
						Ц					 		┢┰┸	┟┯┸	Ļ			ţĹ							L				Ţ									Ц			Ļ																Ι
					┟╷┤	Т		1			╞┷		LL LL	┝┷┸┷ ┍┹┷	Ļ							1							Ţ				/	1				Ц			Ļ					1								1			T
					ĻĻ	╁					L				Ļ			╣┝		F	+	+			F					F			+	[]				Ļ							+			-	<u>⊢</u>			\vdash	+			┥┞	I
						┰┝			1		Ľ							┨┝	_	\vdash	+	-	+	_	\vdash	-				\vdash	┥┝		+																Ľ					V		┛┠	Ţ
											F							ΗL							L			Ţ																												ľ	Ţ
	╶┯╺ [┿] ╺┑ ┵┰┵┰┶╻	┷╼┲╺┶ ┶┰┵┰┸┰┺	┍┵┰┸ ┍┸┰┸┰┙	┯┷╼┰ ┕┯┸┯┸┯┚	┷┯┷┑ ┱┷┱┷┱┷┓	╼┥┖ ┺┰┸┰┸┑		W(:	39)	,1,1,	╹┝┯╾ ┸┯┸┯┸	┷┱╾┿┨ ┍┸┯┸┯┚			· · · ·				.1.1	1,1,1	M	/(34)										W(;	34)			† • • • •	· · · ·						1.1.1		N(39	9)					<u>.</u>	V	V(39)	<u>)</u>		-
																			111			10.0	1		+++	┍┵┰┶╻	+++	╓┰	+++	-	다다	┯┹┯┹┯	l <u>tri</u>	<u>, , , , , , , , , , , , , , , , , , , </u>	<u>, , , , ,</u>	111	<u> </u>	 \mathbf{T}			111	1.1.1		111			1.1.1		TTT	┕┼┼┼	┍┸┰┸┰┸	┯┹┱┸┯┙	T_{1}	$\dot{\tau}$	┢╍┰┸┯┸	┯┿┯	┯



111111111111



D C DATE


PROJECT ADDRESS Rhyl Primary School Rhyl Street, Camden NW5 3HB PROJECT NAME

Rhyl Community Primary School **Refurbishment Works**

Existing Flank Window Elevations

SUITABILITY CODE Tender


TUTUU								
SCALE			DRAW	N CHEC	KED	APPROVE	ED	DATE
1:50 @A1			EA	J	F	RT	05	5/2024
PROJ NO	AUTHOR	VOLUME	LEVEL	DOCTYP	ROLE	DRW NO	REV STAT	REV NO
35463	BG	01	-	-	D	T05	Т	2



All windows are to be repaired utilising the recognised repair care system and utilising wood species Sapele and Accoya.

Fensa Approved Certification and Accoya Approved manufacturer Certification will be required from the sub-contractor.





West

																																																									Т
																																																									J
				Π						Π			Ŧ	Ŧ		Ţ						Ţ	Γ					Π			Ţ	Π					Ţ					Ţ	Π			Ţ	Π			Π			Π			Π	T
				Ļ						μ			Ч	Ŧ		Ļ						Ţ	Ļ	Ţ		Т		ĻТ			Ţ	Ц			Ļ		Ţ	Т				Ļ				Ţ	Ц			Π			Π			Ψ	T
ΤT				ĻТ						Ц	Ţ		中	ф		ф			Ц	Ţ		Ţ	ф	ĻТ	1			ф	+		Ţ	Ц	+		Ļ		Ţ	Ţ	Ц	Ļ		Ļ	ф		Ţ	Ţ	Ц	+		Ц			Ц			中	Ť
ŢŢ				ĻТ						Ц	+		中	фт		ф			Ц	+		Ļ	ф	ĻТ				Ц	+		Ţ	Ц			Ļ		Ţ		Ļ	Ļ		Ļ	Ц			Ţ	Ц			Ц			Ц			ф	т Т
╪╪╤				Ħ						Ħ	+		Ħ	ŧ		Ħ			H	+		Ŧ	Ħ	Ħ				Ħ			Ŧ	Ħ			Ħ		╈		Ħ	╞		Ê	Ħ		Ŧ	Ŧ	Ħ			Ħ	L.		Ħ			Ħ	
													╧	╧╾											1																							<u> </u>									
TT				Π					T	Ļ		T	Ţ	Π	Τ	Ľ					T	Τ	Ļ			I		Ļ		Ţ	Τ		Ţ	T	Ļ	T	Ļ	T	Ţ		T,	Ļ		Ţ	Ι	Τ	Π		<u> </u>	Ļ		<u> </u>	Π	Ţ	T	Ţ	
										Ц			山	Ь							T		\vdash	4				Ц					F												Ι					Ц						╓	
										4			Ь	┢				74						Ĩ		L L				4		L					2	Ш							1								T		\leq	뀌	
													╓┷	┢												Н				Ц								Ш							Y	\checkmark	Y						Y				
						ŢĻ			Ţ		Ţ		T,	Ŧ	П			9_	4		╀			╢		Ρ		Т	T	η_	_	L	╀			╢	_	Ψ			Π				Ī	V		Ī	П				Ť			iF	Ι
					ŢŢ			Ţ		Т	Ţ		Д	Ŧ	Ц							1				P			Ţ	I				1				Щ			Ц	Π			+		-	-	Ц			I _	+	+		┥Ӻ	Ι
+		ŢŢ			ĻΤ	Ц		Ţ	Ļ		Ţ	Ļ	<u>Г</u> Т	Ŧ	ĻТ			qþ	╡		T			╬		沿			Ţ	Įþ	╡	F	+			╬	╡	ф			Ļ	Π				1			ф			I		1		Ę	Ι
					ŢŢŢ	Ţ		Ţ	Ļ		Ţ	Ļ	┢┰╉	┯┷	ĻТ							V				þ			Ţ	I								ф			Ļ								Ц			I –		U		14	Τ
┼┼┤					ĻŢ	Ţ		Ţ			Ţ	Ļ	ĹΤ,	┯┿	ĻТ						t			╢		巾			Ţ	ΙĽ			t			╟		ф			Ļ			—	_			-	Ц			1 -	+	_		┨╞╴	T
					Ļ			Ļ				Ļ	ل	ЪЪ Д	Ц											ļþ			Ţ	I								ф			Ц								Ц			I				┟	T
					Ļ								ل	<u>Т</u>	Ц						rŴ(32) 154				╘				Ц			- Ŵ((32) - 465		Ц		ф			Ļ			Ц	⊥v ⊣a	V(22		Ţ	Ц			Ц	⊥ vi	/(22)		Ĩ	Ι
																					Ŵ	(84)											Ŵ	(34) 											Ē	AI(2	БП Т							/(22)	ËT		Ι
										H				<u> </u>								1															1																			<u> </u>	I
						┥								μ						Γ					Γ																															T	Т
				Π		규			+		μ		H	Ŧ						F	╈		+		F			Π		\vdash			+	+									L L		╈		+	-	Ŧ				+			٦Ľ	Т
ŢŢ				Ц		╤┝			_		Τ		中	ф		Π			4	Ļ				4	Ļ			ф	$\overline{+}$	Ļ									Ţ	Ţ		$\left \right $	Ļ		1				Ŧ	Ц						⊣ I	T
ΤŢ				Ц							Τ		Ē		· · ·	Ŧ												ф													· · ·	F	¢						Ŧ	Ц						I	Ť
ΤŢ				Ц							T				<u>, , , ,</u>	╌	Ļ,					1			Γ			ф	$\frac{1}{1}$					1							.		¢		T	Λ			Ŧ	Ц				1		7	_ Т
ŢŢŢ				Ц		╬			+		I		巾	фт		Ц			-	\vdash	+			-	┢	-		Ц		\vdash			+			╟╴	-		Ţ	Ļ			Ļ		+	· 	+	-	Т,	Ц		-	+			- 1	
				Ц		4			1		I		亡	ф					_		_		-	_	┝	_		Ц			- -		-				_						Ļ						Т,	⊥						_1	
				Ļ							I		山	ф														Ц															Ļ						Т,	⊥						I	
	 		│ │ □┬┸┯	 	│ │ ┯┸┯┚	<u>∣∣</u> ⊾ ┯┻┑	-1-1-1	W(;	39)		╹Ĺ	└──╢ ┌───न							┸┱┛			<u> </u>	_	┎┰┸	T T	- 1 -				┯┸╺	- I - ₁ -	┸┰┋	•			┯┹╺		ןרדי דידי			└── ┯┸┯	⊥⊥ ∓∓	_ <u> </u> ⊏न्म		,	1			└──┨ ┯┸╼								
				Ļ				FF W(149 39)	Ļ			Ь	L							L FI	F 15 V(34	2					Ļ					FF W(153 34)									Ļ			F 1 VV(3	58 9)	Ļ					F	F 15 V(3 9	9	╓	
								Ļ		Д			Г	ГТ ГТ					Ţ	Ļ	Ц ,		Ţ	Γ						Π		Τ	Ļ	П	Ţ		1	Π				Γ		П			Ţ	<u> </u>				П		Ļ		Ţ	Ι
		ŢŢ			ĻΤ	Т					F	μ	Ъ,	Ŧ	μ														Ţ									ĻТ			Ļ	Π	T						Ħ							Ī	Ι
					ŢŢ	Ц					F	Ц	<u>і</u> т	┯╴	Ц	T					1				Γ				Ŧ									ф			Ļ	μ	H						Ħ				╎			┨╏	Ι
				┼┰┾	┎┼┰┦	Ϊŀ					Ļ		┢┰┸	┎┷╴	Ļ			ţĻ		F				╡	F				Ţ	F	ן ר דר						╡	Ц			Ļ	Ħ	Ъ													╡╏	Ι
						Ц					 		┢┰┸	┟┯┸	Ļ			ţĹ							L				Ţ									Ц			Ļ																Ι
					┟╷┤	Т		1			╞┷		LL LL	┝┷┸┷ ┍┹┷	Ļ							1							Ţ				/	1				Ц			Ļ					1								1			T
					ĻĻ	╁					L				Ļ			╣┝		F	+	+			F					F			+	[]				Ļ							+			-	<u>⊢</u>			\vdash	+			┥┞	I
						┰┝			1		Ľ							┨┝	_	\vdash	+	-	+	_	\vdash	-				\vdash	┥┝		+																					V		┛┠	Ţ
											F							ΗL							L			Ţ																												ľ	Ţ
	╶┯╺ [┿] ╺┑ ┵┰┵┰┶╻	┷╼┲╺┶ ┶┰┵┰┸┰┺	┍┵┰┸ ┍┸┰┸┰┙	┯┷╼┰ ┕┯┸┯┸┯┚	┷┯┷┑ ┯┷┯┷┯	╼┥┖ ┺┰┸┰┸┑		W(:	39)	,1,1,	╹┝┯╾ ┸┯┸┯┸	┷┱╾┿┨ ┍┸┯┸┯┚			· · · ·				.1.1	1,1,1	M	/(34)										W(;	34)			† • • • •	· · · ·						1.1.1		N(39	9)					<u>.</u>	V	V(39)	<u>)</u>		-
																			111			10.0			+++	┍┵┰┶╻	+++	╓┹┰┺┯	+++	-	다다	┯┹┯┹┯	l <u>tri</u>	<u>, , , , , , , , , , , , , , , , , , , </u>	<u>, , , , ,</u>	111	<u> </u>	 \mathbf{T}			111	1.1.1		111			1.1.1		TTT	┕┼┼┼	┍┸┰┸┰┸	┯┹┱┸┯┙	T_{1}	$\dot{\tau}$	┢╍┰┸┯┸	┯┿┯	┯

111111111111



D C DATE


PROJECT ADDRESS Rhyl Primary School Rhyl Street, Camden NW5 3HB PROJECT NAME

Rhyl Community Primary School **Refurbishment Works**

Proposed Flank Window Elevations

SUITABILITY CODE Tender

SCALE			DRAW	N CHEC	KED	APPROVE	ED	DATE
1:50 @A1			EA	J	F	RT	05	5/2024
PROJ NO	AUTHOR	VOLUME	LEVEL	DOCTYP	ROLE	DRW NO	REV STAT	REV NO
35463	BG	01	-	-	D	T06	Т	2



. 1:50

Roof Level



The contractor is responsible to ensure that no products are to be utilised that do not comply with relevant British and/or European Standards and/or Codes of Practice, COSHH Regulations, Construction Regulations, or which are known or suspected at the time of product selection and/or construction to be deleterious to health and safety or to the durability of the work or not in accordance

The contractor is responsible for checking dimensions, tolerances, levels and references. This drawing/model is to be read in conjunction with all relevant Other Project Team Members' or specialists' drawings/models/any Federated Model. Any discrepancy is to be notified to Baily Garner LLP and is to be rectified before proceeding with the works on site or shop drawings. Where an item is covered by drawings to different scales, the larger scale drawing is to be worked to. Any rights (including copyright) in this drawing/model and any proprietary work contained therein

belong to Baily Garner LLP and may only be used in accordance with the licence granted to the The drawing to be read in conjunction with:Document Suitability Codes page or at




וה					
	H	H	H	91	
	Y/i	H	%	9/	
	%	%	%	96	
7	%	%	%	96	
	1/1	%	%	9/	
	i —				

	PROJECT NAME Rhyl Community Primary School Refurbishment Works DRAWING TITLE Existing Window Elevations - Roof Level SUITABULTY CODE Tender						
PROV JF	proved approved date JF RT 05/2024						
	DOCTYP	D	T07	REV STAT	rev no 04		



LONDON HEAD OFFICE 146-148 ELTHAM HILL LONDON SE9 5DY t. 020 8294 1000 general@bailygarner.co.u



. 1:50

Roof Level



The contractor is responsible to ensure that no products are to be utilised that do not comply with relevant British and/or European Standards and/or Codes of Practice, COSHH Regulations, Construction Regulations, or which are known or suspected at the time of product selection and/or construction to be deleterious to health and safety or to the durability of the work or not in accordance

The contractor is responsible for checking dimensions, tolerances, levels and references. This drawing/model is to be read in conjunction with all relevant Other Project Team Members' or specialists' drawings/models/any Federated Model. Any discrepancy is to be notified to Baily Garner LLP and is to be rectified before proceeding with the works on site or shop drawings. Where an item is covered by drawings to different scales, the larger scale drawing is to be worked to. Any rights (including copyright) in this drawing/model and any proprietary work contained therein

belong to Baily Garner LLP and may only be used in accordance with the licence granted to the The drawing to be read in conjunction with:Document Suitability Codes page or at




% % % % % % % % % % % %
<i>% % % %</i>
11 11 11 11

	PROJECT NAME Rhyl Community Primary School Returbishment Works Proposed Window Elevations - Roof Level Surfabury code Tender						
proved approved date JF RT 05/2024							
	DOCTYP	D	T08	REV STAT	rev no 04		



LONDON HEAD OFFICE 146-148 ELTHAM HILL LONDON SE9 5DY t. 020 8294 1000 general@bailygarner.co.u

with good building practices. Employer and with attribution to Baily Garner LLP.



Rhyl Community Primary School Window Schedule 1:50



The contractor is responsible to ensure that no products are to be utilised that do not comply with relevant British and/or European Standards and/or Codes of Practice, COSHH Regulations, Construction Regulations, or which are known or suspected at the time of product selection and/or construction to be deleterious to health and safety or to the durability of the work or not in accordance

3

く

The contractor is responsible for checking dimensions, tolerances, levels and references. This drawing/model is to be read in conjunction with all relevant Other Project Team Members' or specialists' drawings/models/any Federated Model. Any discrepancy is to be notified to Baily Garner LLP and is to be rectified before proceeding with the works on site or shop drawings. Where an item is covered by drawings to different scales, the larger scale drawing is to be worked to. Any rights (including copyright) in this drawing/model and any proprietary work contained therein belong to Baily Garner LLP and may only be used in accordance with the licence granted to the

The drawing to be read in conjunction with:Document Suitability Codes page or at