




- FFL Parapet Level  
70.550 m  
FFL Roof Level  
69.450 m
- FFL Level 10  
65.650 m
- FFL Level 09  
61.785 m
- FFL Level 08  
57.920 m
- FFL Level 07  
54.055 m
- FFL Level 06  
50.190 m
- FFL Level 05  
46.325 m
- FFL Level 04  
42.460 m
- FFL Level 03  
38.595 m
- FFL Level 02  
34.730 m
- FFL Level 01  
30.865 m
- FFL Level 00  
25.600 m

REVISED FIRE ESCAPE DOOR HEIGHT TO MATCH MANUFACTURERS PROPOSAL IN EXISTING CURTAIN WALLING. NOTE DOOR SIZE IS MAXIMUM HEIGHT AVAILABLE FOR MANUAL SINGLE SWING DOOR. (PART OF CHANGE OF USE APPLICATION). ALUMINIUM FRAME SYSTEM WITH GLAZED DOOR SPEC & FINISH TO MATCH EXTG.

**DOOR TO BE AUTOMATED DUE TO WEIGHT - ACTUATOR TO OPEN DOOR WHEN FIRE ALARM IS ACTIVATED.**



REV	DATE	DESCRIPTION	BY
T9	11.01.24	Tender - Rail removed for Automatic door	PW
T8	27.10.23	Tender - Rail added for Automatic door	PW
T7	20.10.23	Tender - Fire Escape Door updated	PW
T6	13.10.23	Tender - Antenna removed	PW
T5	22.09.23	Tender - Updated CCDS	PW
T4	08.09.23	Tender - Updated CCTV information	PW
T3	11.08.23	TENDER ISSUE	JS
T2	03.08.23	TENDER ISSUE	JS
T1	21.07.23	TENDER ISSUE	JS
P1	21.04.23	Preliminary Issue	JS

CLIENT  
GSK

PROJECT TITLE  
London Office - GSK

DRAWING TITLE  
Planning - Proposed West Elevation

DATE  
21.04.23

SCALE  
1:100 @ A0

DRAWN  
JB

CHECKED  
LP