

Application ref: 2024/2093/T  
Contact: Liam Vincent  
Tel: 020 7974 8677  
Email: [Liam.Vincent@camden.gov.uk](mailto:Liam.Vincent@camden.gov.uk)  
Date: 5 June 2024

**Development Management**  
Regeneration and Planning  
London Borough of Camden  
Town Hall  
Judd Street  
London  
WC1H 9JE

Phone: 020 7974 4444

[planning@camden.gov.uk](mailto:planning@camden.gov.uk)  
[www.camden.gov.uk/planning](http://www.camden.gov.uk/planning)

The London Tree Company  
22 Alkerden Road  
Chiswick  
London  
W4 2HP

Dear Sir/Madam

Town and Country Planning Acts 1990 (as amended)

**NOTIFICATION TO CARRY OUT EMERGENCY WORKS TO PROTECTED TREE(S) IN A  
CONSERVATION AREA**

Address:  
**Westside**  
**55 Priory Road**  
**London**  
**NW6 3NG**

Description:  
**DD 5 Day Notice REAR GARDEN: 1 x Sycamore (T1) - Fell to ground level.**

Thank you for your letter/telephone call of 24 May 2024 giving notice that the above tree(s) are considered dead/dying /dangerous and require emergency works.

The Council confirms that the remedial works as described above are exempt from the need for further notifications or any formal application to the Council and you are therefore allowed to proceed.

Informative(s):

- 1 You are advised that the appropriate standards for tree work are set out in BS 3998: 2010. Failure to ensure that the proposed works are carried out to these standards may result in damage to the tree(s) and may result in legal action by the Council.
- 2 Please note that any approval given by the Council does not give an exemption from the requirements to comply with the Wildlife and Countryside Act 1981 (as amended), or any other Acts offering protection to wildlife. Of particular note is the protection offered to bats, birds and their nests from construction works. For further information contact Natural England on 0300 060 3900 or

Conditions and Reasons:

- 1 During the next planting season (October 2024 – March 2025), an *Acer pseudoplatanus* sp., (example Var: *Leopoldii*) shall be planted with a girth size of 12-14 cms at 1m above basal flare. The tree should be planted and cared for according to the standards set out in BS8545:2014.

Reason: In order to comply with the provisions of Section 206 of the Town and Country Planning Act 1990 (as amended).

If you have further queries please do not hesitate to contact the Tree Preservation Section on the telephone number above.

Yours faithfully

A handwritten signature in black ink, appearing to read 'DPope', is positioned above the printed name and title.

Daniel Pope  
Chief Planning Officer

It is important to us to find out what our customers think about the service we provide. To help us in this respect, we would be very grateful if you could take a few moments to complete our online survey at the following website address: [www.camden.gov.uk/dmfeedback](http://www.camden.gov.uk/dmfeedback). We will use the information you give us to help improve our services.