



London Borough of Camden

Godwin and Crowndale Landscape Improvements Outline Specification

Version 1.0

07 July 2022

Prepared by LUC

Document control

Version	Date	Status	Prepared	Approved
1.0	07 July 2022	First Issue	TB	AM

Project

Godwin and Crowndale Landscape Improvements

Client

London Borough of Camden

LUC Project Number

11906

Date




July 07 2022

Note

This document and its contents have been prepared by LUC for Camden Council and is intended solely for use in relation to the Godwin and Crowndale Landscape Improvements project.

LUC assume no responsibility to any other party in respect of or arising out of or in connection with this document and/ or its contents.

Hard Surfacing





Ref	Element	Description	Proposed Supplier(s)	Images
P01	Self-binding Gravel	<p>Material: 100% Golden Quartzite Aggregate</p> <p>Colour(s): Gold / yellow ochre</p> <p>Finish: Compacted gravel</p> <p>Thickness: Compacted depth 50mm</p> <p>Edging: 38mm thick timber edge</p> <p>Maintenance: Topping up</p>	<p>Supplier: CED Stone</p> <p>Product Ref: CEDEC</p> <p>Footpath Gravel – Gold</p> <p>Further information:</p> <p>Refer to technical guidance note</p> <p>https://www.cedstone.co.uk/landscape/product-range/natural-stone/aggregates-gravels/footpath-gravels/cedec-footpath-gravel-gold</p>	
P02	Tiger mulch - solid resin bound rubber playground mulch system	<p>Material: Resin bound rubber</p> <p>Colour: Autumn</p> <p>Finish: Laid flat</p> <p>Thickness: Refer to play / fitness equipment critical fall heights for surface depth</p> <p>Testing: Tested to BSEN1177 & BS7188</p> <p>Maintenance: Can be mechanically swept</p>	<p>Supplier: Star-Rubber</p> <p>Product Ref: Tiger Mulch</p> <p>Further information:</p> <p>https://www.star-rubber.co.uk/tigermulch</p>	
P03	Thermoplastic floor markings	<p>Material: Thermoplastic</p> <p>Colour(s): Various</p>	<p>Supplier: Thermmark</p> <p>Product ref: Wildlife Trail TMT004-1 or similar equivalent</p> <p>Further information:</p> <p>https://www.thermmark.co.uk/product/wildlife-trail/</p>	

P04	Site won Concrete Slabs Reused	Material: Concrete slabs Dimensions: 600x900mm	Supplier: Site won	
P05	Concrete Slabs to match existing on site	Material: Concrete slabs Dimensions: 600x900mm	Supplier: Site won	




Edging

Ref	Element	Description	Proposed Supplier(s)	Images
K125	K125 – Precast Concrete Kerb	Material: Precaste Concrete Kerb Dimensions: 125x250x915mm	Supplier: Marshalls or similar approved Product ref: Saxon Kerb Further information: https://www.marshalls.co.uk/commercial/product/saxon-kerb-and-edging	
na	Timber Edge	Material: Pressure treated timber Dimensions: 38x150mm (for P02 coloured tarmac surface) 22x100mm (for P03 self-binding surface)	Supplier: Contractor choice	

Play Equipment

Ref	Element	Description	Proposed Supplier(s)	Images
	Climbing Structure	<p>Material – Hot dipped galvanized steel; Ropes and netting;</p> <p>Colour(s): yellow</p> <p>Dimensions: 481x555x265 cm</p> <p>Fixing: Inground anchor system</p> <p>Critical fall height: 249cm</p> <p>Maintenance: Regular inspections to check for safety defects</p>	<p>Supplier: KOMPAN</p> <p>Product Ref: Regulus - GXY939010-3717</p> <p>Further information: https://www.kompan.co.uk/playground/play-systems/galaxy/regulus</p>	
	Double Swing	<p>Material: Hot dipped galvanized steel</p> <p>Finish: Galvanised Metal</p> <p>Dimensions: 354x240x274 cm</p> <p>Fixing: Inground</p> <p>Critical fall height: 145cm</p> <p>Options: 1 no. standard swing seat and 1 no. toddler seat</p> <p>Hot dipped galvanized chains</p> <p>Maintenance: Regular inspections to check for safety defects</p>	<p>Supplier: KOMPAN</p> <p>Product Ref: Swing Frame, 2.5m high, c/w 2 flat seats: K S W 9 0 0 1 4 - 0 9 0 9</p> <p>Further information: https://www.kompan.co.uk/playground/free-standing/swings/classic-playground-swings/swing-h-2-5m-std-seats</p>	
	Table Tennis Table	<p>Material: Hot dipped galvanized steel frame and legs. 9mm resin surface</p> <p>Finish: Galvanized Metal</p> <p>Dimensions: 274cm long x 152.5cm wide x 76cm high</p> <p>Fixing: Inground</p> <p>Options: Supplied with Ground Anchors - Z-TT-127141</p> <p>Maintenance: Regular wiping surfaces of debris and residue</p>	<p>Supplier: Tables Tennis Tables</p> <p>Product Ref: Cornilleau Park Outdoor Table Tennis Table - Z-OT-C-127137</p> <p>Further information: https://www.table-tennis-tables.co.uk/shop/outdoor-tables/cornilleau-outdoor-table-tennis-tables/cornilleau-park-outdoor-table-1095480.html?gclid=Cj0KCQjwvqVBhCVARIsAFUxcRv9_HoNAZdaujNwpneQEmGJAos7u2MV42dHdetWEnGCT3U4yAQ0KwaAmnrEALw_wcB</p>	
	Feature Boulder	<p>Material: Glacial natural stone boulder</p> <p>Dimensions: 750-1000mm wide; 500-800mm high</p>	<p>Supplier: CED Stone</p> <p>Product Ref: Play Boulders</p> <p>Further information: https://www.cedstone.co.uk/landscape/product-range/play-boulders</p>	

Fitness Equipment

	<p>Combi 2</p>	<p>Material – Hot dipped galvanized steel frame; polyethylene panel Colour(s): Orange Dimensions: 450x344x240 cm Fixing: Inground anchor system Critical fall height: 133cm Options: Fitted with information sign Maintenance: Regular inspections to check for safety defects</p>	<p>Supplier: KOMPAN Product Ref: Combination Street Work Out Pro 2 - FSW10201-0901 Further information: https://www.kompan.co.uk/fitness/street-workout/combi-7</p>	
	<p>Sport Bike</p>	<p>Material: Powder coated and Hot dipped galvanized steel frame; various other materials Colour(s): Yellow (Glossy) Dimensions: 110x51x118 cm Fixing: Inground Critical fall height: 100cm Safety Standard: EN16130 Maintenance: Regular inspections to check for safety defects</p>	<p>Supplier: KOMPAN Product Ref: Sport Bike - FAZ50200-0000 Further information: https://www.kompan.co.uk/fitness/cardio/sport-bike</p>	
	<p>Cross Trainer</p>	<p>Material: Powder coated and Hot dipped galvanized steel frame; various other materials Colour(s): Yellow (Glossy) Dimensions: 179x83x175 cm Fixing: Inground Critical fall height: 60cm Maintenance: Regular inspections to check for safety defects</p>	<p>Supplier: KOMPAN Product Ref: Cross Trainer - FAZ52100-0800 Further information: https://www.kompan.co.uk/fitness/cardio/cross-trainer</p>	

Furniture

Ref	Element	Description	Proposed Supplier(s)	Images
	Metal Railing	<p>Material: Galvanized steel Circular Hollow Section</p> <p>Panels: Barbican Imperial® comprises of vertical round hollow section 25mm diameter pales up to 2000mm high at 124mm centres</p> <p>Colour: Black</p> <p>Height: 2000mm</p> <p>Gates: 1 no. Matching single leaf gate and 1 no. double leaf gate</p> <p>Durability: High</p> <p>Maintenance: See manufacturers guidelines</p>	<p>Supplier: Jacksons Fencing</p> <p>Product Ref: Barbican Imperial</p> <p>Further information: https://www.jacksons-security.co.uk/vertical-bar-railings/barbican-imperial-fencing</p>	
	<p>Metal Barrier (Existing) to be lifted and set aside for reuse.</p> <p>Railing to be sanded, primed and repainted</p>	<p>Material: Site won metal barrier</p> <p>Location: Exact location to be confirmed with highways</p> <p>Finish: Painted with metal treatment paint</p> <p>Colour: Black</p>	<p>Site won</p> <p>Further information: Refer to NBS specification for repainting</p>	
	Corten Raised Planters	<p>Material: Corten Steel</p> <p>Dimensions: Refer to landscape GA</p> <p>Height: 430mm</p> <p>Corners: Welded</p> <p>Maintenance: none</p>	<p>Supplier: Kinley</p> <p>Product Ref: Planterline</p> <p>Straigh Planter Walls</p> <p>Further information: https://www.raaft.co/products/planter-systems/straight-planter-walls</p> <p>See Drawing details</p>	
	Bench mounted to raised planters	<p>Material: Hardwood slats and corten steel frame</p> <p>Height: 450mm</p> <p>Fixings: See product information</p> <p>Maintenance: none</p>	<p>Supplier: Kinley</p> <p>Product Ref: Top mounted bench system DS-PETM-0918</p> <p>Further information: https://www.raaft.co/products/planter-systems/benches</p> <p>See Drawing Details</p>	
	Concrete Cube seating	<p>Material: Hardwood slats and corten steel frame</p> <p>Height: 450mm</p> <p>Fixings: See product information</p> <p>Maintenance: none</p>	<p>Supplier: Kinley</p> <p>Product Ref: Free standing bench system DS-PEFB-0918</p> <p>Further information: https://www.raaft.co/products/planter-systems/benches</p> <p>See Drawing Details</p>	