










### Traditional Sliding Sash Spiral Balance Triple Glazed - Frame & Sash Head (With Vent)

| DIMENSIONS | PLOT SIZE | SCALE | DATE       | REV | DWG NO. |
|------------|-----------|-------|------------|-----|---------|
| MM         | A4        | 1:1   | 13.01.2011 | A   | 2022    |



Please consider the environment before printing

Note: Detail Used  
1/ If order has vents specified




**CILL EXTENSION** - available options:  
 25mm (193mm o/a) / 47mm (215mm o/a) /  
 62mm (230mm o/a) / 87mm (255mm o/a) /  
 100mm (268mm o/a) 114mm (282mm o/a) /  
 140mm (308mm o/a)

2023



REFER TO DOUBLE GLAZED  
SECTIONS FOR VENT AND ANGEL  
LOCK POSITIONS & HORN PROFILES



**Bereco**

**Traditional Sliding Sash Spiral Balance**  
Triple Glazed - Frame & Sash Jamb (Standard Inline)

| DIMENSIONS                                                                                                                          | PLOT SIZE | SCALE | DATE       | REV | DWG NO. |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|------------|-----|---------|
| MM                                                                                                                                  | A4        | 1:1   | 13.01.2011 | A   | 2026    |
|  Please consider the environment before printing |           |       |            |     |         |