

Heritage Statement for New Signage

81 Grays Inn Road

This statement relates to an application to retain the signage.



The Official list entry is

Heritage Category:

Listed Building

Grade:

II

List Entry Number:

1113100

Date first listed:

13-May-1974

List Entry Name:

NUMBERS 75 TO 81 AND 81A AND ATTACHED RAILINGS

Statutory Address 1:

NUMBERS 75 TO 81 AND 81A AND ATTACHED RAILINGS, 75-81 AND 81A, GRAYS INN ROAD

Location

Statutory Address:

NUMBERS 75 TO 81 AND 81A AND ATTACHED RAILINGS, 75-81 AND 81A, GRAYS INN ROAD

The building or site itself may lie within the boundary of more than one authority.

County:

Greater London Authority

District:

Camden (London Borough)

Parish:

Non Civil Parish

National Grid Reference:

TQ 30905 82119

Details

CAMDEN

TQ3082SE GRAY'S INN ROAD 798-1/96/645 (West side) 14/05/74 Nos.75-81 AND 81A (Odd) and attached railings

GV II

4 terraced houses with later shops. c1791, altered. Yellow stock brick with slate mansard roofs (No.77, corrugated iron) and dormers. EXTERIOR: 3 storeys, attics and basements. 2 windows each, No.81 with 2-window return forming No.81A. No.75: round-arched doorway with stucco reveals, fluted pilaster-jamb carrying cornice-head; patterned radial fanlight and panelled door. Stucco 1st floor sill band. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses linked by stucco impost bands. Moulded brick band at base of parapet. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to area. No.77: C20 shopfront with late C19 consoles. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Parapet. No.79: round-arched doorway with stucco reveals, fluted pilaster-jamb carrying cornice-head; patterned radial fanlight and panelled door. Stucco 1st floor sill band. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Parapet. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to area. No.81: mid-C20 shopfront with vitrolite fascia. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Rebuilt parapet. INTERIORS: not inspected.

Listing NGR: TQ3090282117

Legacy

The contents of this record have been generated from a legacy data system.

Legacy System number:

477478

Legacy System:

LBS

This application

The client replaced the previous signage see picture below.



Unfortunately, the client did not realise the responsibility of owning a listed building. They fitted the new signage without the appropriate application.

The application is to retain the signage which is within the historic fascia's of the building in order to maintain its original state.
The signs are externally lit with simple trough lights.

The client has agreed to alter the points made by the enforcement team

Conclusion

We respectfully ask for permission in retrospect.