

Existing Opening / Typical window head1:5

P2-A EPDM lapped over the top of the fixing and lug securing the window to the existing fabric and lapped into the window frame. Surface to be suitable to receive EPDM. EPDM Spec Ref: P10/300 Internal window reveals to be fitted as part of future interior works. Window WIN-03a Brick on end cill DPM installed to the underside of the cill and lapped up the back. Vertical DPC laps over cill DPC. Stopend formed in cill DPC. DPM Spec Ref: F30/330 Reclaimed facing brickwork Spec Ref: F10/230 -Concrete padstone to S.E design and spec. Existing unknown fabric is to be demolished to allow for padstone. VARIES ∠Existing fabric and dimensions unknown. Assumed facade buildup zones.

<u>Note</u>

2 Existing Opening / Typical window cill 1:5

Copyright Hawkins\Brown Architects

No implied licence exists. This drawing should

not be used to calculate areas for the purposes

Regulations requirements. Drawing errors and omissions to be reported to the architect. To be

read in conjunction with Architect's specification

of valuation. Do not scale this drawing. All

responsibility. All work must comply with

relevant British Standards and Building

and other consultant information.

dimensions to be checked on the site by the contractor and such dimensions to be their

Date 16.02.24

For Review & Comment

For Review & Comment


Design package is based on measured survey data by SES received on 27.03.23 and the visual survey by HBA 'BEMP-HBA-P2-XX-RP-A-00-0001'. The limitations of the visual survey are set out within the report. Current information has been produced in the absence of a condition survey. There is the possibility that hidden issues of the building fabric may require adjustment to this design at a later stage. Designs should be read in conjunction with the heritage reports produced by Alan Baxter Associates. Repairs and cleaning to heritage brickwork and Portland stone require condition survey and detailed inspection by a cleaning/repair specialist to

compatibility between new and old. Specialist subcontractor input is required to fully coordinate designs for curtain walling, windows and reconstituted Portland stone cladding. These inputs may have implications on detailed setting-out and other consultants' designs. Current information represents design intent appropriate to this work stage and has not benefited from specialist subcontractor inputs noted


establish the full scope and methodology of works. Input is required to determine extent of reusable facade materials, including material

above. Further co-ordination and technical development will be required following insight provided by others and prior to construction using specialist subcontractors and suppliers.

<u>Key</u> Existing Fabric - Unknown dimensions and composition Plot 1 Works Proposed Approximate location of existing fabric based on SES point cloud survey. Exact location to be determined



Level 01 - External Detail Location 1:500



Plan - Existing Opening / Typical window Jamb

Job Number

17056A

Comment

	St John Street don EC1V 4QJ	mail@hawkinsbrown.com hawkinsbrown.com
I⊨	l av	vkins\
Brown		

Drawn By Checked By Status S3 Drawing No. Purpose of Issue BEMP-HBA-P2-ZZ-DR-A-31-1410 P03 For Review &

10/07/24

Date

Scale @ A1

As indicated

New Window Type 1 (L01/Infill Area/North Facade)

WC1X 8LD

IoN/DRI Redevelopment Project

256 Grays Inn Road, London,