



Detail 1: Shadow gap





Detail 3: Coffer straight





Detail 5: LED front of shelf flush (Bottom)



Detail 6: Joinery under sink/vanity





Detail 8: Shower niche

Notes

1. Do not scale or dimension from this drawing. In case of query refer to LDS

2. All dimensions shown in millimeters unless noted otherwise


3. For design intent only. Not for construction unless otherwise stated.

4. This drawing remains copyright and property of Lighting Design Studio and should not be copied, communicated or disclosed, without prior written

permission.

5. Drawing should be read in conjunction with other drawings and luminaire

layouts.
7. Lengths and driver types indicative, based on assumed loadings. These must be checked on site against finished details prior to order.
8. All drivers and transformers must be located in a dry, accessible, well ventilated location in line with requirements set-out by manufacturers.
9. All drivers and transformers must be located within maximum distances set-out by manufacturers. Cable size and type to be determined on site to account for volatge drop.
10. PIR & switch locations to be confirmed by contractor on site.



CS1	CONTROL SWITCH
=	
S1	SINGLE GANG SWITCH
S2	TWO GANG SWITCH
<i>&gt;</i> **	
S3	THREE GANG SWITCH
<b>,*,*,*</b>	
S4	FOUR GANG SWITCH SWITCH MASTER
<b>,</b> ,,,,,,	
5a <sub>,</sub>	5 AMP WALL SOCKET
$\triangle$	
PIR	PIR SWITCH SWITCH MASTER
<u>¥</u>	
D/S	DOOR SWITCH
<u>¥</u>	
	CONTROL GEAR MOUNTED REMOTELY
	CONTROL GEAR MOUNTED REMOTELY



## lighting design|studio

70 Cowcross Street EC1M 6EJ 0207 112 5364 hello@lightingdesignstudio.co.uk www.lightingdesignstudio.co.uk

## 8 GLOUCESTER GATE

LIGHTING LAYOUT LOWER GROUND FLOOR STAGE:

## PRELIMINARY

DWG NUMBER:	REVISION:	
D24025.00	7	
DATE:	PERSON:	
09.08.24	SD	

SCALE: TO FIT NOTE - REMOTE DRIVER REQUIRED, REFER TO NOTES