

01491 411277

Project: 22 Southampton Place Client: EDR Status: PLANNING Drawn by: EM	Drawing No: PL.3301 Revision: L1 Date: JULY 2024 Checked by: RE	Rev.:
--	--	-------

Door No.	Type	Room Name	Room No.	Leaf							Door Frame	
				Width (mm)	Height (mm)	Vision panel	Type	No. of Leafs	Leaf Material & Finish	Fire Rating	Architrave	Air/Smoke Seals

Notes:	All new internal doors. Refer to CO.3305 for door elevation drawings.
---------------	---

22 Southampton Place

External

Lower Ground Floor

ED.22.LG.01	New	Kitchenette	22.LG.03	To Suit Existing S/O	To Suit Existing S/O	-	Type F	1	New decorated.	-	-	EPDM
ED.22.LG.02	New	Lightwell	RM. C.22.LG	To Suit Existing S/O	To Suit New S/O	Y	Type G	1	New decorated.	-	-	EPDM

Ground Floor

ED.22.G.01	Existing	Lobby	RM.22.G.03	Existing	Existing	-	Existing	1	Existing decorated.	-	-	Replace EPDM
------------	----------	-------	------------	----------	----------	---	----------	---	---------------------	---	---	--------------

Roof Floor

ED.22.R.01	New	Roof	RM.22.04.01	800 Finished Opening Size	1400 Finished Opening Size	-	Hatch	-	-	-	-	-
------------	-----	------	-------------	---------------------------	----------------------------	---	-------	---	---	---	---	---

Internal

Lower Ground Floor

D.22.LG.01	New	Kitchenette	RM.22.LG.03	To Suit Existing S/O	To Suit New S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.LG.02	New	Office	RM.22.LG.04	838	1981	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.LG.03	New	Coms Room	RM.22.LG.07	686	1981	-	Type B	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.LG.04	New	Stairs	RM.22.LG.01	838	1981	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.LG.05	New	Shower	RM.22.LG.06	762	1981	-	Type B	1	New decorated.	-	New to match existing.	-
D.22.LG.06	New	Kitchenette	RM.22.LG.03	838	1981	-	Type C	2	New decorated.	FD30s	New to match existing.	Smoke
D.22.LG.07	New	Cup'd	RM.22.LG.05	To Suit Existing	To Suit Existing	-	Type B	1	New decorated.	-	New to match existing.	-
D.22.LG.08	New	Cup'd	RM.22.LG.08	381	1981	-	Type C	2	New decorated.	FD60s	New to match existing.	Smoke

Ground Floor

D.22.G.01	New	Lounge	RM.22.G.04	913	2500	-	Type D	2	New decorated.	FD30s	New to match existing.	Smoke
D.22.G.02	New	Office	RM.22.G.05	To Suit Existing S/O	To Suit Existing S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.G.03	New	WC	RM.22.G.07	762	1981	-	Type B	1	New decorated.	-	New to match existing.	-
D.22.G.04	New	Stairs	RM.22.G.01	To Suit Existing S/O	To Suit Existing S/O	-	Type C	2	New decorated.	FD60s	New to match existing.	Smoke
D.22.G.05	New	Cup'd	RM.22.G.06	To Suit Existing S/O	To Suit Existing S/O	-	Type E	1	New decorated.	-	New to match existing.	-

First Floor

D.22.1.01	New	Office	RM.22.1.03	To Suit Existing S/O	To Suit Existing S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.1.02	New	Office	RM.22.1.04	To Suit Existing S/O	To Suit Existing S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.1.03	New	WC	RM.22.1.05	762	1981	-	Type B	1	New decorated.	-	New to match existing.	-
D.22.1.04	New	Stairs	RM.22.1.01	To Suit Existing S/O	To Suit Existing S/O	-	Type C	2	New decorated.	FD60s	New to match existing.	Smoke

Second Floor

01491 411277

Project: 22 Southampton Place Client: EDR Status: PLANNING Drawn by: EM	Drawing No: PL.3301 Revision: L1 Date: JULY 2024 Checked by: RE	Rev.:
--	--	-------

Door No.	Type	Room Name	Room No.	Leaf							Door Frame	
				Width (mm)	Height (mm)	Vision panel	Type	No. of Leafs	Leaf Material & Finish	Fire Rating	Architrave	Air/Smoke Seals

Notes: All new internal doors. Refer to CO.3305 for door elevation drawings.

D.22.2.01	New	Office	RM.22.2.03	To Suit Existing S/O	To Suit Existing S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.2.02	New	Office	RM.22.2.04	To Suit Existing S/O	To Suit Existing S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.2.03	New	WC	RM.22.2.05	762	1981	-	Type B	1	New decorated.	-	New to match existing.	-
D.22.2.04	New	Stairs	RM.22.2.01	To Suit Existing S/O	To Suit Existing S/O	-	Type C	2	New decorated.	FD60s	New to match existing.	Smoke

Third Floor

D.22.3.01	New	Office	RM.22.3.03	To Suit Existing S/O	To Suit Existing S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.3.02	New	Office	RM.22.3.04	To Suit Existing S/O	To Suit Existing S/O	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.3.03	New	WC	RM.22.3.05	762	1981	-	Type B	1	New decorated.	-	New to match existing.	-
D.22.3.04	New	Stairs	RM.22.3.01	To Suit Existing S/O	To Suit Existing S/O	-	Type C	2	New decorated.	FD60s	New to match existing.	Smoke

Fourth Floor

D.22.4.01	New	Office	RM.22.4.03	838	1981	Y	Type A	1	New decorated.	FD30s	New to match existing.	Smoke
D.22.4.03	New	Lobby	RM.22.4.02	762	1981	-	Type B	1	New decorated.	FD60s	New to match existing.	Smoke
D.22.4.04	New	Plant	RM.22.4.05	To Suit Existing S/O	To Suit Existing S/O	-	Type C	2	New decorated.	-	New to match existing.	-